





















































































































# Stabilis








































































































































































|  |  |    |    |  |    |  |    |      |
|---|---|---|---|--|---|---|---|------|
| Acetazolamide   | 0,375 mg/ml   |    |    | -10°C  |    | 44  |    | 460  |
| Acetazolamide   | 0,375 mg/ml   |    |    | 25°C   |    | 5   |    | 460  |
| Acetazolamide   | 0,375 mg/ml   |    |    | 5°C  |    | 44  |    | 460  |
| Aciclovir sodium  | 1 & 7 & 10 mg/ml  |    |    | 4°C  |    | 35  |    | 822  |
| Aciclovir sodium  | 5 mg/ml   |    |    | 25°C   |    | 37  |    | 68   |
| Aciclovir sodium  | 5 mg/ml   |    |    | 5°C  |    | 37  |    | 68   |
| Aciclovir sodium  | 5 mg/ml   |    |    | 22°C   |    | 24  |    | 1067 |
| Aciclovir sodium  | 5 mg/ml   |    |    | 4°C  |    | 24  |    | 1067 |
| Adenosin  | 0,05 mg/ml  |   |   | 2-8°C  |   | 14  |   | 3223 |
| Adenosin  | 0,05 mg/ml  |  |  | 23-25°C  |  | 14  |  | 3223 |
| Adenosin  | 0,1 mg/ml   |  |  | 2-8°C  |  | 14  |  | 3223 |
| Adenosin  | 0,1 mg/ml   |  |  | 23-25°C  |  | 14  |  | 3223 |
| Adenosin  | 0,22 mg/ml  |  |  | 2-8°C  |  | 14  |  | 3223 |
| Adenosin  | 0,22 mg/ml  |  |  | 23-25°C  |  | 14  |  | 3223 |
| Adenosin  | 0,75 mg/ml  |  |  | -15°C  |  | 16  |  | 816  |
| Adenosin  | 0,75 mg/ml  |  |  | 25°C   |  | 16  |  | 816  |
| Adenosin  | 0,75 mg/ml  |  |  | 5°C  |  | 16  |  | 816  |
| Adenosin  | 0,01 mg/ml  |  |  | 2-8°C  |  | 14  |  | 3422 |
| Adenosin  | 0,01 mg/ml  |  |  | 20-25°C  |  | 14  |  | 3422 |
| Adenosin  | 0,05 mg/ml  |  |  | 2-8°C  |  | 14  |  | 3422 |
| Adenosin  | 0,05 mg/ml  |  |  | 20-25°C  |  | 14  |  | 3422 |
| Adenosin  | 0,75 mg/ml  |  |  | -15°C  |  | 16  |  | 816  |
| Adenosin  | 0,75 mg/ml  |  |  | 25°C   |  | 16  |  | 816  |
| Adenosin  | 0,75 mg/ml  |  |  | 5°C  |  | 16  |  | 816  |
| Aflibercept   | 0,6 >> 8 mg/ml  |  |  | 2-8°C  |  | 24  |  | 3508 |
| Aflibercept   | 0,6 >> 8 mg/ml  |  |  | 25°C   |  | 8   |  | 3508 |
| Aflibercept   | 0,6 >> 8 mg/ml  |  |  | 2-8°C  |  | 24  |  | 3508 |

|                          |                    |     |  |         |   |    |  |      |
|--------------------------|--------------------|-----|--|---------|---|----|--|------|
| Aflibercept              | 0,6 >> 8 mg/ml     | POF |  | 25°C    |   | 8  |  | 3508 |
| Alemtuzumab              | 0.1 mg/ml          | ?   |  | 2-8°C   |   | 8  |  | 4665 |
| Amikacin sulfate         | 0,25 & 5 mg/ml     |     |  | -15°C   |   | 30 |  | 561  |
| Amikacin sulfate         | 0,25 & 5 mg/ml     |     |  | 25°C    | ? | 24 |  | 561  |
| Amikacin sulfate         | 0,25 & 5 mg/ml     |     |  | 4°C     |   | 60 |  | 561  |
| Amikacin sulfate         | 4 mg/ml            |     |  | 25°C    | ? | 48 |  | 565  |
| Amikacin sulfate         | 5 mg/ml            | PVC |  | 25°C    |   | 48 |  | 434  |
| Aminocaproic acid        | 10 & 100 mg/ml     | PVC |  | 23°C    | ? | 7  |  | 550  |
| Aminocaproic acid        | 10 & 100 mg/ml     | PVC |  | 4°C     |   | 7  |  | 550  |
| Aminophylline            | 1,3 mg/ml          | PVC |  | 25°C    |   | 48 |  | 434  |
| Aminophylline            | 1,3 mg/ml          | PVC |  | 4°C     |   | 48 |  | 434  |
| Amiodarone hydrochloride | 2 mg/ml            |     |  | 25°C    |   | 32 |  | 647  |
| Amiodarone hydrochloride | 2 mg/ml            |     |  | 5°C     |   | 32 |  | 647  |
| Amiodarone hydrochloride | 1,8 mg/ml          | POF |  | 24°C    |   | 24 |  | 242  |
| Anidulafungin            | 0.77 mg/ml         | ?   |  | 25°C    | ? | 48 |  | 3567 |
| Argatroban               | 1 mg/ml            | ?   |  | 15-30°C |   | 24 |  | 2277 |
| Argatroban               | 1 mg/ml            | ?   |  | 2-8°C   |   | 4  |  | 2277 |
| Argatroban               | 1 mg/ml            | ?   |  | 2-8°C   |   | 14 |  | 3295 |
| Argatroban               | 1 mg/ml            | ?   |  | 20-25°C |   | 4  |  | 2277 |
| Argatroban               | 1 mg/ml            | ?   |  | 25°C    |   | 14 |  | 3295 |
| Arsenic trioxyde         | ? mg/ml            | ?   |  | 15-25°C | ? | 30 |  | 4726 |
| Arsenic trioxyde         | ? mg/ml            | ?   |  | 2-8°C   | ? | 30 |  | 4726 |
| Ascorbic acid            | 36,6 >> 91,4 mg/ml | PVC |  | 25°C    |   | 10 |  | 4245 |
| Ascorbic acid            | 36,6 >> 91,4 mg/ml | PVC |  | 4°C     |   | 14 |  | 4245 |
| Atracurium besylate      | 0,5 >> 5 mg/ml     |     |  | < 30°C  |   | 24 |  | 3676 |
| Aztreonam                | 20 mg/ml           |     |  | 25°C    |   | 48 |  | 432  |
| Aztreonam                | 10 & 20 mg/ml      | PVC |  | 25°C    | ? | 48 |  | 422  |
| Aztreonam                | 10 & 20 mg/ml      | PVC |  | 4°C     |   | 7  |  | 422  |
| Aztreonam                | 125 mg/ml          |     |  | 20-25°C |   | 48 |  | 4634 |
| Aztreonam                | 5 & 20 mg/ml       | PI  |  | 25°C    | ? | 24 |  | 604  |
| Aztreonam                | 5 & 20 mg/ml       | PI  |  | 4°C     |   | 14 |  | 604  |
| Aztreonam                | 50 mg/ml           | PI  |  | 37°C    |   | 48 |  | 4634 |
| Belatacept               | 2 >> 10 mg/ml      | ?   |  | 2-8°C   | ? | 24 |  | 3261 |





































































































































|                     |                    |   |  |           |   |    |  |      |
|---------------------|--------------------|---|--|-----------|---|----|--|------|
| Belatacept          | 2 >> 10 mg/ml      | ? |  | 25°C      | ? | 4  |  | 3261 |
| Bivalirudin         | 5 mg/ml            | ? |  | 25°C      | ? | 24 |  | 3539 |
| Brentuximab vedotin | 0,4 >> 1,2 mg/ml   | ? |  | 2-8°C     |   | 24 |  | 3495 |
| Bretylium tosilate  | 10 mg/ml           |   |  | 25°C      |   | 48 |  | 743  |
| Bretylium tosilate  | 10 mg/ml           |   |  | 40°C      |   | 48 |  | 743  |
| Bretylium tosilate  | 10 mg/ml           |   |  | 4°C       |   | 7  |  | 743  |
| Bretylium tosilate  | 1 mg/ml            |   |  | 25°C      |   | 30 |  | 1193 |
| Bretylium tosilate  | 10 mg/ml           |   |  | 25°C      |   | 48 |  | 743  |
| Bretylium tosilate  | 10 mg/ml           |   |  | 40°C      |   | 48 |  | 743  |
| Bretylium tosilate  | 10 mg/ml           |   |  | 4°C       |   | 7  |  | 743  |
| Busulfan            | 0,1 mg/ml          |   |  | 23°C      | ? | 4  |  | 658  |
| Busulfan            | 0,5 mg/ml          |   |  | 23°C      | ? | 8  |  | 658  |
| Busulfan            | 0,5 mg/ml          |   |  | 23°C      | ? | 8  |  | 658  |
| Cabazitaxel         | 0,1 >>> 0,26 mg/ml |   |  | 25°C      |   | 28 |  | 4761 |
| Cabazitaxel         | 0,1 >>> 0,26 mg/ml |   |  | 2-8°C     |   | 28 |  | 4761 |
| Cabazitaxel         | 0,1 mg/ml          |   |  | -20°C     | ? | 49 |  | 4800 |
| Cabazitaxel         | 0,1 mg/ml          |   |  | 25°C      | ? | 21 |  | 4800 |
| Cabazitaxel         | 0,1 mg/ml          |   |  | 4°C       | ? | 21 |  | 4800 |
| Cabazitaxel         | 0,1 >>> 0,26 mg/ml |   |  | 25°C      |   | 28 |  | 4761 |
| Cabazitaxel         | 0,10 >> 0,26 mg/ml |   |  | 2-8°C     | ? | 48 |  | 3237 |
| Cabazitaxel         | 0,10 >> 0,26 mg/ml |   |  | 25°C      | ? | 8  |  | 3237 |
| Cabazitaxel         | 0,26 mg/ml         |   |  | -20°C     | ? | 49 |  | 4800 |
| Cabazitaxel         | 0,26 mg/ml         |   |  | 25°C      | ? | 21 |  | 4800 |
| Cabazitaxel         | 0,26 mg/ml         |   |  | 4°C       | ? | 21 |  | 4800 |
| Calcitriol          | 0,5 µg/ml          |   |  | 25°C      |   | 8  |  | 305  |
| Calcium chloride    | 11,5 mg/ml         |   |  | 25°C      |   | 7  |  | 3307 |
| Carmustine          | 0,96 mg/ml         |   |  | 22°C      |   | 3  |  | 146  |
| Carmustine          | 0,96 mg/ml         |   |  | 22°C      |   | 3  |  | 146  |
| Carmustine          | 0,96 mg/ml         |   |  | 4°C       |   | 48 |  | 146  |
| Cefalotin sodium    | 10 mg/ml           |   |  | 20°C-22°C |   | 24 |  | 1670 |
| Cefalotin sodium    | 10 mg/ml           |   |  | 4°C       |   | 48 |  | 1670 |
| Cefalotin sodium    | 20 mg/ml           |   |  | -20°C     |   | 30 |  | 573  |
| Cefalotin sodium    | 20 mg/ml           |   |  | 4°C       |   | 17 |  | 674  |

|                              |                   |  |  |  |           |  |     |  |      |
|------------------------------|-------------------|--|--|--|-----------|--|-----|--|------|
| Cefamandole nafate           | 10 mg/ml          |  |  |  | 25°C      |  | 48  |  | 418  |
| Cefamandole nafate           | 2 & 20 mg/ml      |  |  |  | 25°C      |  | 72  |  | 612  |
| Cefamandole nafate           | 2 & 20 mg/ml      |  |  |  | 5°C       |  | 7   |  | 612  |
| Cefamandole nafate           | 20 mg/ml          |  |  |  | 25°C      |  | 72  |  | 612  |
| Cefamandole nafate           | 20 mg/ml          |  |  |  | 5°C       |  | 7   |  | 612  |
| Cefamandole nafate           | 5 & 40 mg/ml      |  |  |  | 25°C      |  | 24  |  | 604  |
| Cefamandole nafate           | 5 & 40 mg/ml      |  |  |  | 4°C       |  | 10  |  | 604  |
| Cefazolin sodium             | 10 mg/ml          |  |  |  | 25°C      |  | 48  |  | 418  |
| Cefazolin sodium             | 400 mg/ml         |  |  |  | -20°C     |  | 182 |  | 581  |
| Cefazolin sodium             | 10 mg/ml          |  |  |  | -20°C     |  | 48  |  | 582  |
| Cefazolin sodium             | 20 mg/ml          |  |  |  | -20°C     |  | 30  |  | 573  |
| Cefazolin sodium             | 20 mg/ml          |  |  |  | 5°C       |  | 30  |  | 3230 |
| Cefazolin sodium             | 40 mg/ml          |  |  |  | 5°C       |  | 30  |  | 3230 |
| Cefazolin sodium             | 125 mg/ml         |  |  |  | 20-25°C   |  | 24  |  | 4634 |
| Cefazolin sodium             | 12,5 mg/ml        |  |  |  | 35°C      |  | 12  |  | 4247 |
| Cefazolin sodium             | 12,5 mg/ml        |  |  |  | 4°C       |  | 72  |  | 4247 |
| Cefazolin sodium             | 25 mg/ml          |  |  |  | 35°C      |  | 12  |  | 4247 |
| Cefazolin sodium             | 25 mg/ml          |  |  |  | 4°C       |  | 72  |  | 4247 |
| Cefazolin sodium             | 5 & 40 mg/ml      |  |  |  | 25°C      |  | 24  |  | 604  |
| Cefazolin sodium             | 5 & 40 mg/ml      |  |  |  | 4°C       |  | 10  |  | 604  |
| Cefepime dihydrochloride     | 2,5/5/10/20 mg/ml |  |  |  | 4°C       |  | 7   |  | 1605 |
| Cefepime dihydrochloride     | 20 mg/ml          |  |  |  | 22°C-24°C |  | 3   |  | 1605 |
| Cefepime dihydrochloride     | 20 mg/ml          |  |  |  | 25°C      |  | 2   |  | 873  |
| Cefepime dihydrochloride     | 20 mg/ml          |  |  |  | 5°C       |  | 23  |  | 873  |
| Cefepime dihydrochloride     | 8 mg/ml           |  |  |  | 24°C      |  | 48  |  | 1673 |
| Cefepime dihydrochloride     | 8 mg/ml           |  |  |  | 4°C       |  | 15  |  | 1673 |
| Cefepime dihydrochloride     | 100 & 200 mg/ml   |  |  |  | -20°C     |  | 90  |  | 1068 |
| Cefepime dihydrochloride     | 100 & 200 mg/ml   |  |  |  | 4°C       |  | 7   |  | 1068 |
| Cefepime dihydrochloride     | 125 mg/ml         |  |  |  | 20-25°C   |  | 24  |  | 4634 |
| Cefepime dihydrochloride     | 200 mg/ml         |  |  |  | 22-24°C   |  | 2   |  | 1046 |
| Cefepime dihydrochloride     | 200 mg/ml         |  |  |  | 4°C       |  | 14  |  | 1046 |
| Cefiderocol sulfate tosylate | 89 mg/mL          |  |  |  | 25°C      |  | 1   |  | 2093 |
| Cefiderocol sulfate tosylate | 62,5 mg/mL        |  |  |  | 20-25°C   |  | 24  |  | 4634 |





































































































































|                              |                   |  |  |  |           |  |     |  |      |
|------------------------------|-------------------|--|--|--|-----------|--|-----|--|------|
| Cefiderocol sulfate tosylate | 25 mg/mL          |  |  |  | 37°C      |  | 6   |  | 4634 |
| Cefiderocol sulfate tosylate | 7,5>>20 mg/mL     |  |  |  | 2-8°C     |  | 24  |  | 2093 |
| Cefiderocol sulfate tosylate | 7,5>>20 mg/mL     |  |  |  | 25°C      |  | 6   |  | 2093 |
| Cefmetazole sodium           | 20 mg/ml          |  |  |  | 25°C      |  | 2   |  | 652  |
| Cefmetazole sodium           | 20 mg/ml          |  |  |  | 5°C       |  | 28  |  | 652  |
| Cefmetazole sodium           | 4 & 20 mg/ml      |  |  |  | 4°C       |  | 7   |  | 1664 |
| Cefonicid sodium             | 10 mg/ml          |  |  |  | -15°C     |  | 56  |  | 420  |
| Cefonicid sodium             | 10 mg/ml          |  |  |  | 25°C      |  | 48  |  | 644  |
| Cefonicid sodium             | 5 & 20 & 40 mg/ml |  |  |  | 25°C      |  | 24  |  | 420  |
| Cefonicid sodium             | 5 & 20 & 40 mg/ml |  |  |  | 5°C       |  | 96  |  | 420  |
| Cefoperazone sodium          | 20 mg/ml          |  |  |  | 25°C      |  | 48  |  | 644  |
| Cefoperazone sodium          | 40 mg/ml          |  |  |  | -10°C     |  | 96  |  | 585  |
| Cefoperazone sodium          | 40 mg/ml          |  |  |  | 25°C      |  | 8   |  | 585  |
| Cefoperazone sodium          | 40 mg/ml          |  |  |  | 5°C       |  | 80  |  | 585  |
| Cefoperazone sodium          | 2 & 50 mg/ml      |  |  |  | 25°C      |  | 24  |  | 604  |
| Cefoperazone sodium          | 2 & 50 mg/ml      |  |  |  | 4°C       |  | 10  |  | 604  |
| Cefotaxime sodium            | 20 mg/ml          |  |  |  | 24°C      |  | 24  |  | 421  |
| Cefotaxime sodium            | 10 mg/ml          |  |  |  | -10°C     |  | 112 |  | 593  |
| Cefotaxime sodium            | 10 mg/ml          |  |  |  | 24°C      |  | 24  |  | 593  |
| Cefotaxime sodium            | 10 mg/ml          |  |  |  | 4°C       |  | 22  |  | 593  |
| Cefotaxime sodium            | 20 mg/ml          |  |  |  | 24°C      |  | 24  |  | 421  |
| Cefotaxime sodium            | 125 mg/ml         |  |  |  | 20-25°C   |  | 6   |  | 4268 |
| Cefotaxime sodium            | 83,3 mg/ml        |  |  |  | 20-25°C   |  | 6   |  | 4268 |
| Cefotaxime sodium            | 5 & 40 mg/ml      |  |  |  | 25°C      |  | 24  |  | 604  |
| Cefoxitin sodium             | 20 mg/ml          |  |  |  | 25°C      |  | 48  |  | 418  |
| Cefpirome sulfate            | 20 mg/ml          |  |  |  | 20°C-22°C |  | 8   |  | 1670 |
| Cefpirome sulfate            | 20 mg/ml          |  |  |  | 4°C       |  | 48  |  | 1670 |
| Ceftaroline fosamil          | 12 mg/ml          |  |  |  | 2-8°C     |  | 24  |  | 3812 |
| Ceftaroline fosamil          | 12 mg/ml          |  |  |  | 25°C      |  | 6   |  | 3812 |
| Ceftazidime                  | 20 mg/ml          |  |  |  | 25°C      |  | 48  |  | 432  |
| Ceftazidime                  | 40 mg/ml          |  |  |  | 20°C      |  | 20  |  | 1651 |
| Ceftazidime                  | 40 mg/ml          |  |  |  | 35°C      |  | 20  |  | 1651 |
| Ceftazidime                  | 4 mg/ml           |  |  |  | 25°C      |  | 24  |  | 1656 |

|                              |                    |   |   |         |   |     |   |      |
|------------------------------|--------------------|---|---|---------|---|-----|---|------|
| Ceftazidime                  | 4 mg/ml            |     |         | 4°C     |     | 7   |     | 1656 |
| Ceftazidime                  | 40 mg/ml           |    |       | -10°C   |    | 90  |    | 585  |
| Ceftazidime                  | 40 mg/ml           |    |       | 4°C     |    | 7   |    | 697  |
| Ceftazidime                  | 10 mg/ml           |    |       | 22°C    |    | 24  |    | 1067 |
| Ceftazidime                  | 10 mg/ml           |    |       | 4°C     |    | 24  |    | 1067 |
| Ceftazidime                  | 40 mg/ml           |    |       | 20°C    |    | 20  |    | 1651 |
| Ceftazidime                  | 25 mg/ml           |    |       | 37°C    |    | 8   |    | 4634 |
| Ceftazidime                  | 5 & 40 mg/ml       |    |       | 25°C    |    | 24  |    | 604  |
| Ceftazidime                  | 5 & 40 mg/ml       |    |       | 4°C     |    | 7   |    | 604  |
| Ceftazidime Avibactam        | 125/31,25 mg/ml    |    |       | 20-25°C |    | 24  |    | 4634 |
| Ceftazidime Avibactam        | 8/2 >> 40/10 mg/ml |    |       | 2-8°C   |    | 24  |    | 2902 |
| Ceftazidime Avibactam        | 8/2 >> 40/10 mg/ml |    |       | 25°C    |    | 12  |    | 2902 |
| Ceftizoxime sodium           | 20 mg/ml           |    |       | 25°C    |    | 48  |    | 418  |
| Ceftizoxime sodium           | 20 mg/ml           |   |     | -20°C   |   | 90  |   | 591  |
| Ceftizoxime sodium           | 20 mg/ml           |  |   | 5°C     |  | 30  |  | 591  |
| Ceftizoxime sodium           | 5 & 80 mg/ml       |  |   | 25°C    |  | 24  |  | 604  |
| Ceftizoxime sodium           | 5 & 80 mg/ml       |  |   | 4°C     |  | 10  |  | 604  |
| Ceftolozane / tazobactam     | 62,5/31,25 mg/ml   |  |   | 20-25°C |  | 48  |  | 4634 |
| Ceftolozane / tazobactam     | 10 / 5 mg/ml       |  |   | 2-8°C   |  | 7   |  | 3803 |
| Ceftolozane / tazobactam     | 10 / 5 mg/ml       |  |   | 25°C    |  | 24  |  | 3803 |
| Ceftriaxone disodium         | 10 & 50 mg/ml      |  |   | -20°C   |  | 182 |  | 589  |
| Ceftriaxone disodium         | 10 & 40 mg/ml      |  |   | -15°C   |  | 10  |  | 259  |
| Cefuroxime sodium            | 15 mg/ml           |  |   | 25°C    |  | 48  |  | 644  |
| Cefuroxime sodium            | 5 & 10 mg/ml       |  |   | -10°C   |  | 30  |  | 636  |
| Cefuroxime sodium            | 5 & 10 mg/ml       |  |   | 25°C    |  | 24  |  | 636  |
| Cefuroxime sodium            | 5 & 10 mg/ml       |  |   | 5°C     |  | 30  |  | 636  |
| Cefuroxime sodium            | 5 & 10 mg/ml       |  |   | -10°C   |  | 30  |  | 636  |
| Cefuroxime sodium            | 5 & 10 mg/ml       |  |   | 25°C    |  | 24  |  | 636  |
| Cefuroxime sodium            | 5 & 10 mg/ml       |  |   | 5°C     |  | 30  |  | 636  |
| Cefuroxime sodium            | 6 mg/ml            |  |   | 25°C    |  | 24  |  | 1656 |
| Cefuroxime sodium            | 6 mg/ml            |  |   | 4°C     |  | 7   |  | 1656 |
| Cefuroxime sodium            | 5 & 30 mg/ml       |  |   | 4°C     |  | 10  |  | 604  |
| Chlorpromazine hydrochloride | 0,25 mg/ml         |  |   | 20-25°C |  | 8   |  | 1960 |

|                              |                   |         |  |           |  |    |  |      |
|------------------------------|-------------------|---------|--|-----------|--|----|--|------|
| Chlorpromazine hydrochloride | 0,25 mg/ml        | POF     |  | 25°C      |  | 8  |  | 1522 |
| Ciclosporin                  | 0,2 mg/ml         | POF     |  | 23-27°C   |  | 14 |  | 3229 |
| Ciclosporin                  | 2,5 mg/ml         | POF     |  | 23-27°C   |  | 14 |  | 3229 |
| Ciclosporin                  | 0,2 mg/ml         | EVA     |  | 25°C      |  | 7  |  | 3476 |
| Ciclosporin                  | 2,5 mg/ml         | EVA     |  | 25°C      |  | 14 |  | 3476 |
| Cidofovir                    | 0,21 & 8,12 mg/ml | PVC     |  | 2-8°C     |  | 24 |  | 1    |
| Cidofovir                    | 0,21 & 8,12 mg/ml | PVC     |  | 30°C      |  | 24 |  | 1    |
| Cidofovir                    | 0,21 & 8,12 mg/ml | PP + PE |  | 2-8°C     |  | 24 |  | 1    |
| Cidofovir                    | 0,21 & 8,12 mg/ml | PP + PE |  | 30°C      |  | 24 |  | 1    |
| Cimetidine hydrochloride     | 3 & 6 mg/ml       | PVC     |  | -10°C     |  | 28 |  | 1503 |
| Ciprofloxacin lactate        | ? mg/ml           | PVC     |  | 25°C      |  | 90 |  | 666  |
| Ciprofloxacin lactate        | ? mg/ml           | PVC     |  | 5°C       |  | 90 |  | 666  |
| Ciprofloxacin lactate        | 1 mg/ml           | PVC     |  | 2-8°C     |  | 30 |  | 3231 |
| Ciprofloxacin lactate        | 1 mg/ml           | PVC     |  | 21-24°C   |  | 30 |  | 3231 |
| Ciprofloxacin lactate        | 1 mg/ml           | PVC     |  | 29-31°C   |  | 30 |  | 3231 |
| Ciprofloxacin lactate        | 1,5 mg/ml         | PVC     |  | 25°C      |  | 48 |  | 434  |
| Ciprofloxacin lactate        | 2 mg/ml           | PVC     |  | 2-8°C     |  | 30 |  | 3231 |
| Ciprofloxacin lactate        | 2 mg/ml           | PVC     |  | 21-24°C   |  | 30 |  | 3231 |
| Ciprofloxacin lactate        | 2 mg/ml           | PVC     |  | 29-31°C   |  | 30 |  | 3231 |
| Ciprofloxacin lactate        | 5 & 20 mg/ml      | PI      |  | 25°C      |  | 30 |  | 604  |
| Ciprofloxacin lactate        | 5 & 20 mg/ml      | PI      |  | 4°C       |  | 90 |  | 604  |
| Cisatracurium besylate       | 0,1 & 2 & 5 mg/ml | PVC     |  | 4°C       |  | 30 |  | 533  |
| Cisatracurium besylate       | 5 mg/ml           | PVC     |  | 23°C      |  | 30 |  | 533  |
| Cisplatin                    | 0,6 mg/ml         | PVC     |  | 20°C-24°C |  | 9  |  | 164  |
| Citalopram                   | 0,16 mg/ml        | PVC     |  | 20°C-25°C |  | 24 |  | 1604 |
| Clindamycin phosphate        | 6 , 9 & 12 mg/ml  |         |  | -10°C     |  | 56 |  | 566  |
| Clindamycin phosphate        | 6 , 9 & 12 mg/ml  |         |  | 25°C      |  | 16 |  | 566  |
| Clindamycin phosphate        | 6 , 9 & 12 mg/ml  |         |  | 4°C       |  | 32 |  | 566  |
| Clindamycin phosphate        | 9 mg/ml           |         |  | 24°C      |  | 24 |  | 421  |
| Clindamycin phosphate        | 9 mg/ml           |         |  | 25°C      |  | 48 |  | 418  |
| Clindamycin phosphate        | 9 mg/ml           |         |  | 25°C      |  | 48 |  | 565  |
| Clindamycin phosphate        | 9 & 12 mg/ml      |         |  | 25°C      |  | 48 |  | 432  |
| Clindamycin phosphate        | 6 , 9 & 12 mg/ml  | PVC     |  | -10°C     |  | 56 |  | 566  |

|                          |                  |   |   |           |   |    |   |      |
|--------------------------|------------------|---|---|-----------|---|----|---|------|
| Clindamycin phosphate    | 6 , 9 & 12 mg/ml |     |     | 25°C      |     | 16 |     | 566  |
| Clindamycin phosphate    | 6 , 9 & 12 mg/ml |    |    | 4°C       |    | 32 |    | 566  |
| Clindamycin phosphate    | 6 & 12 mg/ml     |    |    | -10°C     |    | 68 |    | 567  |
| Clindamycin phosphate    | 6 & 12 mg/ml     |    |    | 25°C      |    | 22 |    | 567  |
| Clindamycin phosphate    | 6 & 12 mg/ml     |    |    | 5°C       |    | 54 |    | 567  |
| Clindamycin phosphate    | 9 mg/ml          |    |    | -20°C     |    | 28 |    | 565  |
| Clindamycin phosphate    | 9 mg/ml          |    |    | 24°C      |    | 24 |    | 421  |
| Clindamycin phosphate    | 3 mg/ml          |    |    | 22°C      |    | 24 |    | 1067 |
| Clindamycin phosphate    | 3 mg/ml          |    |    | 4°C       |    | 24 |    | 1067 |
| Clofarabine              | 0,2 & 0,6 mg/ml  |    |    | 2-8°C     |    | 28 |    | 3110 |
| Clofarabine              | 0,2 & 0,6 mg/ml  |    |    | 2-8°C     |    | 28 |    | 3313 |
| Clofarabine              | 0,2 & 0,6 mg/ml  |    |    | 25°C      |    | 28 |    | 3110 |
| Clofarabine              | 0,2 & 0,6 mg/ml  |    |    | 25°C      |    | 28 |    | 3313 |
| Clorazepate di potassium | 0,2 mg/ml        |   |   | 4°C       |   | 72 |   | 896  |
| Clorazepate di potassium | 0,2 mg/ml        |  |  | 4°C       |  | 72 |  | 896  |
| Cloxacillin sodium       | 20 mg/ml         |  |  | -20°C     |  | 30 |  | 573  |
| Cloxacillin sodium       | 5 >> 50 mg/ml    |  |  | 4°C       |  | 7  |  | 1278 |
| Cloxacillin sodium       | 125 mg/ml        |  |  | 20-25°C   |  | 24 |  | 4634 |
| Co-trimoxazole           | 0,64 / 3,2 mg/ml |  |  | 23°C-25°C |  | 48 |  | 442  |
| Co-trimoxazole           | 1,6 / 8 mg/ml    |  |  | 23°C-25°C |  | 1  |  | 442  |
| Colistin mesilate sodium | 4 mg/ml          |  |  | 4°C       |  | 48 |  | 2285 |
| Cyclophosphamide         | 1 mg/ml          |  |  | 25°C      |  | 7  |  | 172  |
| Cyclophosphamide         | 1 mg/ml          |  |  | 4°C       |  | 7  |  | 172  |
| Cyclophosphamide         | 1 mg/ml          |  |  | 4°C       |  | 7  |  | 172  |
| Cyclophosphamide         | 10 mg/ml         |  |  | 4°C       |  | 30 |  | 40   |
| Cyclophosphamide         | 0,24 & 6,4 mg/ml |  |  | 25°C      |  | 7  |  | 1520 |
| Cytarabine               | 0,1 & 20 mg/ml   |  |  | 2-8°C     |  | 28 |  | 2255 |
| Cytarabine               | 0,144 mg/ml      |  |  | 23°C      |  | 72 |  | 1501 |
| Cytarabine               | 0,144 mg/ml      |  |  | 4°C       |  | 72 |  | 1501 |
| Cytarabine               | 20 mg/ml         |  |  | 20-25°C   |  | 28 |  | 2255 |
| Cytarabine               | 0,1 & 20 mg/ml   |  |  | 2-8°C     |  | 28 |  | 2255 |
| Cytarabine               | 0,144 mg/ml      |  |  | 23°C      |  | 72 |  | 1501 |
| Cytarabine               | 0,144 mg/ml      |  |  | 4°C       |  | 72 |  | 1501 |







































































































































|                            |                  |   |   |           |   |    |   |      |
|----------------------------|------------------|---|---|-----------|---|----|---|------|
| Cytarabine                 | 20 mg/ml         |     |     | 20-25°C   |     | 28 |     | 2255 |
| Cytarabine                 | 0,1 & 20 mg/ml   |    |    | 2-8°C     |    | 28 |    | 2255 |
| Cytarabine                 | 0,144 mg/ml      |    |    | 21°C-22°C |    | 72 |    | 1520 |
| Cytarabine                 | 0,144 mg/ml      |    |    | 23°C      |    | 72 |    | 1501 |
| Cytarabine                 | 0,144 mg/ml      |    |    | 4°C       |    | 72 |    | 1501 |
| Cytarabine                 | 0,144 mg/ml      |    |    | 4°C       |    | 72 |    | 1520 |
| Cytarabine                 | 20 mg/ml         |    |    | 20-25°C   |    | 28 |    | 2255 |
| Cytarabine                 | 1,25 & 25 mg/ml  |    |    | 22°C      |    | 28 |    | 142  |
| Cytarabine                 | 1,25 & 25 mg/ml  |    |    | 25°C      |    | 28 |    | 844  |
| Cytarabine                 | 1,25 & 25 mg/ml  |    |    | 35°C      |    | 7  |    | 142  |
| Cytarabine                 | 1,25 & 25 mg/ml  |    |    | 35°C      |    | 14 |    | 844  |
| Cytarabine                 | 1,25 & 25 mg/ml  |    |    | 4°C       |    | 28 |    | 142  |
| Cytarabine                 | 1,25 & 25 mg/ml  |    |    | 4°C       |    | 28 |    | 844  |
| Cytarabine                 | 0,1 & 20 mg/ml   |   |   | 2-8°C     |   | 28 |   | 2255 |
| Cytarabine                 | 20 mg/ml         |  |  | 20-25°C   |  | 28 |  | 2255 |
| Dacarbazine                | 1,6 mg/ml        |  |  | 4°C       |  | 30 |  | 40   |
| Dacarbazine                | mg/ml            |  |  | 25°C      |  | 9  |  | 3266 |
| Dacarbazine                | mg/ml            |  |  | 6-8°C     |  | 6  |  | 3266 |
| Dactinomycin               | 10 µg/ml         |  |  | 20-25°C   |  | 10 |  | 4153 |
| Dactinomycin               | 10 µg/ml         |  |  | 20-25°C   |  | 10 |  | 4153 |
| Daunorubicin hydrochloride | 0,016 mg/ml      |  |  | 4°C       |  | 7  |  | 148  |
| Daunorubicin hydrochloride | 0,02 mg/ml       |  |  | 22°C      |  | 48 |  | 1897 |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | -20°C     |  | 43 |  | 686  |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | 22°C      |  | 8  |  | 1897 |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | 25°C      |  | 43 |  | 686  |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | 4°C       |  | 43 |  | 686  |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | 4°C       |  | 8  |  | 1897 |
| Daunorubicin hydrochloride | 0,02 mg/ml       |  |  | 22°C      |  | 48 |  | 1897 |
| Daunorubicin hydrochloride | 0,02 & 0,1 mg/ml |  |  | 25°C      |  | 3  |  | 1520 |
| Daunorubicin hydrochloride | 0,02 & 0,1 mg/ml |  |  | 4°C       |  | 8  |  | 1520 |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | 22°C      |  | 8  |  | 1897 |
| Daunorubicin hydrochloride | 0,1 mg/ml        |  |  | 25°C      |  | 28 |  | 632  |
| Daunorubicin hydrochloride | 0,4 >> 3 mg/ml   |  |  | 22°C      |  | 14 |  | 3438 |

|                                    |                     |     |  |         |  |    |  |      |
|------------------------------------|---------------------|-----|--|---------|--|----|--|------|
| Daunorubicin hydrochloride         | 0,4 >> 3 mg/ml      | POF |  | 4°C     |  | 14 |  | 3438 |
| Daunorubicin/cytarabine liposomale | 0.087 / 0.195 mg/mL | POF |  | 2-8°C   |  | 4  |  | 4355 |
| Daunorubicin/cytarabine liposomale | 0.176 / 0.4 mg/mL   | POF |  | 2-8°C   |  | 4  |  | 4355 |
| Deferoxamine mesylate              | 5 mg/ml             | PI  |  | 25°C    |  | 12 |  | 604  |
| Defibrotide                        | 4 >> 20 mg/ml       | ?   |  | 15-25°C |  | 72 |  | 3701 |
| Dexamethasone sodium phosphate     | 0,08 mg/ml          | PVC |  | 2-8°C   |  | 14 |  | 4602 |
| Dexamethasone sodium phosphate     | 0,08 mg/ml          | PVC |  | 20-23°C |  | 14 |  | 4602 |
| Dexamethasone sodium phosphate     | 0,4 mg/ml           | PVC |  | 2-8°C   |  | 14 |  | 4602 |
| Dexamethasone sodium phosphate     | 0,4 mg/ml           | PVC |  | 20-23°C |  | 14 |  | 4602 |
| Dexrazoxane hydrochloride          | 1 mg/ml             |     |  | 4°C     |  | 24 |  | 381  |
| Dexrazoxane hydrochloride          | 1 & 10 mg/ml        |     |  | 22°C    |  | 6  |  | 381  |
| Dexrazoxane hydrochloride          | 10 mg/ml            |     |  | 4°C     |  | 6  |  | 381  |
| Dexrazoxane hydrochloride          | 1 mg/ml             | PVC |  | 25°C    |  | 24 |  | 3611 |
| Dexrazoxane hydrochloride          | 1 mg/ml             | PVC |  | 4°C     |  | 24 |  | 381  |
| Dexrazoxane hydrochloride          | 1 & 10 mg/ml        | PVC |  | 22°C    |  | 6  |  | 381  |
| Dexrazoxane hydrochloride          | 3 mg/ml             | PVC |  | 25°C    |  | 8  |  | 3611 |
| Diazepam                           | 0,04 mg/ml          |     |  | 25°C    |  | 48 |  | 55   |
| Diazepam                           | 0,2 mg/ml           |     |  | 25°C    |  | 24 |  | 621  |
| Diazepam                           | 0,04 mg/ml          | PE  |  | 20-25°C |  | 48 |  | 1960 |
| Diazepam                           | 0,04 mg/ml          | PE  |  | 22°C    |  | 24 |  | 1067 |
| Diazepam                           | 0,04 mg/ml          | PE  |  | 25°C    |  | 48 |  | 55   |
| Diazepam                           | 0,04 mg/ml          | PE  |  | 4°C     |  | 24 |  | 1067 |
| Diazepam                           | 0,04 mg/ml          | PE  |  | 5°C     |  | 48 |  | 55   |
| Diazepam                           | 0,2 mg/ml           | PE  |  | 25°C    |  | 24 |  | 621  |
| Diazepam                           | 0,04 mg/ml          | POF |  | 25°C    |  | 48 |  | 1522 |
| Digoxin                            | 2,5 µg/ml           |     |  | 23-26°C |  | 48 |  | 618  |
| Digoxin                            | 2,5 µg/ml           |     |  | 4°C     |  | 48 |  | 618  |
| Diltiazem hydrochloride            | 1 mg/ml             | PVC |  | 21°C    |  | 48 |  | 1462 |
| Diltiazem hydrochloride            | 0,05 mg/ml          | PE  |  | 22°C    |  | 24 |  | 1067 |
| Diltiazem hydrochloride            | 0,05 mg/ml          | PE  |  | 4°C     |  | 24 |  | 1067 |
| Diltiazem hydrochloride            | 1 mg/ml             | PE  |  | 21°C    |  | 48 |  | 1462 |
| Dimenhydrinate                     | 0,5 >> 2 mg/ml      | PVC |  | 22°C    |  | 7  |  | 1806 |
| Dimenhydrinate                     | 0,5 >> 2 mg/ml      | PVC |  | 4°C     |  | 91 |  | 1806 |

|                               |                      |  |  |              |  |     |  |      |
|-------------------------------|----------------------|--|--|--------------|--|-----|--|------|
| Dimenhydrinate                | 2,5 >> 10 mg/ml      |  |  | 22°C         |  | 60  |  | 1806 |
| Dimenhydrinate                | 2,5 >> 10 mg/ml      |  |  | 4°C          |  | 60  |  | 1806 |
| Dinoprostone                  | 5 µg/ml              |  |  | 25°C         |  | 24  |  | 1121 |
| Dinoprostone                  | 5 µg/ml              |  |  | 4°C          |  | 7   |  | 1121 |
| Diphenhydramine hydrochloride | 0,2 mg/ml            |  |  | 2-8°C        |  | 14  |  | 4185 |
| Diphenhydramine hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | 22°C         |  | 91  |  | 1277 |
| Diphenhydramine hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | 4°C          |  | 91  |  | 1277 |
| Diphenhydramine hydrochloride | 1 mg/ml              |  |  | 2-8°C        |  | 14  |  | 4185 |
| Diphenhydramine hydrochloride | 1,25 & 2,5 & 5 mg/ml |  |  | 22°C         |  | 28  |  | 1277 |
| Diphenhydramine hydrochloride | 1,25 & 2,5 & 5 mg/ml |  |  | 4°C          |  | 28  |  | 1277 |
| Dobutamine hydrochloride      | 0,25 mg/ml           |  |  | 5°C          |  | 7   |  | 1045 |
| Dobutamine hydrochloride      | 0,25 mg/ml           |  |  | 5°C          |  | 7   |  | 1045 |
| Dobutamine hydrochloride      | 1 mg/ml              |  |  | 25°C         |  | 48  |  | 628  |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | 25°C         |  | 12  |  | 4141 |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | 35°C         |  | 12  |  | 4141 |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | 4°C          |  | 7   |  | 4141 |
| Dobutamine hydrochloride      | 0,5 mg/ml            |  |  | 22°C         |  | 24  |  | 1067 |
| Dobutamine hydrochloride      | 0,5 mg/ml            |  |  | 4°C          |  | 24  |  | 1067 |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | 2-8°C        |  | 365 |  | 4584 |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | -25 >> -15°C |  | 365 |  | 4584 |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | 2-8°C        |  | 365 |  | 4584 |
| Dobutamine hydrochloride      | 10 mg/ml             |  |  | 23-27°C      |  | 365 |  | 4584 |
| Docetaxel                     | 0,3 & 0,9 mg/ml      |  |  | 25°C         |  | 28  |  | 1660 |
| Docetaxel                     | < 0,74 mg/ml         |  |  | 2-8°C        |  | 48  |  | 3130 |
| Docetaxel                     | < 0,74 mg/ml         |  |  | 25°C         |  | 6   |  | 3130 |
| Docetaxel                     | 0,24 >> 1 mg/ml      |  |  | 20°C         |  | 28  |  | 3215 |
| Docetaxel                     | 0,24 >> 1 mg/ml      |  |  | 5°C          |  | 28  |  | 3215 |
| Docetaxel                     | 0,3 mg/ml            |  |  | 2-8°C        |  | 56  |  | 3195 |
| Docetaxel                     | 0,3 mg/ml            |  |  | 25°C         |  | 56  |  | 3195 |
| Docetaxel                     | 0,7 mg/ml            |  |  | 2-8°C        |  | 56  |  | 3195 |
| Docetaxel                     | 0,7 mg/ml            |  |  | 25°C         |  | 56  |  | 3195 |
| Dolasetron mesylate           | 10 mg/ml             |  |  | 23°C         |  | 31  |  | 1807 |
| Dolasetron mesylate           | 10 mg/ml             |  |  | 4°C          |  | 31  |  | 1807 |

|                           |                  |  |  |  |         |  |    |  |      |
|---------------------------|------------------|--|--|--|---------|--|----|--|------|
| Dopamine hydrochloride    | 0,8 mg/ml        |  |  |  | 23-25°C |  | 48 |  | 732  |
| Dopamine hydrochloride    | 10 mg/ml         |  |  |  | 23°C    |  | 84 |  | 3712 |
| Dopamine hydrochloride    | 2 mg/ml          |  |  |  | 23°C    |  | 84 |  | 3712 |
| Dopamine hydrochloride    | 30 mg/ml         |  |  |  | 23°C    |  | 84 |  | 3712 |
| Dopamine hydrochloride    | 0,4 >> 1 mg/ml   |  |  |  | 25°C    |  | 24 |  | 1698 |
| Dopamine hydrochloride    | 0,4 >> 3,2 mg/ml |  |  |  | 25°C    |  | 48 |  | 3638 |
| Doripenem                 | 10 mg/ml         |  |  |  | 4°C     |  | 7  |  | 3145 |
| Doripenem                 | 5 mg/ml          |  |  |  | 4°C     |  | 10 |  | 3145 |
| Doripenem                 | 10 mg/ml         |  |  |  | 4°C     |  | 10 |  | 3145 |
| Doripenem                 | 5 mg/ml          |  |  |  | 4°C     |  | 10 |  | 3145 |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 20-25°C |  | 4  |  | 2256 |
| Doxorubicin hydrochloride | 0,1 & 1 mg/ml    |  |  |  | 2-8°C   |  | 28 |  | 2256 |
| Doxorubicin hydrochloride | 1 mg/ml          |  |  |  | 20-25°C |  | 28 |  | 2256 |
| Doxorubicin hydrochloride | 0,04 mg/ml       |  |  |  | 4°C     |  | 7  |  | 148  |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | -20°C   |  | 43 |  | 686  |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 20-25°C |  | 4  |  | 2256 |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 22°C    |  | 8  |  | 1897 |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 25°C    |  | 24 |  | 686  |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 4°C     |  | 43 |  | 686  |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 4°C     |  | 8  |  | 1897 |
| Doxorubicin hydrochloride | 0,1 & 1 mg/ml    |  |  |  | 2-8°C   |  | 28 |  | 2256 |
| Doxorubicin hydrochloride | 1 mg/ml          |  |  |  | 20-25°C |  | 28 |  | 2256 |
| Doxorubicin hydrochloride | 1,4 mg/ml        |  |  |  | -20°C   |  | 30 |  | 859  |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 20-25°C |  | 4  |  | 2256 |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 25°C    |  | 8  |  | 1520 |
| Doxorubicin hydrochloride | 0,1 mg/ml        |  |  |  | 4°C     |  | 8  |  | 1520 |
| Doxorubicin hydrochloride | 0,1 & 1 mg/ml    |  |  |  | 2-8°C   |  | 28 |  | 2256 |
| Doxorubicin hydrochloride | 1 mg/ml          |  |  |  | 20-25°C |  | 28 |  | 2256 |
| Doxorubicin hydrochloride | 0,5 mg/ml        |  |  |  | 22°C    |  | 14 |  | 142  |
| Doxorubicin hydrochloride | 0,5 mg/ml        |  |  |  | 35°C    |  | 14 |  | 142  |
| Doxorubicin hydrochloride | 1,25 mg/ml       |  |  |  | 22°C    |  | 28 |  | 142  |
| Doxorubicin hydrochloride | 1,25 mg/ml       |  |  |  | 35°C    |  | 7  |  | 142  |
| Doxorubicin hydrochloride | 1,25 mg/ml       |  |  |  | 4°C     |  | 28 |  | 142  |

|                                    |                  |   |   |         |   |    |   |      |
|------------------------------------|------------------|---|---|---------|---|----|---|------|
| Doxorubicin hydrochloride          | 0,1 mg/ml        |     |     | 20-25°C |     | 4  |     | 2256 |
| Doxorubicin hydrochloride          | 0,1 & 1 mg/ml    |    |    | 2-8°C   |    | 28 |    | 2256 |
| Doxorubicin hydrochloride          | 1 mg/ml          |    |    | 20-25°C |    | 28 |    | 2256 |
| Doxorubicin hydrochloride liposome | 0.4 >> 1.2 mg/ml |    |    | 2-8°C   |    | 24 |    | 3143 |
| Doxycycline hyclate                | 0,8 & 1 mg/ml    |    |    | 23°C    |    | 96 |    | 1664 |
| Doxycycline hyclate                | 0,8 & 1 mg/ml    |    |    | 4°C     |    | 7  |    | 1664 |
| Droperidol                         | 0,02 mg/ml       |    |    | 27°C    |    | 10 |    | 1187 |
| Droperidol                         | 0,02 mg/ml       |    |    | 27°C    |    | 7  |    | 1187 |
| Durvalumab                         | 1 >> 15 mg/ml    |    |    | 2-8°C   |    | 30 |    | 4608 |
| Durvalumab                         | 1 >> 15 mg/ml    |    |    | 25°C    |    | 24 |    | 4608 |
| Eculizumab                         | 5 mg/ml          |    |    | 2-8°C   |    | 24 |    | 2348 |
| Epinephrine hydrochloride          | 20 µg/ml         |    |    | 23°C    |    | 84 |    | 3712 |
| Epinephrine hydrochloride          | 300 µg/ml        |    |    | 23°C    |    | 84 |    | 3712 |
| Epinephrine hydrochloride          | 900 µg/ml        |   |   | 23°C    |   | 84 |   | 3712 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 2-8°C   |  | 28 |  | 2257 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 25°C    |  | 4  |  | 2257 |
| Epirubicin hydrochloride           | 0,04 mg/ml       |  |  | 4°C     |  | 7  |  | 148  |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | -20°C   |  | 43 |  | 686  |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | 22°C    |  | 8  |  | 1897 |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | 25°C    |  | 20 |  | 686  |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | 4°C     |  | 43 |  | 686  |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | 4°C     |  | 8  |  | 1897 |
| Epirubicin hydrochloride           | 0,2 mg/ml        |  |  | 2-8°C   |  | 84 |  | 3632 |
| Epirubicin hydrochloride           | 0,2 mg/ml        |  |  | 25 °C   |  | 14 |  | 3632 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 2-8°C   |  | 28 |  | 2257 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 25°C    |  | 4  |  | 2257 |
| Epirubicin hydrochloride           | 1 mg/ml          |  |  | 2-8°C   |  | 84 |  | 3632 |
| Epirubicin hydrochloride           | 1 mg/ml          |  |  | 25 °C   |  | 14 |  | 3632 |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | 22°C    |  | 8  |  | 1897 |
| Epirubicin hydrochloride           | 0,1 mg/ml        |  |  | 4°C     |  | 8  |  | 1897 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 2-8°C   |  | 28 |  | 2257 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 25°C    |  | 4  |  | 2257 |
| Epirubicin hydrochloride           | 0.1 mg/ml        |  |  | 2-8°C   |  | 28 |  | 2257 |

|                           |                  |     |  |           |  |    |  |      |
|---------------------------|------------------|-----|--|-----------|--|----|--|------|
| Epirubicin hydrochloride  | 0.1 mg/ml        | PP  |  | 25°C      |  | 4  |  | 2257 |
| Erythromycin lactobionate | 10 mg/ml         | PVC |  | -20°C     |  | 30 |  | 573  |
| Esketamine                | 1 & 2 mg/ml      | PVC |  | 25°C      |  | 48 |  | 4700 |
| Esketamine                | 1 & 2 mg/ml      | EVA |  | 25°C      |  | 48 |  | 4700 |
| Esmolol hydrochloride     | 10 mg/ml         |     |  | 23°C-27°C |  | 7  |  | 204  |
| Esmolol hydrochloride     | 10 mg/ml         |     |  | 5°C       |  | 7  |  | 204  |
| Esmolol hydrochloride     | 10 mg/ml         | PVC |  | 23°C-27°C |  | 7  |  | 204  |
| Esmolol hydrochloride     | 10 mg/ml         | PVC |  | 5°C       |  | 7  |  | 204  |
| Esomeprazole sodium       | 0,4 mg/ml        | PVC |  | 23°C      |  | 48 |  | 2270 |
| Esomeprazole sodium       | 0,4 mg/ml        | PVC |  | 4°C       |  | 5  |  | 2270 |
| Esomeprazole sodium       | 0,8 mg/ml        | PVC |  | 23°C      |  | 48 |  | 2270 |
| Esomeprazole sodium       | 0,8 mg/ml        | PVC |  | 4°C       |  | 5  |  | 2270 |
| Etoposide                 | 0,2 mg/ml        |     |  | ?         |  | 7  |  | 504  |
| Etoposide                 | 0,4 mg/ml        |     |  | 20°C-22°C |  | 4  |  | 482  |
| Etoposide                 | 0.25 mg/ml       | PVC |  | 8-12°C    |  | 21 |  | 2167 |
| Etoposide                 | 0.4 mg/ml        | PVC |  | 20-23°C   |  | 7  |  | 2167 |
| Etoposide                 | 0,05 & 0,2 mg/ml | PE  |  | 20-25°C   |  | 7  |  | 1722 |
| Etoposide                 | 0,05 & 0,2 mg/ml | PE  |  | 25°C      |  | 8  |  | 1520 |
| Etoposide                 | 0,05 & 0,2 mg/ml | PE  |  | 4°C       |  | 7  |  | 1722 |
| Etoposide                 | 0,05 & 0,2 mg/ml | PE  |  | 4°C       |  | 8  |  | 1520 |
| Etoposide                 | 0,4 mg/ml        | POF |  | 23-27°C   |  | 21 |  | 4369 |
| Etoposide                 | 0,6 mg/ml        | POF |  | 23-27°C   |  | 21 |  | 4369 |
| Etoposide                 | 0,4 mg/ml        | PI  |  | 25°C      |  | 24 |  | 4304 |
| Etoposide                 | 0,4 mg/ml        | PI  |  | 33°C      |  | 24 |  | 4304 |
| Etoposide                 | 0,6 mg/ml        | PI  |  | 25°C      |  | 8  |  | 4304 |
| Etoposide                 | 0,6 mg/ml        | PI  |  | 33°C      |  | 6  |  | 4304 |
| Etoposide phosphate       | > 0,1 mg/ml      |     |  | 2-8°C     |  | 7  |  | 3655 |
| Etoposide phosphate       | > 0,1 mg/ml      |     |  | 25°C      |  | 96 |  | 3655 |
| Etoposide phosphate       | > 0,1 mg/ml      |     |  | 37°C      |  | 48 |  | 3655 |
| Etoposide phosphate       | 10 & 20 mg/ml    |     |  | 2-8°C     |  | 7  |  | 3655 |
| Etoposide phosphate       | 10 & 20 mg/ml    |     |  | 25°C      |  | 96 |  | 3655 |
| Etoposide phosphate       | 10 & 20 mg/ml    |     |  | 37°C      |  | 48 |  | 3655 |
| Etoposide phosphate       | > 0,1 mg/ml      | PVC |  | 2-8°C     |  | 7  |  | 3655 |





































































































































|                       |                |  |  |       |  |     |  |      |
|-----------------------|----------------|--|--|-------|--|-----|--|------|
| Etoposide phosphate   | > 0,1 mg/ml    |  |  | 25°C  |  | 96  |  | 3655 |
| Etoposide phosphate   | > 0,1 mg/ml    |  |  | 37°C  |  | 48  |  | 3655 |
| Etoposide phosphate   | 0,1 & 10 mg/ml |  |  | 23°C  |  | 31  |  | 1411 |
| Etoposide phosphate   | 0,1 & 10 mg/ml |  |  | 32°C  |  | 7   |  | 1411 |
| Etoposide phosphate   | 0,1 & 10 mg/ml |  |  | 4°C   |  | 31  |  | 1411 |
| Etoposide phosphate   | > 0,1 mg/ml    |  |  | 2-8°C |  | 7   |  | 3655 |
| Etoposide phosphate   | > 0,1 mg/ml    |  |  | 25°C  |  | 96  |  | 3655 |
| Etoposide phosphate   | > 0,1 mg/ml    |  |  | 37°C  |  | 48  |  | 3655 |
| Famotidine            | 0,2 mg/ml      |  |  | -20°C |  | 28  |  | 553  |
| Famotidine            | 0,2 mg/ml      |  |  | 22°C  |  | 15  |  | 215  |
| Famotidine            | 0,2 mg/ml      |  |  | 25°C  |  | 15  |  | 693  |
| Famotidine            | 0,2 mg/ml      |  |  | 4°C   |  | 14  |  | 553  |
| Famotidine            | 0,2 mg/ml      |  |  | 4°C   |  | 63  |  | 693  |
| Famotidine            | 2 mg/ml        |  |  | 4°C   |  | 14  |  | 690  |
| Famotidine            | 0,2 mg/ml      |  |  | 22°C  |  | 15  |  | 215  |
| Fenoldopam mesylate   | 4 >> 300 µg/ml |  |  | 23°C  |  | 72  |  | 1618 |
| Fenoldopam mesylate   | 4 >> 300 µg/ml |  |  | 4°C   |  | 72  |  | 1618 |
| Fentanyl citrate      | 4,55 µg/ml     |  |  | 22°C  |  | 48  |  | 223  |
| Fentanyl citrate      | 4,55 µg/ml     |  |  | 22°C  |  | 48  |  | 223  |
| Fentanyl citrate      | 10 µg/ml       |  |  | 25°C  |  | 100 |  | 4303 |
| Fludarabine phosphate | 0,04 mg/ml     |  |  | 25°C  |  | 48  |  | 492  |
| Fludarabine phosphate | 0,04 mg/ml     |  |  | 4°C   |  | 48  |  | 492  |
| Fludarabine phosphate | 1 mg/ml        |  |  | 25°C  |  | 16  |  | 492  |
| Flumazetil            | mg/ml          |  |  | 2-8°C |  | 24  |  | 3565 |
| Flumazetil            | mg/ml          |  |  | 25°C  |  | 24  |  | 3565 |
| Fluorouracil          | 1,44 mg/ml     |  |  | 23°C  |  | 72  |  | 1501 |
| Fluorouracil          | 1,44 mg/ml     |  |  | 4°C   |  | 72  |  | 1501 |
| Fluorouracil          | 1,5 mg/ml      |  |  | 25°C  |  | 56  |  | 840  |
| Fluorouracil          | 0,5 & 5 mg/ml  |  |  | 25°C  |  | 13  |  | 39   |
| Fluorouracil          | 0,5 & 5 mg/ml  |  |  | 4°C   |  | 13  |  | 39   |
| Fluorouracil          | 1 & 10 mg/ml   |  |  | 21°C  |  | 14  |  | 1475 |
| Fluorouracil          | 1 & 10 mg/ml   |  |  | 4°C   |  | 14  |  | 1475 |
| Fluorouracil          | 1,44 mg/ml     |  |  | 23°C  |  | 72  |  | 1501 |

|                           |                  |  |  |         |  |    |  |      |
|---------------------------|------------------|--|--|---------|--|----|--|------|
| Fluorouracil              | 1,44 mg/ml       |  |  | 4°C     |  | 72 |  | 1501 |
| Fluorouracil              | 1,5 mg/ml        |  |  | 25°C    |  | 56 |  | 840  |
| Fluorouracil              | 10 mg/ml         |  |  | 4°C     |  | 30 |  | 40   |
| Fluorouracil              | 1,44 mg/ml       |  |  | 21-22°C |  | 48 |  | 1520 |
| Fluorouracil              | 1,44 mg/ml       |  |  | 23°C    |  | 72 |  | 1501 |
| Fluorouracil              | 1,44 mg/ml       |  |  | 4°C     |  | 72 |  | 1501 |
| Fluorouracil              | 1,44 mg/ml       |  |  | 4°C     |  | 48 |  | 1520 |
| Fluorouracil              | 10 mg/ml         |  |  | 22°C    |  | 28 |  | 142  |
| Fluorouracil              | 10 mg/ml         |  |  | 25°C    |  | 28 |  | 844  |
| Fluorouracil              | 10 mg/ml         |  |  | 35°C    |  | 28 |  | 142  |
| Fluorouracil              | 10 mg/ml         |  |  | 35°C    |  | 28 |  | 844  |
| Fluorouracil              | 10 mg/ml         |  |  | 4°C     |  | 28 |  | 844  |
| Fluorouracil              | 12 & 40 mg/ml    |  |  | 25°C    |  | 3  |  | 33   |
| Fluorouracil              | 25 mg/ml         |  |  | 25°C    |  | 21 |  | 1817 |
| Fluorouracil              | 25 mg/ml         |  |  | 31°C    |  | 21 |  | 1817 |
| Fluorouracil              | 25 mg/ml         |  |  | 4°C     |  | 14 |  | 1817 |
| Folate calcium            | 1 & 1,5 mg/ml    |  |  | 25°C    |  | 4  |  | 1287 |
| Folate calcium            | 1 & 1,5 mg/ml    |  |  | 4°C     |  | 4  |  | 1287 |
| Fosaprepitant dimeglumine | 1 mg/ml          |  |  | 25°C    |  | 24 |  | 3459 |
| Foscarnet sodium          | 12 mg/ml         |  |  | 25°C    |  | 35 |  | 75   |
| Foscarnet sodium          | 12 mg/ml         |  |  | 5°C     |  | 35 |  | 75   |
| Foscarnet sodium          | 2 & 20 mg/ml     |  |  | 25°C    |  | 4  |  | 604  |
| Foscarnet sodium          | 2 & 20 mg/ml     |  |  | 4°C     |  | 14 |  | 604  |
| Fosfomycin                | 16 mg/ml         |  |  | 2-8°C   |  | 24 |  | 3663 |
| Fosfomycin                | 16 mg/ml         |  |  | 25°C    |  | 24 |  | 3663 |
| Fosphenytoin sodium       | 1 & 8 & 20 mg/ml |  |  | 25°C    |  | 30 |  | 800  |
| Fosphenytoin sodium       | 1 & 8 & 20 mg/ml |  |  | 4°C     |  | 30 |  | 800  |
| Fosphenytoin sodium       | 1 & 8 & 20 mg/ml |  |  | -20°C   |  | 30 |  | 800  |
| Fosphenytoin sodium       | 1 & 8 & 20 mg/ml |  |  | 25°C    |  | 30 |  | 800  |
| Fosphenytoin sodium       | 1 & 8 & 20 mg/ml |  |  | 4°C     |  | 30 |  | 800  |
| Fusidate sodium           | 0.5 & 1 mg/ml    |  |  | 25°C    |  | 48 |  | 3661 |
| Gallium nitrate           | 0,22 & 0,6 mg/ml |  |  | 20°C    |  | 14 |  | 141  |
| Gallium nitrate           | 0,22 & 0,6 mg/ml |  |  | 4°C     |  | 14 |  | 141  |



|                              |                     |  |  |           |  |     |  |      |
|------------------------------|---------------------|--|--|-----------|--|-----|--|------|
| Ganciclovir sodium           | 1 & 5 mg/ml         |  |  | 25°C      |  | 35  |  | 76   |
| Ganciclovir sodium           | 1 & 5 mg/ml         |  |  | 5°C       |  | 35  |  | 76   |
| Ganciclovir sodium           | 2.5 mg/ml           |  |  | 25°C      |  | 5   |  | 69   |
| Ganciclovir sodium           | 2.5 mg/ml           |  |  | 4°C       |  | 5   |  | 69   |
| Ganciclovir sodium           | 1 & 6 mg/ml         |  |  | 25°C      |  | 24  |  | 604  |
| Ganciclovir sodium           | 1 & 6 mg/ml         |  |  | 4°C       |  | 15  |  | 604  |
| Gemcitabine hydrochloride    | 0,1 & 10 mg/ml      |  |  | 23°C      |  | 35  |  | 1422 |
| Gemcitabine hydrochloride    | 0,1 & 10 mg/ml      |  |  | 4°C       |  | 35  |  | 1422 |
| Gemcitabine hydrochloride    | 0,1 & 10 & 38 mg/ml |  |  | 32°C      |  | 7   |  | 1422 |
| Gentamicin sulfate           | 1 mg/ml             |  |  | -20°C     |  | 30  |  | 573  |
| Gentamicin sulfate           | 1 mg/ml             |  |  | 4°C       |  | 48  |  | 434  |
| Gentamicin sulfate           | 1,2 mg/ml           |  |  | -20°C     |  | 28  |  | 565  |
| Gentamicin sulfate           | 0,5 & 5 mg/ml       |  |  | 4°C       |  | 10  |  | 604  |
| Granisetron hydrochloride    | 0,02 & 0,06 mg/ml   |  |  | 23°C      |  | 35  |  | 1633 |
| Granisetron hydrochloride    | 0,02 & 0,06 mg/ml   |  |  | 4°C       |  | 35  |  | 1633 |
| Granisetron hydrochloride    | 0,056 mg/ml         |  |  | -20°C     |  | 30  |  | 29   |
| Granisetron hydrochloride    | 0,056 mg/ml         |  |  | 20°C      |  | 3   |  | 29   |
| Granisetron hydrochloride    | 0,056 mg/ml         |  |  | 4°C       |  | 7   |  | 29   |
| Granisetron hydrochloride    | 0,05 & 0,1 mg/ml    |  |  | 24°C      |  | 14  |  | 48   |
| Granisetron hydrochloride    | 0,05 & 0,1 mg/ml    |  |  | 5°C       |  | 14  |  | 48   |
| Granisetron hydrochloride    | 0,15 mg/ml          |  |  | -20°C     |  | 30  |  | 29   |
| Granisetron hydrochloride    | 0,15 mg/ml          |  |  | 20°C      |  | 3   |  | 29   |
| Granisetron hydrochloride    | 0,15 mg/ml          |  |  | 4°C       |  | 7   |  | 29   |
| Heparin sodium               | 1 UI/ml             |  |  | 20°C-25°C |  | 365 |  | 1291 |
| Heparin sodium               | 7 UI/ml             |  |  | 22°C      |  | 24  |  | 1067 |
| Heparin sodium               | 7 UI/ml             |  |  | 4°C       |  | 24  |  | 1067 |
| Hydromorphone hydrochloride  | 1 & 5 mg/ml         |  |  | 23°C      |  | 42  |  | 120  |
| Hydromorphone hydrochloride  | 1 & 5 mg/ml         |  |  | 4°C       |  | 42  |  | 120  |
| Ibuprofen lysinate           | 1 & 4 mg/ml         |  |  | 25°C      |  | 15  |  | 1985 |
| Idarubicin hydrochloride     | 0,1 mg/ml           |  |  | 25°C      |  | 28  |  | 632  |
| Ifosfamide                   | 30 mg/ml            |  |  | 4°C       |  | 30  |  | 40   |
| Ifosfamide                   | 3 & 16 mg/ml        |  |  | 25°C      |  | 8   |  | 1520 |
| Imipenem - cilastatin sodium | 2,5 mg/ml           |  |  | 22°C      |  | 24  |  | 1067 |

|                              |                  |  |  |         |  |    |  |      |
|------------------------------|------------------|--|--|---------|--|----|--|------|
| Imipenem - cilastatin sodium | 2,5 mg/ml        |  |  | 4°C     |  | 24 |  | 1067 |
| Imipenem - cilastatin sodium | 5 mg/ml          |  |  | 2-8°C   |  | 8  |  | 4298 |
| Imipenem - cilastatin sodium | 5 mg/ml          |  |  | 23-27°C |  | 4  |  | 4298 |
| Ipilimumab                   | 1 >> 4 mg/ml     |  |  | 2-8°C   |  | 24 |  | 3352 |
| Ipilimumab                   | 1 >> 4 mg/ml     |  |  | 25°C    |  | 24 |  | 3352 |
| Ipilimumab                   | 1 >> 4 mg/ml     |  |  | 2-8°C   |  | 24 |  | 3352 |
| Ipilimumab                   | 1 >> 4 mg/ml     |  |  | 25°C    |  | 24 |  | 3352 |
| Ipilimumab                   | 1 >> 4 mg/ml     |  |  | 2-8°C   |  | 24 |  | 3352 |
| Ipilimumab                   | 1 >> 4 mg/ml     |  |  | 25°C    |  | 24 |  | 3352 |
| Irinotecan                   | mg/ml            |  |  | 30°C    |  | 28 |  | 3129 |
| Irinotecan                   | mg/ml            |  |  | 30°C    |  | 3  |  | 3129 |
| Irinotecan                   | mg/ml            |  |  | 5°C     |  | 28 |  | 3129 |
| Irinotecan                   | 0,4 >> 2,8 mg/ml |  |  | 2-8°C   |  | 28 |  | 2241 |
| Irinotecan                   | 0,4 >> 2,8 mg/ml |  |  | 25°C    |  | 28 |  | 2241 |
| Irinotecan                   | mg/ml            |  |  | 30°C    |  | 28 |  | 3129 |
| Irinotecan                   | mg/ml            |  |  | 30°C    |  | 3  |  | 3129 |
| Irinotecan                   | mg/ml            |  |  | 5°C     |  | 28 |  | 3129 |
| Isatuximab                   | ? mg/ml          |  |  | 15-25°C |  | 8  |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 2-8°C   |  | 48 |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 15-25°C |  | 8  |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 2-8°C   |  | 48 |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 15-25°C |  | 8  |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 2-8°C   |  | 48 |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 15-25°C |  | 8  |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 2-8°C   |  | 48 |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 15-25°C |  | 8  |  | 4617 |
| Isatuximab                   | ? mg/ml          |  |  | 2-8°C   |  | 48 |  | 4617 |
| Isavuconazonium sulfate      | 1,5 mg/ml        |  |  | 2-8°C   |  | 24 |  | 2864 |
| Isavuconazonium sulfate      | 1,5 mg/ml        |  |  | 25°C    |  | 6  |  | 2864 |
| Isoprenaline hydrochloride   | ? mg/ml          |  |  | 25°C    |  | 24 |  | 3660 |
| Isosorbide dinitrate         | 0,02 mg/ml       |  |  | 22°C    |  | 24 |  | 1067 |
| Isosorbide dinitrate         | 0,02 mg/ml       |  |  | 4°C     |  | 24 |  | 1067 |
| Ketorolac tromethamine       | 0,6 mg/ml        |  |  | 25°C    |  | 48 |  | 469  |

|                         |                 |   |   |         |   |     |   |      |
|-------------------------|-----------------|---|---|---------|---|-----|---|------|
| Ketorolac tromethamine  | 0,3 & 0,6 mg/ml |     |     | 23°C    |     | 21  |     | 1634 |
| Ketorolac tromethamine  | 0,6 mg/ml       |    |    | 25°C    |    | 48  |    | 469  |
| Levofloxacin            | 0,5 & 5 mg/ml   |    |    | -20°C   |    | 182 |    | 108  |
| Levofloxacin            | 0,5 & 5 mg/ml   |    |    | 25°C    |    | 3   |    | 108  |
| Levofloxacin            | 0,5 & 5 mg/ml   |    |    | 5°C     |    | 14  |    | 108  |
| Levofolinate calcium    | 0,2 & 0,7 mg/ml |    |    | 25°C    |    | 8   |    | 1520 |
| Levofolinate calcium    | 0,2 & 0,7 mg/ml |    |    | 4°C     |    | 8   |    | 1520 |
| Levofolinate calcium    | 1,7 mg/ml       |    |    | 2-8°C   |    | 14  |    | 2531 |
| Levofolinate disodium   | 1,8 mg/ml       |    |    | 20-25°C |    | 72  |    | 3369 |
| Levofolinate disodium   | 3,6 mg/ml       |    |    | 20-25°C |    | 72  |    | 3369 |
| Lidocaine hydrochloride | 0.45 mg/ml      |    |    | 22°C    |    | 21  |    | 1126 |
| Lidocaine hydrochloride | 0.45 mg/ml      |    |    | 4°C     |    | 21  |    | 1126 |
| Lidocaine hydrochloride | 2 mg/ml         |    |    | 25°C    |    | 14  |    | 619  |
| Lidocaine hydrochloride | 0.45 mg/ml      |   |   | 22°C    |   | 21  |   | 1126 |
| Lidocaine hydrochloride | 0.45 mg/ml      |  |  | 4°C     |  | 21  |  | 1126 |
| Lidocaine hydrochloride | 2 mg/ml         |  |  | 25°C    |  | 14  |  | 619  |
| Lincomycin              | 0,6 mg/ml       |  |  | 25°C    |  | 31  |  | 4118 |
| Linezolid               | 2 mg/ml         |  |  | 25°C    |  | 34  |  | 4117 |
| Lorazepam               | 0,1 mg/ml       |  |  | -20°C   |  | 7   |  | 175  |
| Lorazepam               | 0,1 mg/ml       |  |  | 24°C    |  | 7   |  | 175  |
| Lorazepam               | 0,1 mg/ml       |  |  | 37°C    |  | 3   |  | 175  |
| Lorazepam               | 0,1 mg/ml       |  |  | 4°C     |  | 7   |  | 175  |
| Lorazepam               | 1 mg/ml         |  |  | 22°C    |  | 28  |  | 765  |
| Lurbinectedin           | 15 µg/ml        |  |  | 2-8°C   |  | 14  |  | 4600 |
| Lurbinectedin           | 70 µg/ml        |  |  | 2-8°C   |  | 14  |  | 4600 |
| Lurbinectedin           | 30 µg/ml        |  |  | 2-8°C   |  | 14  |  | 4600 |
| Methotrexate sodium     | 0,36 mg/ml      |  |  | 23°C    |  | 72  |  | 1501 |
| Methotrexate sodium     | 0,36 mg/ml      |  |  | 4°C     |  | 72  |  | 1501 |
| Methotrexate sodium     | 0,225 mg/ml     |  |  | 4°C     |  | 30  |  | 162  |
| Methotrexate sodium     | 0,36 mg/ml      |  |  | 23°C    |  | 72  |  | 1501 |
| Methotrexate sodium     | 0,36 mg/ml      |  |  | 4°C     |  | 72  |  | 1501 |
| Methotrexate sodium     | 0,5 mg/ml       |  |  | -20°C   |  | 30  |  | 859  |
| Methotrexate sodium     | 24 mg/ml        |  |  | 4°C     |  | 30  |  | 162  |

|                                     |                  |  |  |           |  |    |  |      |
|-------------------------------------|------------------|--|--|-----------|--|----|--|------|
| Methotrexate sodium                 | 0,36 mg/ml       |  |  | 21°C-22°C |  | 48 |  | 1520 |
| Methotrexate sodium                 | 0,36 mg/ml       |  |  | 23°C      |  | 72 |  | 1501 |
| Methotrexate sodium                 | 0,36 mg/ml       |  |  | 4°C       |  | 72 |  | 1501 |
| Methotrexate sodium                 | 0,36 mg/ml       |  |  | 4°C       |  | 48 |  | 1520 |
| Methylprednisolone sodium succinate | 0,125 mg/ml      |  |  | 22°C      |  | 24 |  | 1067 |
| Methylprednisolone sodium succinate | 0,125 mg/ml      |  |  | 4°C       |  | 24 |  | 1067 |
| Metoprolol tartrate                 | 0,4 mg/ml        |  |  | 24°C      |  | 36 |  | 238  |
| Metoprolol tartrate                 | 0,5 mg/ml        |  |  | 23-25°C   |  | 30 |  | 2267 |
| Midazolam hydrochloride             | 0,03 mg/ml       |  |  | 4°C       |  | 72 |  | 896  |
| Midazolam hydrochloride             | 0,5 mg/ml        |  |  | 24-26°C   |  | 36 |  | 41   |
| Midazolam hydrochloride             | 0,5 mg/ml        |  |  | 39-41°C   |  | 36 |  | 41   |
| Midazolam hydrochloride             | 0,5 mg/ml        |  |  | 4-6°C     |  | 36 |  | 41   |
| Midazolam hydrochloride             | 0,03 mg/ml       |  |  | 4°C       |  | 72 |  | 896  |
| Midazolam hydrochloride             | 0,035 mg/ml      |  |  | 22°C      |  | 24 |  | 1067 |
| Midazolam hydrochloride             | 0,035 mg/ml      |  |  | 4°C       |  | 24 |  | 1067 |
| Midazolam hydrochloride             | 0,5 mg/ml        |  |  | 2-6°C     |  | 30 |  | 231  |
| Midazolam hydrochloride             | 0,5 mg/ml        |  |  | 22°C-24°C |  | 30 |  | 231  |
| Milrinone lactate                   | 0,2 mg/ml        |  |  | 25°C      |  | 72 |  | 366  |
| Milrinone lactate                   | 0,2 mg/ml        |  |  | 2-8°C     |  | 14 |  | 922  |
| Milrinone lactate                   | 0,2 mg/ml        |  |  | 20-25°C   |  | 14 |  | 922  |
| Milrinone lactate                   | 0,2 mg/ml        |  |  | 25°C      |  | 72 |  | 366  |
| Milrinone lactate                   | 0,4 & 0,8 mg/ml  |  |  | 2-8°C     |  | 14 |  | 928  |
| Milrinone lactate                   | 0,4 & 0,8 mg/ml  |  |  | 20-25°C   |  | 14 |  | 928  |
| Milrinone lactate                   | 0,6 mg/ml        |  |  | 25°C      |  | 24 |  | 4109 |
| Milrinone lactate                   | 0,6 mg/ml        |  |  | 35°C      |  | 24 |  | 4109 |
| Milrinone lactate                   | 0,6 mg/ml        |  |  | 4°C       |  | 7  |  | 4109 |
| Minocycline hydrochloride           | 0,1 mg/ml        |  |  | 24°C      |  | 7  |  | 263  |
| Minocycline hydrochloride           | 0,1 mg/ml        |  |  | 4°C       |  | 7  |  | 263  |
| Mitoxantrone dihydrochloride        | 0,04 & 0,4 mg/ml |  |  | 23°C      |  | 7  |  | 828  |
| Mitoxantrone dihydrochloride        | 0,04 & 0,4 mg/ml |  |  | 4°C       |  | 7  |  | 828  |
| Morphine hydrochloride              | 30 mg/ml         |  |  | 22°C      |  | 90 |  | 1062 |
| Morphine hydrochloride              | 1 mg/ml          |  |  | 37°C      |  | 14 |  | 1264 |
| Morphine hydrochloride              | 1 mg/ml          |  |  | 37°C      |  | 2  |  | 1264 |

|                           |                  |  |  |           |  |     |  |      |
|---------------------------|------------------|--|--|-----------|--|-----|--|------|
| Morphine hydrochloride    | 30 mg/ml         |  |  | 22°C      |  | 90  |  | 1062 |
| Morphine sulfate          | 0,04 & 0,4 mg/ml |  |  | 23°C      |  | 7   |  | 117  |
| Morphine sulfate          | 0,04 & 0,4 mg/ml |  |  | 4°C       |  | 7   |  | 117  |
| Morphine sulfate          | 0,04 & 0,4 mg/ml |  |  | 23°C      |  | 7   |  | 117  |
| Morphine sulfate          | 0,04 & 0,4 mg/ml |  |  | 4°C       |  | 7   |  | 117  |
| Morphine sulfate          | 5 mg/ml          |  |  | 23°C      |  | 30  |  | 120  |
| Morphine sulfate          | 1 mg/ml          |  |  | 25°C      |  | 100 |  | 4303 |
| Moxalactam                | 2 mg/ml          |  |  | 25°C      |  | 24  |  | 626  |
| Moxalactam                | 2 mg/ml          |  |  | 5°C       |  | 96  |  | 626  |
| Moxalactam                | 20 mg/ml         |  |  | 25°C      |  | 24  |  | 626  |
| Moxalactam                | 20 mg/ml         |  |  | 5°C       |  | 96  |  | 626  |
| Nalmefene                 | 10 µg/ml         |  |  | 21°C      |  | 72  |  | 1477 |
| Nalmefene                 | 10 µg/ml         |  |  | 40°C      |  | 72  |  | 1477 |
| Nalmefene                 | 10 µg/ml         |  |  | 4°C       |  | 72  |  | 1477 |
| Netilmicin sulfate        | 3 mg/ml          |  |  | 24°C      |  | 24  |  | 421  |
| Netilmicin sulfate        | 3 mg/ml          |  |  | 25°C      |  | 7   |  | 1200 |
| Netilmicin sulfate        | 3 mg/ml          |  |  | 4°C       |  | 7   |  | 1200 |
| Netilmicin sulfate        | 3 mg/ml          |  |  | 24°C      |  | 24  |  | 421  |
| Nicardipine hydrochloride | 0,05 & 0,5 mg/ml |  |  | 18°C-28°C |  | 7   |  | 44   |
| Nimodipine                | 0,01 mg/ml       |  |  | 22°C      |  | 24  |  | 1067 |
| Nimodipine                | 0,01 mg/ml       |  |  | 4°C       |  | 24  |  | 1067 |
| Nimodipine                | 0,01 mg/ml       |  |  | 22°C      |  | 24  |  | 1067 |
| Nimodipine                | 0,01 mg/ml       |  |  | 4°C       |  | 24  |  | 1067 |
| Nimustine                 | 2 mg/ml          |  |  | 25°C      |  | 7   |  | 525  |
| Nimustine                 | 2 mg/ml          |  |  | 4°C       |  | 6   |  | 525  |
| Nimustine                 | 2 mg/ml          |  |  | 4°C       |  | 6   |  | 525  |
| Nimustine                 | 2 mg/ml          |  |  | 4°C       |  | 6   |  | 525  |
| Nitroglycerin             | 0,05 mg/ml       |  |  | 25°C      |  | 48  |  | 708  |
| Nitroglycerin             | 0,05 mg/ml       |  |  | 25°C      |  | 48  |  | 1223 |
| Nitroglycerin             | 0,05 mg/ml       |  |  | 35-37°C   |  | 48  |  | 708  |
| Nitroglycerin             | 0,05 mg/ml       |  |  | 4°C       |  | 48  |  | 708  |
| Nitroglycerin             | 0,05 mg/ml       |  |  | 4°C       |  | 48  |  | 1223 |
| Nitroglycerin             | 0,09 mg/ml       |  |  | 25°C      |  | 24  |  | 621  |

|                           |                      |  |  |  |           |  |     |  |      |
|---------------------------|----------------------|--|--|--|-----------|--|-----|--|------|
| Nitroglycerin             | 0,2 & 0,4 mg/ml      |  |  |  | 18-27°C   |  | 28  |  | 1027 |
| Nitroglycerin             | 0,2 & 0,4 mg/ml      |  |  |  | 5°C       |  | 28  |  | 1027 |
| Nitroglycerin             | 0,01 mg/ml           |  |  |  | 22°C      |  | 24  |  | 1067 |
| Nitroglycerin             | 0,01 mg/ml           |  |  |  | 4°C       |  | 24  |  | 1067 |
| Nitroglycerin             | 0,06 mg/ml           |  |  |  | 20-25°C   |  | 48  |  | 1960 |
| Nitroglycerin             | 0,09 mg/ml           |  |  |  | 25°C      |  | 24  |  | 621  |
| Nitroglycerin             | 0,05 mg/ml           |  |  |  | 25°C      |  | 48  |  | 1223 |
| Nitroglycerin             | 0,05 mg/ml           |  |  |  | 4°C       |  | 48  |  | 1223 |
| Nitroglycerin             | 0,06 mg/ml           |  |  |  | 25°C      |  | 48  |  | 1522 |
| Nitroglycerin             | 0,2 & 0,4 mg/ml      |  |  |  | 18-27°C   |  | 28  |  | 1027 |
| Nitroglycerin             | 0,2 & 0,4 mg/ml      |  |  |  | 5°C       |  | 28  |  | 1027 |
| Nitroprusside sodium      | 0,05 & 0,1 mg/ml     |  |  |  | 25°C      |  | 48  |  | 1037 |
| Nitroprusside sodium      | 0,05 & 0,1 mg/ml     |  |  |  | 25°C      |  | 48  |  | 1037 |
| Nizatidine                | 0,75 & 1,5 & 3 mg/ml |  |  |  | 25°C      |  | 7   |  | 388  |
| Nizatidine                | 0,75 & 1,5 & 3 mg/ml |  |  |  | 4°C       |  | 7   |  | 388  |
| Nizatidine                | 0,75 & 3 mg/ml       |  |  |  | -20°C     |  | 30  |  | 388  |
| Nizatidine                | 0,75 & 3 mg/ml       |  |  |  | 25°C      |  | 7   |  | 388  |
| Nizatidine                | 0,75 & 3 mg/ml       |  |  |  | 4°C       |  | 7   |  | 388  |
| Norepinephrine bitartrate | 0,004 & 0,008 mg/ml  |  |  |  | 25°C      |  | 24  |  | 642  |
| Norepinephrine bitartrate | 0,064 mg/ml          |  |  |  | 4°C       |  | 61  |  | 3111 |
| Ofloxacin                 | 0,4 & 4 mg/ml        |  |  |  | -20°C     |  | 182 |  | 444  |
| Ofloxacin                 | 0,4 & 4 mg/ml        |  |  |  | 24°C      |  | 3   |  | 444  |
| Ofloxacin                 | 0,4 & 4 mg/ml        |  |  |  | 5°C       |  | 14  |  | 444  |
| Omadacycline              | 1 mg/mL              |  |  |  | 2-8°C     |  | 9   |  | 4719 |
| Omadacycline              | 1 & 2 mg/mL          |  |  |  | 2-8°C     |  | 7   |  | 4720 |
| Omadacycline              | 1 & 2 mg/mL          |  |  |  | 25°C      |  | 24  |  | 4720 |
| Omeprazole sodium         | 0,4 mg/ml            |  |  |  | 22°C      |  | 48  |  | 4316 |
| Omeprazole sodium         | 0,4 mg/ml            |  |  |  | 2-8°C     |  | 24  |  | 3658 |
| Ondansetron hydrochloride | 0,024 & 0,096 mg/ml  |  |  |  | 21-26°C   |  | 14  |  | 333  |
| Ondansetron hydrochloride | 0,024 & 0,096 mg/ml  |  |  |  | 4°C - 6°C |  | 14  |  | 333  |
| Ondansetron hydrochloride | 0,03 & 0,3 mg/ml     |  |  |  | -20°C     |  | 90  |  | 183  |
| Ondansetron hydrochloride | 0,03 & 0,3 mg/ml     |  |  |  | 25°C      |  | 48  |  | 183  |
| Ondansetron hydrochloride | 0,03 & 0,3 mg/ml     |  |  |  | 4°C       |  | 14  |  | 183  |

|                           |                      |  |  |           |  |    |  |      |
|---------------------------|----------------------|--|--|-----------|--|----|--|------|
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | -20°C     |  | 90 |  | 915  |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | 22-25°C   |  | 48 |  | 915  |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | 4°C       |  | 14 |  | 915  |
| Ondansetron hydrochloride | 0,03 & 0,3 mg/ml     |  |  | 4°C       |  | 14 |  | 113  |
| Ornidazole                | 4 & 10 mg/ml         |  |  | 25°C      |  | 30 |  | 918  |
| Ornidazole                | 4 & 10 mg/ml         |  |  | 5°C       |  | 30 |  | 918  |
| Oxacillin sodium          | 10 & 80 mg/ml        |  |  | 25°C      |  | 24 |  | 604  |
| Oxacillin sodium          | 10 & 80 mg/ml        |  |  | 4°C       |  | 10 |  | 604  |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 15-25°C   |  | 28 |  | 3126 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 25°C      |  | 7  |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 37°C      |  | 7  |  | 2199 |
| Oxycodone hydrochloride   | 5 & 50 mg/ml         |  |  | 24°C      |  | 35 |  | 1726 |
| Oxycodone hydrochloride   | 5 & 50 mg/ml         |  |  | 4°C       |  | 35 |  | 1726 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 25°C      |  | 24 |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 25°C      |  | 7  |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 37°C      |  | 7  |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 25°C      |  | 7  |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 37°C      |  | 7  |  | 2199 |
| Oxytocin                  | 0,08 UI/ml           |  |  | 23°C      |  | 90 |  | 2097 |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 2-8°C     |  | 14 |  | 2344 |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 20-25°C   |  | 51 |  | 2344 |
| Paclitaxel                | 1,2 mg/ml            |  |  | 30°C      |  | 4  |  | 173  |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 2-8°C     |  | 14 |  | 2344 |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 20-25°C   |  | 51 |  | 2344 |
| Paclitaxel                | 0,1 & 1 mg/ml        |  |  | 22°C      |  | 3  |  | 157  |
| Paclitaxel                | 0,1 & 1 mg/ml        |  |  | 32°C      |  | 3  |  | 157  |
| Paclitaxel                | 0,1 & 1 mg/ml        |  |  | 4°C       |  | 3  |  | 157  |
| Paclitaxel                | 0,3 mg/ml            |  |  | 5°C       |  | 28 |  | 2174 |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 20°C-23°C |  | 48 |  | 669  |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 25°C      |  | 72 |  | 1522 |
| Paclitaxel                | 0,3 & 1,2 mg/ml      |  |  | 4°C       |  | 72 |  | 2014 |
| Paclitaxel                | 0,3 >> 1,2 mg/ml     |  |  | 30°C      |  | 4  |  | 173  |
| Paclitaxel                | 0,6 mg/ml            |  |  | 20°C-23°C |  | 25 |  | 412  |





































































































































|                                      |                 |     |  |         |   |    |  |      |
|--------------------------------------|-----------------|-----|--|---------|---|----|--|------|
| Paclitaxel                           | 0,75 mg/ml      | POF |  | 5°C     |   | 16 |  | 2174 |
| Paclitaxel                           | 1,2 mg/ml       | POF |  | 25°C    |   | 4  |  | 2174 |
| Paclitaxel                           | 1,2 mg/ml       | POF |  | 5°C     |   | 12 |  | 2174 |
| Palonosetron hydrochloride           | 5 & 30 µg/ml    | PVC |  | 23°C    |   | 48 |  | 1936 |
| Palonosetron hydrochloride           | 5 & 30 µg/ml    | PVC |  | 4°C     |   | 14 |  | 1936 |
| Pamidronate disodium                 | 0,36 mg/ml      | ?   |  | 25°C    |   | 48 |  | 3619 |
| Pantoprazole sodium                  | 0,4 mg/ml       | ?   |  | 22°C    |   | 48 |  | 4316 |
| Paracetamol                          | > 1 mg/ml mg/ml | ?   |  | 23°C    | ? | 48 |  | 3769 |
| Pegaspargase                         | ? UI            | ?   |  | 2-8°C   | ? | 48 |  | 4173 |
| Pembrolizumab                        | 1 >> 10 mg/ml   | ?   |  | 2-8°C   | ? | 96 |  | 3771 |
| Pemetrexed diarginine                | 12 mg/ml        | POF |  | 2-8°C   |   | 4  |  | 4546 |
| Pemetrexed diarginine                | 12 mg/ml        | POF |  | 22-25°C |   | 1  |  | 4546 |
| Pemetrexed diarginine                | 3 & 12 mg/ml    | POF |  | 2-8°C   |   | 28 |  | 4702 |
| Pemetrexed diarginine                | 3 & 12 mg/ml    | POF |  | 20-25°C |   | 7  |  | 4702 |
| Pemetrexed diarginine                | 4,9 mg/ml       | POF |  | 2-8°C   |   | 4  |  | 4546 |
| Pemetrexed diarginine                | 4,9 mg/ml       | POF |  | 22-25°C |   | 1  |  | 4546 |
| Pemetrexed disodium                  | 2&10&20 mg/ml   | PVC |  | 23°C    |   | 24 |  | 2114 |
| Pemetrexed disodium                  | 2&10&20 mg/ml   | PVC |  | 4°C     |   | 24 |  | 2114 |
| Pemetrexed disodium                  | 12,5 mg/ml      | PE  |  | 2-8°C   |   | 14 |  | 4137 |
| Pemetrexed disodium                  | 12,5 mg/ml      | PE  |  | 25°C    |   | 2  |  | 4137 |
| Pemetrexed disodium                  | 2,5 mg/ml       | PE  |  | 2-8°C   |   | 14 |  | 4137 |
| Pemetrexed disodium                  | 2,5 mg/ml       | PE  |  | 25°C    |   | 2  |  | 4137 |
| Pemetrexed disodium                  | 7,5 mg/ml       | PE  |  | 2-8°C   |   | 14 |  | 4137 |
| Pemetrexed disodium                  | 7,5 mg/ml       | PE  |  | 25°C    |   | 2  |  | 4137 |
| Pemetrexed disodium                  | 12,5 mg/ml      | POF |  | 2-8°C   |   | 14 |  | 4137 |
| Pemetrexed disodium                  | 12,5 mg/ml      | POF |  | 25°C    |   | 2  |  | 4137 |
| Pemetrexed disodium                  | 2,5 mg/ml       | POF |  | 2-8°C   |   | 14 |  | 4137 |
| Pemetrexed disodium                  | 2,5 mg/ml       | POF |  | 25°C    |   | 2  |  | 4137 |
| Pemetrexed disodium                  | 7,5 mg/ml       | POF |  | 2-8°C   |   | 14 |  | 4137 |
| Pemetrexed disodium                  | 7,5 mg/ml       | POF |  | 25°C    |   | 2  |  | 4137 |
| Pemetrexed disodium hemipentahydrate | rate >>12 mg/mL | POF |  | 2-8°C   |   | 14 |  | 4629 |
| Pemetrexed disodium hemipentahydrate | rate >>12 mg/mL | POF |  | 25°C    |   | 7  |  | 4629 |
| Penicillin G potassium               | 0,04 MUI/ml     | PVC |  | -20°C   |   | 30 |  | 573  |








































































































































































|                                  |                           |  |  |           |  |     |  |      |
|----------------------------------|---------------------------|--|--|-----------|--|-----|--|------|
| Penicillin G sodium              | 0.0025 MUI/ml             |  |  | 5°C       |  | 21  |  | 3648 |
| Penicillin G sodium              | 0.05 MUI/ml               |  |  | 5°C       |  | 21  |  | 3648 |
| Penicillin G sodium              | 0.0025 MUI/ml             |  |  | 5°C       |  | 21  |  | 3648 |
| Penicillin G sodium              | 0.05 MUI/ml               |  |  | 5°C       |  | 21  |  | 3648 |
| Pentamidine isetionate           | 1 & 2 mg/ml               |  |  | 22°C-26°C |  | 48  |  | 424  |
| Pentamidine isetionate           | 2 mg/ml                   |  |  | 20°C      |  | 24  |  | 1235 |
| Pethidine hydrochloride          | 0,25 & 30 mg/ml           |  |  | 22°C      |  | 28  |  | 1750 |
| Pethidine hydrochloride          | 0,25 & 30 mg/ml           |  |  | 4°C       |  | 28  |  | 1750 |
| Pethidine hydrochloride          | 10 mg/ml                  |  |  | -20°C     |  | 84  |  | 119  |
| Pethidine hydrochloride          | 10 mg/ml                  |  |  | 23°C      |  | 84  |  | 119  |
| Pethidine hydrochloride          | 10 mg/ml                  |  |  | 4°C       |  | 84  |  | 119  |
| Phenylephrine hydrochloride      | 0,02 mg/ml                |  |  | 2-8°C     |  | 24  |  | 3770 |
| Phenylephrine hydrochloride      | 0,02 mg/ml                |  |  | 25°C      |  | 4   |  | 3770 |
| Phenylephrine hydrochloride      | 0,1 mg/ml                 |  |  | 2-8°C     |  | 24  |  | 3770 |
| Phenylephrine hydrochloride      | 0,1 mg/ml                 |  |  | 25°C      |  | 4   |  | 3770 |
| Piperacillin sodium              | 40 mg/ml                  |  |  | 25°C      |  | 48  |  | 432  |
| Piperacillin sodium              | 10 mg/ml                  |  |  | -10°C     |  | 71  |  | 600  |
| Piperacillin sodium              | 10 mg/ml                  |  |  | 25°C      |  | 120 |  | 600  |
| Piperacillin sodium              | 10 mg/ml                  |  |  | 5°C       |  | 49  |  | 600  |
| Piperacillin sodium              | 10 & 80 mg/ml             |  |  | 25°C      |  | 24  |  | 604  |
| Piperacillin sodium              | 10 & 80 mg/ml             |  |  | 4°C       |  | 14  |  | 604  |
| Piperacillin sodium / tazobactam | 80 / 10 mg/ml             |  |  | -15°C     |  | 30  |  | 274  |
| Piperacillin sodium / tazobactam | 80 / 10 mg/ml             |  |  | 25°C      |  | 24  |  | 274  |
| Piperacillin sodium / tazobactam | 80 / 10 mg/ml             |  |  | 4°C       |  | 7   |  | 274  |
| Piperacillin sodium / tazobactam | 125/15,6 mg/ml            |  |  | 20-25°C   |  | 48  |  | 4634 |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml         |  |  | 4°C       |  | 7   |  | 274  |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml         |  |  | -15°C     |  | 30  |  | 274  |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml         |  |  | 25°C      |  | 24  |  | 274  |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml            |  |  | -15°C     |  | 30  |  | 274  |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml            |  |  | 25°C      |  | 24  |  | 274  |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml            |  |  | 4°C       |  | 7   |  | 274  |
| Piperacillin sodium / tazobactam | 80 / 10 & 10 / 1.25 mg/ml |  |  | 25°C      |  | 24  |  | 604  |
| Piperacillin sodium / tazobactam | 80 / 10 & 10 / 1.25 mg/ml |  |  | 4°C       |  | 7   |  | 604  |













|                            |                     |  |  |           |  |     |  |      |
|----------------------------|---------------------|--|--|-----------|--|-----|--|------|
| Polymyxine B               | 2 mg/ml             |  |  | 25-30°C   |  | 24  |  | 3895 |
| Polymyxine B               | 2 mg/ml             |  |  | 4°C       |  | 168 |  | 3895 |
| Posaconazole               | 1 mg/ml             |  |  | 2-8°C     |  | 24  |  | 4380 |
| Posaconazole               | 2 mg/ml             |  |  | 2-8°C     |  | 24  |  | 4380 |
| Propranolol hydrochloride  | 0,0005 & 0,02 mg/ml |  |  | 25°C      |  | 24  |  | 1198 |
| Quinine dihydrochloride    | 1,2 mg/ml           |  |  | 27°C      |  | 24  |  | 916  |
| Raltitrexed                | ? mg/ml             |  |  | 25°C      |  | 24  |  | 1518 |
| Ranitidine hydrochloride   | 0,05 mg/ml          |  |  | 20°C-25°C |  | 7   |  | 213  |
| Ranitidine hydrochloride   | 0,5 & 1 mg/ml       |  |  | -30°C     |  | 30  |  | 358  |
| Ranitidine hydrochloride   | 0,5 & 1 & 2 mg/ml   |  |  | -20°C     |  | 60  |  | 78   |
| Ranitidine hydrochloride   | 0,5 & 1 & 2 mg/ml   |  |  | 25°C      |  | 7   |  | 78   |
| Ranitidine hydrochloride   | 0,5 & 1 & 2 mg/ml   |  |  | 4°C       |  | 30  |  | 78   |
| Ranitidine hydrochloride   | 0,5 >> 2 mg/ml      |  |  | 20°C-25°C |  | 28  |  | 213  |
| Ranitidine hydrochloride   | 1 mg/ml             |  |  | 25°C      |  | 15  |  | 693  |
| Ranitidine hydrochloride   | 1 mg/ml             |  |  | 4°C       |  | 10  |  | 358  |
| Ranitidine hydrochloride   | 1 mg/ml             |  |  | 4°C       |  | 92  |  | 689  |
| Ranitidine hydrochloride   | 1 mg/ml             |  |  | 5°C       |  | 63  |  | 693  |
| Ranitidine hydrochloride   | 2 mg/ml             |  |  | -30°C     |  | 100 |  | 358  |
| Ranitidine hydrochloride   | 0,25 mg/ml          |  |  | 22°C      |  | 24  |  | 1067 |
| Ranitidine hydrochloride   | 0,25 mg/ml          |  |  | 4°C       |  | 24  |  | 1067 |
| Remifentanil hydrochloride | 20 >> 250 µg/ml     |  |  | 25°C      |  | 24  |  | 3519 |
| Rifampicin                 | 0,1 mg/ml           |  |  | 24°C      |  | 8   |  | 263  |
| Rifampicin                 | 0,1 mg/ml           |  |  | 4°C       |  | 72  |  | 263  |
| Sodium Phosphate           | 0,030 mmol/ml       |  |  | 23°C      |  | 63  |  | 3945 |
| Sodium Phosphate           | 0,030 mmol/ml       |  |  | 4°C       |  | 63  |  | 3945 |
| Sodium Phosphate           | 0,150 mmol/ml       |  |  | 23°C      |  | 63  |  | 3945 |
| Sodium Phosphate           | 0,150 mmol/ml       |  |  | 4°C       |  | 63  |  | 3945 |
| Streptozocin               | ? mg/ml             |  |  | 2-8°C     |  | 48  |  | 3654 |
| Streptozocin               | ? mg/ml             |  |  | 25°C      |  | 24  |  | 3654 |
| Suramin                    | 1 mg/ml             |  |  | 22°C      |  | 7   |  | 684  |
| Suramin                    | 1 mg/ml             |  |  | 4°C       |  | 7   |  | 684  |
| Suxamethonium chloride     | 20 mg/ml            |  |  | 25°C      |  | 100 |  | 667  |
| Suxamethonium chloride     | 20 mg/ml            |  |  | 40°C      |  | 22  |  | 667  |

|                          |                 |  |  |           |  |     |  |      |
|--------------------------|-----------------|--|--|-----------|--|-----|--|------|
| Suxamethonium chloride   | 20 mg/ml        |  |  | 5°C       |  | 107 |  | 667  |
| Tacrolimus               | 4 >>> 100 µg/ml |  |  | 2-8°C     |  | 24  |  | 3626 |
| Tacrolimus               | 4 >>> 100 µg/ml |  |  | 25°C      |  | 24  |  | 3626 |
| Tacrolimus               | 4 >>> 100 µg/ml |  |  | 2-8°C     |  | 24  |  | 3626 |
| Tacrolimus               | 4 >>> 100 µg/ml |  |  | 25°C      |  | 24  |  | 3626 |
| Tacrolimus               | 4 >>> 100 µg/ml |  |  | 2-8°C     |  | 24  |  | 3626 |
| Tacrolimus               | 4 >>> 100 µg/ml |  |  | 25°C      |  | 24  |  | 3626 |
| Tacrolimus               | 10 µg/ml        |  |  | 20-25°C   |  | 48  |  | 3842 |
| Tacrolimus               | 100 µg/ml       |  |  | 20-25°C   |  | 48  |  | 3842 |
| Teicoplanine             | ? mg/ml         |  |  | 2-8°C     |  | 24  |  | 3656 |
| Telavancin hydrochloride | 15 mg/ml        |  |  | 2-8°C     |  | 7   |  | 3839 |
| Telavancin hydrochloride | 15 mg/ml        |  |  | 20-25°C   |  | 12  |  | 3839 |
| Telavancin hydrochloride | 0.6 mg/ml       |  |  | -20°C     |  | 32  |  | 2006 |
| Telavancin hydrochloride | 0.6 mg/ml       |  |  | 2-8°C     |  | 7   |  | 3839 |
| Telavancin hydrochloride | 0.6 mg/ml       |  |  | 20-25°C   |  | 12  |  | 3839 |
| Telavancin hydrochloride | 8 mg/ml         |  |  | -20°C     |  | 32  |  | 2006 |
| Telavancin hydrochloride | 8 mg/ml         |  |  | 2-8°C     |  | 7   |  | 3839 |
| Telavancin hydrochloride | 8 mg/ml         |  |  | 20-25°C   |  | 12  |  | 3839 |
| Telavancin hydrochloride | 0.6 mg/ml       |  |  | -20°C     |  | 32  |  | 2006 |
| Telavancin hydrochloride | 8 mg/ml         |  |  | -20°C     |  | 32  |  | 2006 |
| Telavancin hydrochloride | 0.6 mg/ml       |  |  | 2-8°C     |  | 8   |  | 3835 |
| Telavancin hydrochloride | 8 mg/ml         |  |  | 2-8°C     |  | 8   |  | 3835 |
| Telavancin hydrochloride | 0,6 >> 8 mg/ml  |  |  | 2-8°C     |  | 24  |  | 3260 |
| Temocilline              | 20 mg/ml        |  |  | -20°C     |  | 30  |  | 3255 |
| Teniposide               | 0,1 mg/ml       |  |  | ?         |  | 5   |  | 504  |
| Teniposide               | 0,4 mg/ml       |  |  | 20°C-22°C |  | 4   |  | 482  |
| Teniposide               | 0,05 mg/ml      |  |  | 4°C       |  | 8   |  | 1520 |
| Terbutaline sulfate      | 0,03 mg/ml      |  |  | 25°C      |  | 7   |  | 448  |
| Thiotepa                 | 1 & 2 & 3 mg/ml |  |  | 2-8°C     |  | 14  |  | 4748 |
| Tiapride                 | 1 mg/ml         |  |  | 23-27°C   |  | 48  |  | 3384 |
| Tiapride                 | 2 mg/ml         |  |  | 23-27°C   |  | 48  |  | 3384 |
| Tirofiban                | 50 µg/ml        |  |  | 20°C-25°C |  | 24  |  | 1071 |
| Tobramycin sulfate       | 1,2 mg/ml       |  |  | -20°C     |  | 28  |  | 565  |

|                               |                    |   |   |           |   |    |   |      |
|-------------------------------|--------------------|---|---|-----------|---|----|---|------|
| Tobramycin sulfate            | 1,2 mg/ml          |     |     | 25°C      |     | 48 |     | 434  |
| Tobramycin sulfate            | 1,2 mg/ml          |    |    | 4°C       |    | 48 |    | 434  |
| Tobramycin sulfate            | 0,5 & 5 mg/ml      |    |    | 25°C      |    | 24 |    | 604  |
| Tobramycin sulfate            | 0,5 & 5 mg/ml      |    |    | 4°C       |    | 10 |    | 604  |
| Topotecan                     | 0,05 mg/ml         |    |    | 23-24°C   |    | 24 |    | 1075 |
| Topotecan                     | 0,05 mg/ml         |    |    | 5°C       |    | 7  |    | 1075 |
| Topotecan                     | 0,01 >> 0,05 mg/ml |    |    | 2-8°C     |    | 28 |    | 1425 |
| Topotecan                     | 0,01 >> 0,05 mg/ml |    |    | 25°C      |    | 28 |    | 1425 |
| Topotecan                     | 0,025 mg/ml        |    |    | 23°C-24°C |    | 24 |    | 1075 |
| Topotecan                     | 0,025 mg/ml        |    |    | 5°C       |    | 7  |    | 1075 |
| Topotecan                     | 0,05 mg/ml         |    |    | 23-24°C   |    | 24 |    | 1075 |
| Topotecan                     | 0,05 mg/ml         |    |    | 5°C       |    | 7  |    | 1075 |
| Topotecan                     | 0,05 & 0,025 mg/ml |    |    | 25°C      |    | 28 |    | 1274 |
| Topotecan                     | 0,05 & 0,025 mg/ml |   |   | 4°C       |   | 28 |   | 1274 |
| Topotecan                     | 0,05 mg/ml         |  |  | 23-24°C   |  | 24 |  | 1075 |
| Topotecan                     | 0,05 mg/ml         |  |  | 5°C       |  | 7  |  | 1075 |
| Topotecan                     | 0,01 & 0,05 mg/ml  |  |  | 25°C      |  | 21 |  | 1274 |
| Topotecan                     | 0,01 & 0,05 mg/ml  |  |  | 4°C       |  | 21 |  | 1274 |
| Topotecan                     | 0,01 >> 0,05 mg/ml |  |  | 2-8°C     |  | 28 |  | 1425 |
| Topotecan                     | 0,01 >> 0,05 mg/ml |  |  | 25°C      |  | 28 |  | 1425 |
| Trabectedine                  | ≤ 0.030 mg/ml      |  |  | 25°C      |  | 30 |  | 2276 |
| Trabectedine                  | ≤ 0.030 mg/ml      |  |  | 25°C      |  | 30 |  | 2276 |
| Tramadol hydrochloride        | 0,5 & 4 mg/ml      |  |  | 2-8°C     |  | 14 |  | 1690 |
| Tramadol hydrochloride        | 0,5 & 4 mg/ml      |  |  | 25°C      |  | 7  |  | 1690 |
| Tramadol hydrochloride        | 0,5 & 4 mg/ml      |  |  | 40°C      |  | 7  |  | 1690 |
| Treosulfan                    | 20 mg/ml           |  |  | 25°C      |  | 4  |  | 2197 |
| Treosulfan                    | 20 mg/ml           |  |  | 25°C      |  | 4  |  | 2197 |
| Treosulfan                    | 20 mg/ml           |  |  | 25°C      |  | 4  |  | 2197 |
| Treprostinil                  | 0,13 mg/ml         |  |  | 40°C      |  | 48 |  | 1904 |
| Triflupromazine hydrochloride | 0,02 mg/ml         |  |  | 22°C      |  | 24 |  | 1067 |
| Triflupromazine hydrochloride | 0,02 mg/ml         |  |  | 4°C       |  | 24 |  | 1067 |
| Triflupromazine hydrochloride | 0,02 mg/ml         |  |  | 22°C      |  | 24 |  | 1067 |
| Triflupromazine hydrochloride | 0,02 mg/ml         |  |  | 4°C       |  | 24 |  | 1067 |































|                               |               |  |  |  |         |  |     |  |      |
|-------------------------------|---------------|--|--|--|---------|--|-----|--|------|
| Triflupromazine hydrochloride | 0,02 mg/ml    |  |  |  | 22°C    |  | 24  |  | 1067 |
| Triflupromazine hydrochloride | 0,02 mg/ml    |  |  |  | 4°C     |  | 24  |  | 1067 |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 20-25°C |  | 14  |  | 924  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 4°C     |  | 14  |  | 924  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | -20°C   |  | 90  |  | 234  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 20-25°C |  | 14  |  | 924  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 4°C     |  | 90  |  | 234  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 4°C     |  | 14  |  | 924  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | -20°C   |  | 90  |  | 234  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 20-25°C |  | 14  |  | 924  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 4°C     |  | 90  |  | 234  |
| Tropisetron hydrochloride     | 0,05 mg/ml    |  |  |  | 4°C     |  | 14  |  | 924  |
| Urokinase                     | 0,005 MUI/ml  |  |  |  | 22-25°C |  | 24  |  | 375  |
| Urokinase                     | 0,005 MUI/ml  |  |  |  | 22-25°C |  | 24  |  | 375  |
| Vancomycin hydrochloride      | 2 mg/ml       |  |  |  | 2-8°C   |  | 7   |  | 702  |
| Vancomycin hydrochloride      | 2 mg/ml       |  |  |  | 25°C    |  | 48  |  | 702  |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | -10°C   |  | 63  |  | 430  |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 24°C    |  | 17  |  | 430  |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 5°C     |  | 63  |  | 430  |
| Vancomycin hydrochloride      | 2 mg/ml       |  |  |  | 2-8°C   |  | 7   |  | 702  |
| Vancomycin hydrochloride      | 2 mg/ml       |  |  |  | 25°C    |  | 48  |  | 702  |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 22°C    |  | 48  |  | 1671 |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 24°C    |  | 17  |  | 430  |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 4°C     |  | 7   |  | 1671 |
| Vancomycin hydrochloride      | 10 mg/ml      |  |  |  | 25°C    |  | 33  |  | 913  |
| Vancomycin hydrochloride      | 10 mg/ml      |  |  |  | 4°C     |  | 84  |  | 913  |
| Vancomycin hydrochloride      | 2 mg/ml       |  |  |  | 2-8°C   |  | 7   |  | 702  |
| Vancomycin hydrochloride      | 2 mg/ml       |  |  |  | 25°C    |  | 48  |  | 702  |
| Vancomycin hydrochloride      | 10 mg/ml      |  |  |  | 4°C     |  | 84  |  | 913  |
| Vancomycin hydrochloride      | 41.67 mg/ml   |  |  |  | 18-25°C |  | 48  |  | 4089 |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 25°C    |  | 48  |  | 2173 |
| Vancomycin hydrochloride      | 5 mg/ml       |  |  |  | 4°C     |  | 180 |  | 2173 |
| Vancomycin hydrochloride      | 10 & 20 mg/ml |  |  |  | 25°C    |  | 24  |  | 604  |

|                              |                    |   |   |         |   |    |   |      |
|------------------------------|--------------------|---|---|---------|---|----|---|------|
| Vancomycin hydrochloride     | 10 & 20 mg/ml      |     |         | 4°C     |     | 10 |     | 604  |
| Vancomycin hydrochloride     | 37,5 mg/ml         |    |       | 37°C    |    | 48 |    | 4634 |
| Vecuronium bromide           | 0,04 mg/ml         |    |       | 15-25°C |    | 24 |    | 3630 |
| Vecuronium bromide           | 0,04 mg/ml         |    |       | 15-25°C |    | 24 |    | 3630 |
| Verapamil hydrochloride      | 0,16 mg/ml         |    |       | 5°C     |    | 7  |    | 1045 |
| Verapamil hydrochloride      | 0,16 mg/ml         |    |       | 5°C     |    | 7  |    | 1045 |
| Vinblastine sulfate          | 0,1 mg/ml          |    |       | 4°C     |    | 7  |    | 144  |
| Vinblastine sulfate          | 0,02 mg/ml         |    |       | 25°C    |    | 21 |    | 481  |
| Vinblastine sulfate          | 0,02 mg/ml         |    |       | 4°C     |    | 21 |    | 481  |
| Vincristine sulfate          | 0,02 mg/ml         |    |       | 4°C     |    | 7  |    | 144  |
| Vincristine sulfate          | 0,001 & 0,02 mg/ml |    |       | 25°C    |    | 7  |    | 1520 |
| Vincristine sulfate          | 0,02 mg/ml         |    |       | 25°C    |    | 21 |    | 481  |
| Vincristine sulfate          | 0,02 mg/ml         |    |       | 4°C     |    | 21 |    | 481  |
| Vincristine sulfate liposome | mg/ml              |   |     | 15-30°C |   | 12 |   | 3775 |
| Vindesine sulfate            | 0,02 mg/ml         |  |   | 4°C     |  | 7  |  | 144  |
| Vindesine sulfate            | 0,02 mg/ml         |  |   | 25°C    |  | 21 |  | 481  |
| Vindesine sulfate            | 0,02 mg/ml         |  |   | 4°C     |  | 21 |  | 481  |
| Vinflunine                   | mg/ml              |  |   | 2-8°C   |  | 6  |  | 2838 |
| Vinflunine                   | mg/ml              |  |   | 25°C    |  | 24 |  | 2838 |
| Vinflunine                   | mg/ml              |  |   | 2-8°C   |  | 6  |  | 2838 |
| Vinflunine                   | mg/ml              |  |   | 25°C    |  | 24 |  | 2838 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 2-8°C   |  | 28 |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 25°C    |  | 28 |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 25°C    |  | 4  |  | 2260 |
| Vinorelbine tartrate         | 0,5 & 2 mg/ml      |  |   | 23-25°C |  | 5  |  | 1413 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 2-8°C   |  | 28 |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 25°C    |  | 28 |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 25°C    |  | 4  |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 2-8°C   |  | 28 |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 25°C    |  | 28 |  | 2260 |
| Vinorelbine tartrate         | 0.5 & 3 mg/ml      |  |   | 25°C    |  | 4  |  | 2260 |
| Voriconazole                 | 2 mg/ml            |  |   | 25°C    |  | 4  |  | 4035 |
| Voriconazole                 | 2 mg/ml            |  |   | 35°C    |  | 4  |  | 4035 |

|              |         |   |   |      |   |    |   |      |
|--------------|---------|---|---|------|---|----|---|------|
| Voriconazole | 2 mg/ml |   |   | 4°C  |   | 96 |   | 4035 |
| Zidovudine   | 4 mg/ml |  |  | 25°C |  | 8  |  | 338  |
| Zidovudine   | 4 mg/ml |  |  | 4°C  |  | 8  |  | 338  |



# Dictionnaire

|  |  |
|--|--|
|  Listes récapitulatives     |  Stabilité des solutions        |
|  Solvant                    |  NaCl 0,9% ou glucose 5%        |
|  Molécule                   |  Concentration                  |
|  Contenant                  |  Température                    |
|  Conservation               |  Durée de stabilité             |
|  Bibliographie              |  Polyvinyl chlorure             |
|  A l'abri de la lumière     |  Jour                           |
|  Non précisée               |  Polyéthylène                   |
|  Heure                      |  Polyolefine                    |
|  Seringue polypropylène     |  Lumière                        |
|  Non précisé                |  Verre                          |
|  Elastomère en polyisoprène |  Polypropylène                  |
|  Ethylène vinyl acétate    |  Polypropylène et polyéthylène |
|  Avec ou sans lumière     |  AT-Closed vial®              |
|  Elastomère en silicone   |  Dictionnaire                 |