



Stabilis



Bupivacaine hydrochloride



Noms commerciaux

Bicain	Finlande
Bucain	Allemagne, Autriche
Bucaine	Arabie Saoudite
Bupi Alleman	Allemagne
Bupinest	Colombie, Equateur
Bupirop	Equateur
Bupisen	Italie
Bupivacain	Allemagne
Bupivacaina	Chili, Espagne
Bupivacaine	Australie, Grande Bretagne, Irlande, Maroc, Tunisie
Bupivan	Allemagne, Chili
Buvacaina	Mexique
Buvasin	Turquie
Carbostesin	Allemagne, Autriche
Dolanaest	Allemagne, Autriche
Duracaine	Argentine
Inibsacain	Espagne
Marcain	Australie, Danemark, Egypte, Malaisie, Nouvelle Zélande
Marcaine	Belgique
Sensorcaine	Canada
Sinebupiv	Equateur



Stabilité des solutions

		24 mg/ml	37°C		90			2305
		1,25 mg/ml	23°C		32			293
		1,25 mg/ml	3°C		32			293
		7,5 mg/ml	37°C		84			1879



Stabilité en mélange

		7,5 mg/ml	20°C-25°C		Morphine hydrochloride : 0,2 mg/ml	540		1885
		25 mg/ml	37°C		Morphine sulfate : 50 mg/ml Clonidine hydrochloride : 2 mg/ml	90		1948
		25 mg/ml	4°C		Morphine sulfate : 50 mg/ml Clonidine hydrochloride : 2 mg/ml	90		1948
		3 mg/ml	25°C		Morphine hydrochloride : 6,66 mg/ml Clonidine hydrochloride : 0,03 mg/ml	90		346
		3 mg/ml	26°C		Sufentanil citrate : 0,02 mg/ml	10		1491
		3 mg/ml	37°C		Sufentanil citrate : 0,02 mg/ml	10		1491
		3 mg/ml	4°C		Sufentanil citrate : 0,02 mg/ml	10		1491
		1,5 mg/ml	-18C		Diamorphine hydrochloride : 0,02 mg/ml	180		512
		1,250 mg/ml	23°C		Fentanyl citrate : 20 µg/ml	30		60
		0,62 & 1,2 mg/ml	23°C-25°C		Hydromorphone hydrochloride : 0,02 & 0,1 mg/ml	72		306
		0,62 & 1,25 mg/ml	23°C-25°C		Morphine sulfate : 0,1 & 0,5 mg/ml	72		220
		1,25 mg/ml	25°C		Diamorphine hydrochloride : 0,125 mg/ml	28		1292
		1,5 mg/ml	25°C		Diamorphine hydrochloride : 0,02 mg/ml	24		512
		0,5 mg/ml	25°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
		0,5 mg/ml	25°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
		2,5 mg/ml	25°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
		2,5 mg/ml	25°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
		0,04 mg/ml	25°C		Sufentanil citrate : 0,012 mg/ml	43		1909
		0,59 & 1,25 mg/ml	25°C-30°C		Fentanyl citrate : 2 µg/ml	32		1723
		0,43 mg/ml	30°C		Epinephrine hydrochloride : 0,0006 µg/ml Fentanyl citrate : 1,25 µg/ml	48		217
		2 mg/ml	32°C		Sufentanil citrate : 0,005 mg/ml	3		510
		0,43 mg/ml	3°C		Epinephrine hydrochloride : 0,0006 µg/ml Fentanyl citrate : 1,25 µg/ml	20		217
		1,250 mg/ml	3°C		Fentanyl citrate : 20 µg/ml	30		60
		0,59 & 1,25 mg/ml	4-8°C		Fentanyl citrate : 2 µg/ml	32		1723
		2 mg/ml	4°C		Sufentanil citrate : 0,005 mg/ml	30		510
		0,5 mg/ml	4°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
		0,5 mg/ml	4°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
		2,5 mg/ml	4°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746

PVC		2.5 mg/ml	4°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
PVC		0,04 mg/ml	4°C		Sufentanil citrate : 0,012 mg/ml	43		1909
PVC		1,5 mg/ml	7°C		Diamorphine hydrochloride : 0,02 mg/ml	14		512
PVC		2,5 et 5 mg/ml	25°C		Diamorphine hydrochloride : 0,5 >> 10 mg/ml	8		2307
PVC		1 mg/ml	18-22°C		Epinephrine hydrochloride : 2 µg/ml Fentanyl citrate : 2 µg/ml	184		2306
PVC		1 mg/ml	18-22°C		Fentanyl citrate : 2 µg/ml	184		2306
PVC		1 mg/ml	4°C		Fentanyl citrate : 2 µg/ml Epinephrine hydrochloride : 2 µg/ml	184		2306
PVC		1 mg/ml	4°C		Fentanyl citrate : 2 µg/ml	184		2306
PP		25 mg/ml	23°C		Morphine sulfate : 50 mg/ml	60		1707
PP		25 mg/ml	37°C		Morphine sulfate : 50 mg/ml	48		1707
PP		25 mg/ml	4°C		Morphine sulfate : 50 mg/ml	60		1707
PP		0,00125 mg/ml	2-8°C		Sufentanil citrate : 0,0005 mg/ml	28		2319
PP		2,5 mg/ml	23°C		Morphine sulfate : 5 mg/ml	60		1707
PP		2,5 mg/ml	37°C		Morphine sulfate : 5 mg/ml	48		1707
PP		2,5 mg/ml	4°C		Morphine sulfate : 5 mg/ml	60		1707
PP		1 mg/ml	22°C		Epinephrine hydrochloride : 2 µg/ml Fentanyl citrate : 2 µg/ml	180		1875
PP		1 mg/ml	4°C		Epinephrine hydrochloride : 2 µg/ml Fentanyl citrate : 2 µg/ml	180		1875
POF		1,2 mg/ml	25°C		Tramadol hydrochloride : 4 mg/ml	15		3296
POF		0.5 mg/ml	25°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
POF		0.5 mg/ml	25°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
POF		2.5 mg/ml	25°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
POF		2.5 mg/ml	25°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
POF		1,2 mg/ml	4°C		Tramadol hydrochloride : 4 mg/ml	15		3296
POF		0.5 mg/ml	4°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
POF		0.5 mg/ml	4°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
POF		2.5 mg/ml	4°C		Hydromorphone hydrochloride : 0.03 mg/ml	30		4746
POF		2.5 mg/ml	4°C		Hydromorphone hydrochloride : 0.0015 mg/ml	30		4746
PP		2,5 mg/ml	22°C		Hydromorphone hydrochloride : 0,02 & 0,04 mg/ml	99		1931
PP		2,5 mg/ml	6°C		Hydromorphone hydrochloride : 0,02 & 0,04 mg/ml	99		1931
PP		4 mg/ml	7°C		Diamorphine hydrochloride : 0,1 mg/ml	26		2308
		4 mg/ml	22°C		Morphine tartrate : 1 mg/ml Midazolam hydrochloride : 0,5 mg/ml	28		2083
		1 mg/ml	23°C		Morphine sulfate : 0,05 mg/ml	28		1276

		24 mg/ml	37°C		Morphine sulfate : 50 mg/ml Clonidine hydrochloride : 2 mg/ml	90		2305
		24 mg/ml	37°C		Hydromorphone hydrochloride : 50 mg/ml Clonidine hydrochloride : 2 mg/ml	90		2305
		1 mg/ml	4°C		Morphine sulfate : 0,05 mg/ml	28		1276
		5 mg/ml	37°C		Ziconotide acetate : 25 µg/ml	22		2252
		10 mg/ml	37°C		Hydromorphone hydrochloride : 15 mg/ml	90		4200











Facteur influençant la stabilité

				507
--	--	--	--	-----



Compatibilités

	Bupivacaine hydrochloride : 5 mg/ml Caffeine : 10 mg/ml		3964
	Bupivacaine hydrochloride : 4 mg/ml Diamorphine hydrochloride : 0,1 mg/ml		2308
	Bupivacaine hydrochloride : 20 mg/ml Fentanyl citrate : 25 µg/ml		3131
	Bupivacaine hydrochloride : 5 mg/ml	RL	4603
	Bupivacaine hydrochloride : 1.5 mg/ml Diamorphine hydrochloride : 0.02 mg/ml		512
	Bupivacaine hydrochloride : 1,250 mg/ml Fentanyl citrate : 20 µg/ml		60
	Bupivacaine hydrochloride Hyaluronidase		3184
	Bupivacaine hydrochloride : 2,5 mg/ml Hydromorphone hydrochloride : 0,02 & 0,04 mg/ml		1931
	Bupivacaine hydrochloride : 20 mg/ml Hydromorphone hydrochloride : 25 mg/ml		3131
	Bupivacaine hydrochloride : 10 mg/ml Hydromorphone hydrochloride : 15 mg/ml		4200
	Bupivacaine hydrochloride : 7,5 mg/ml Hydromorphone hydrochloride : 65 mg/ml		221
	Bupivacaine hydrochloride : 0,625 & 1,25 mg/ml Hydromorphone hydrochloride : 0,02 & 0,1 mg/ml		306
	Bupivacaine hydrochloride : 1 & 2 mg/ml Iohexol : 60 mg I/ml		529
			4319
	Bupivacaine hydrochloride : 7,5 mg/ml Morphine hydrochloride : 0,2 mg/ml		1885
	Bupivacaine hydrochloride : 20 mg/ml Morphine sulfate : 25 mg/ml		3131

	Bupivacaine hydrochloride : 1 mg/ml Morphine sulfate : 0,05 mg/ml		1276
	Bupivacaine hydrochloride : 7,5 mg/ml Morphine sulfate : 129 mg/ml		221
	Bupivacaine hydrochloride : 0,625 & 1,250 mg/ml Morphine sulfate : 0,1 & 0,5 mg/ml		220
	Bupivacaine hydrochloride : 5 mg/ml Sugammadex : 100 mg/ml		3372



Voie d'administration



Bibliographie

	Type	Source
60	Revue	Tu YH, Stiles ML, Allen LV Jr. Stability of fentanyl citrate and bupivacaine hydrochloride in portable pump reservoirs. Am J Hosp Pharm 1990 ; 47: 2037-2040.
217	Revue	Allen LV, Stiles ML, Wang DP, Tu YH. Stability of bupivacaine hydrochloride, epinephrine hydrochloride, and fentanyl citrate in portable infusion-pump reservoirs. Am J Hosp Pharm 1993 ; 50: 714-715.
220	Revue	Johnson CE, Christen C, Perez MM, Ma M. Compatibility of bupivacaine hydrochloride and morphine sulfate. Am J Health-Syst Pharm 1997 ; 54: 61-64.
221	Revue	Neels JT. Compatibility of bupivacaine hydrochloride with hydromorphone hydrochloride or morphine sulfate. Am J Hosp Pharm 1992 ; 49: 2149.
293	Revue	Jones JW, Davis AT. Stability of bupivacaine hydrochloride in polypropylene syringes. Am J Hosp Pharm 1993 ; 50: 2364-2365.
306	Revue	Christen C, Johnson CE, Walters JR. Stability of bupivacaine hydrochloride and hydromorphone hydrochloride during simulated epidural coadministration. Am J Health-Syst Pharm 1996 ; 53: 170-173.
346	Revue	Wulf H, Gleim M, Mignat C. The stability of mixtures of morphine hydrochloride, bupivacaine hydrochloride, and clonidine hydrochloride in portable pump reservoirs for the management of chronic pain syndromes. J Pain Symptom Manage 1994 ; 9: 308-311.
507	Revue	Dawson PJ, Bjorksten AR, Duncan IP, Barnes RK, Beemer GH. Stability of fentanyl, bupivacaine and adrenaline solutions for extradural infusion. Br J Anaesth 1992 ; 68: 414-417.
510	Revue	Roos PJ, Glerum JH, Schroeders MJH. Effect of glucose 5% solution and bupivacaine hydrochloride on absorption of sufentanil citrate in a portable pump reservoir during storage and simulated infusion by an epidural catheter. Pharm World Sci 1993 ; 15: 269-275.

512	Revue	Barnes AR, Nash S. Stability of bupivacaine hydrochloride with diamorphine hydrochloride in an epidural infusion. Pharm World Sci 1995 ; 17: 87-92.
529	Revue	Van Asten P, Glerum JH, Spaanderman ER, Van Niekerk J, Van Dijk A. Compatibility of bupivacaine and iohexol in two mixtures for paediatric regional anaesthesia. Pharm Weekbl [Sci] 1991 ; 13: 254-256.
1276	Revue	Shiffman E, Walker SE, Yoon T, Yeung M. Stability and compatibility of morphine with bupivacaine. Can J Hosp Pharm 1998 ; 51: 110-116.
1292	Revue	Grassby PF, Roberts DE. Stability of epidural opiate solutions in 0.9 per cent sodium chloride infusion bags. Int J Pharm Pract 1995 ; 3: 174-177.
1491	Revue	Brouwers JRBJ, van Doorne H, Meevis RF, Boersma FP. Stability of sufentanil citrate and sufentanil citrate/bupivacaine mixture in portable infusion pump reservoirs. Eur Hosp Pharm 1995 ; 1: 12-14.
1707	Revue	Trissel LA, Xu QA, Pham L. Physical and chemical stability of low and high concentrations of morphine sulfate with bupivacaine hydrochloride packaged in plastic syringes. Int J Pharm Compound 2002 ; 6: 70-73.
1723	Revue	Sattler A, Jage J, Krämer I. Physico-chemical stability of infusion solutions for epidural administration containing fentanyl and bupivacaine or lidocaine. Pharmazie 1998 ; 53: 386-391.
1875	Revue	Kjonniksen I, Brustugun J, Breivik H, Anderssen E, Klem W. Stability of an epidural analgesic solution containing adrenaline, bupivacaine and fentanyl. Acta Anaesthesiol Scand 2000 ; 44: 864-867.
1879	Revue	Hildebrand KR, Elsberry DE, Deer TR. Stability, compatibility, and safety of intrathecal bupivacaine administered via an implantable delivery system. Clin J Pain 2001 ; 17: 239-244.
1885	Revue	Essink-Tjebbes CM, Burger DM, Beelen, Wuis EW, Heckster YA. Long-term stability of morphine and bupivacaine mixture for spinal use. Pharm World Sci 1999 ; 21: 144-146.
1909	Revue	Farhang-Asnefi S, Barre J, Callaert S, Boutros A, Causse R, Thebault A. Compatibilité et stabilité du mélange bupivacaine-sufentanil en poche. J Pharm Clin 2000 ; 19: 248-251.
1931	Revue	Donnelly RF. Physical compatibility and chemical stability of bupivacaine and hydromorphone in polypropylene syringes. Can J Hosp Pharm 2004 ; 4: 230-235.
1948	Revue	Classen AM, Wimbish GH, Kupiec TC. Stability of admixtures containing morphine sulfate, bupivacaine hydrochloride, and clonidine hydrochloride in an implantable infusion system. J Pain Symptom Manage 2004 ; 28, 6: 603-611.
2083	Revue	La Forgia SP, Sharley NA, Burgess NG, Doecke CJ. Stability and compatibility of morphine, midazolam and bupivacaine combinations for intravenous infusion. J Pharm Pract and Res 2002 ; 32: 65-68.
2252	Revue	Shields D, Montenegro R, Aclan J. Chemical stability of admixture combining ziconotide and bupivacaine during simulated intrathecal administration. Neuromodulation 2007 ; 10, 1: 1-5.
2305	Revue	Bianchi F, Ginggen A, Tardy Y. Stability and compatibility of drug mixtures in an implantable infusion system. Anaesthesia 2008 63, 9: 972-978.

2306	Revue	Priston M.J, Hughes J.M, Santillo M, Christie I.W. Stability of an epidural analgesic admixture containing epinephrine, fentanyl and bupivacaine. Anaesthesia 2004 ; 59, 10: 979-983.
2307	Revue	Kreeger L, Cowin P, Noble-Gresty J, Naysmith A. Epidural diamorphine and bupivacaine stability study. Palliative Med 1995 ; 9, 4: 315-318.
2308	Revue	Hudson S.J, Jones M.F, Nolan S, Ellis H, Duncombe R, Alexander-Williams J.M. Stability of premixed syringes of diamorphine and hyperbaric bupivacaine. Int J Obstet Anesth 2005 ; 14, 4: 284-287.
2319	Revue	Janssen K, Wisselo R, Geerlings C, Schouten J.P. Chemical stability of a solution of bupivacaine hydrochloride 0.125% and sufentanil citrate 0.5 µg/ml for filling syringes using a repeater pump. EJHP Science 2009 ; 15, 1: 11-14.
3131	Revue	Donnelly RF, Wong K, Spencer J. Physical compatibility of high-concentration bupivacaine with hydromorphone, morphine and fentanyl. Can J Hosp Pharm 2010 ; 63, 2: 154-155.
3184	Laboratoire	Hyaluronidase (Hyalase®) - Summary of Product characteristics.
3296	Revue	Shahmoradian A, Nour N, Martin A, Roman E, Cabeza J, Capitan-Vallvey L.F Determination of Tramadol, Metamizole, Ropivacaine, and Bupivacaine in Analgesic Mixture Samples by HPLC with DAD Detection. J Chromatographic Sci 2009 ; 47: 1-7.
3372	Revue	Hanci V, Ali Kiraz H, Ömür D, Ekin S, Uyan B, Yurtlu B.S. Precipitation in Gallipoli: Sugammadex / Amiodarone & Sugammadex / Dobutamine & Sugammadex / Protamine. Rev Bras Anesthesiol 2013 ; 63, 1: 163-166.
3964	Revue	Audet M.A, Forest E, Friciu M, Forest J.M, Leclair G. Compatibilité du citrate de caféine injectable avec plusieurs autres médicaments. Pharmactuel 2017 ; 50,1 : 27-33.
4200	Revue	Macorigh C, Guibbert V, Casanova M, Haenni C. Stability study of hydromorphone and bupivacaine mixture by HPLC-UV. EJHP 2018
4319	Revue	Lessard J-J, Caron E, Schérer H, Forest J-M, Leclair G. Compatibility of Y-site Injection of Meropenem Trihydrate With 101 Other Injectable Drugs. Hosp Pharm 2020 ; 55, 5: 332-337.
4603	Revue	Vallée M, Barthélémy I, Friciu M, Pelletier E, Forest J.M, Benoit F, Leclair G. Compatibility of Lactated Ringer's Injection With 94 Selected Intravenous Drugs During Simulated Y-site Administration. Hosp Pharm 2021 ; 56, 4: 228-234.
4746	Poster	Shead K, Derrick H, Lyons D, Law S, Ma N.H. Stability and Compatibility of Bupivacaine and Hydromorphone in PVC and non-DEHP bags for 30 days at 4°C and 25°C. 2023



Dictionnaire

 Anesthésique local	 Injectable
 Noms commerciaux	 Stabilité des solutions
 Contenant	 Molécule
 Concentration	 Température
 Conservation	 Durée de stabilité
 Biosimilaire	 Données conflictuelles
 Bibliographie	 Verre
 Non précisé	 A l'abri de la lumière
 Jour	 Seringue polypropylène
 Chlorure de sodium 0,9%	 Lumière
 Non précisé	 Aucun
 Stabilité en mélange	 Solvant
 Molécule	 Polyvinyl chlorure
 Non précisée	 Avec ou sans lumière
 Heure	 Polypropylène
 Eau pour préparation injectable	 Polyolefine
 Glucose 8%	 Facteur influençant la stabilité
 Provoque	 Adsorption
 Compatibilités	 Compatible
RL Ringer lactate	 Précipitation immédiate
 Incompatible	 Voie d'administration
 Perfusion SC continue	 Bibliographie
 Dictionnaire	