


Stabilis



Clonidine hydrochloride



Noms commerciaux

Catapres	Australie, Grande Bretagne, Irlande, Nouvelle Zélande
Catapresan	Allemagne, Autriche, Espagne, Finlande, Grèce, Italie, Pays bas, Suède, Suisse, Vénézuéla
Catapressan	Belgique, France, Luxembourg, Maroc, Tunisie
Clonidin	Allemagne, Brésil
Clonidina	Argentine, Chili, Espagne, Vénézuéla
Clonipres	Vénézuéla
Haemiton	Allemagne
Lowpres	Vénézuéla
Paracefan	Allemagne



Stabilité des solutions

		0,15 mg/ml	23°C		730			650
		0,15 mg/ml	4°C		730			650
		0,15 & 0,5 mg/ml	37°C		90			650
		0,2 mg/ml	37°C		70			1601
		0,5 mg/ml	23°C		545			650
		0,5 mg/ml	4°C		545			650
		2 mg/ml	40°C		180			2317
		2 mg/ml	37°C		90			2305



Stabilité en mélange

		0,2 mg/ml	37°C		Baclofen : 1 mg/ml	70		1601
		0,25 & 0,5 mg/ml	37°C		Baclofen : 0,25 & 0,5 mg/ml	84		1928

		2 mg/ml	37°C		Morphine sulfate : 50 mg/ml Bupivacaine hydrochloride : 25 mg/ml	90		1948
		2 mg/ml	4°C		Morphine sulfate : 50 mg/ml Bupivacaine hydrochloride : 25 mg/ml	90		1948
		0,03 mg/ml	25°C		Morphine hydrochloride : 6,66 mg/ml Bupivacaine hydrochloride : 3 mg/ml	90		346
		0,003 mg/ml	25°C		Pethidine hydrochloride : 8 mg/ml	21		2184
		4 mg/ml	23°C		Morphine sulfate : 50 mg/ml	60		1708
		4 mg/ml	37°C		Morphine sulfate : 50 mg/ml	48		1708
		4 mg/ml	4°C		Morphine sulfate : 50 mg/ml	60		1708
		0,25 mg/ml	23°C		Morphine sulfate : 5 mg/ml	60		1708
		0,015 mg/ml	25°C		Midazolam hydrochloride : 3,6 mg/ml Sufentanil citrate : 0,03 mg/ml	7		3705
		0,015 mg/ml	25°C		Lormetazepam : 0,12 mg/ml	7		3705
		0,015 mg/ml	25°C		Ketamine hydrochloride : 25 mg/ml	7		3705
		0,015 mg/ml	25°C		Midazolam hydrochloride : 3,6 mg/ml	7		3705
		0,015 mg/ml	25°C		Piritramide : 1 mg/ml	7		3705
		0,015 mg/ml	25°C		Piritramide : 1 mg/ml Midazolam hydrochloride : 3,6 mg/ml Ketamine hydrochloride : 25 mg/ml Lormetazepam : 0,12 mg/ml Sufentanil citrate : 0,03 mg/ml	8		3705
		0,005 mg/ml	25°C		Propofol : 6,7 mg/ml Sufentanil citrate : 0,01 mg/ml	24		4011
		0,0075 mg/ml	25°C		Propofol : 10 mg/ml	24		4011
		0,0136 mg/ml	25°C		Propofol : 1,8 mg/ml	24		4011
		0,00136 mg/ml	25°C		Propofol : 18 mg/ml	24		4011
		0.05 & 0.005 mg/ml	30°C		Ropivacain hydrochloride : 1 & 2 mg/ml	30		1665
		0.005 mg/ml	30°C		Ropivacain hydrochloride : 2 mg/ml	30		1665
		0,25 mg/ml	37°C		Morphine sulfate : 5 mg/ml	48		1708
		0,25 mg/ml	4°C		Morphine sulfate : 5 mg/ml	60		1708
		0,001 mg/ml	2-8°C		Morphine sulfate : 1 mg/ml	5		4730
		0,02 mg/ml	2-8°C		Morphine sulfate : 1 mg/ml	5		4730
		0,02 mg/ml	2-8°C		Morphine sulfate : 10 mg/ml	5		4730
		0,003 mg/ml	2-8°C		Morphine hydrochloride : 0,417 mg/ml	30		4643
		0,032 mg/ml	2-8°C		Morphine hydrochloride : 4,3 mg/ml	30		4643
		0,02 mg/ml	23-27°C		Morphine sulfate : 1 mg/ml	5		4730
		0,001 mg/ml	23-27°C		Morphine sulfate : 1 mg/ml	5		4730

		0,02 mg/ml	23-27°C		Morphine sulfate : 10 mg/ml	5		4730
		0,02 mg/ml	37°C		Morphine sulfate : 10 mg/ml	28		4730
		0,001 mg/ml	37°C		Morphine sulfate : 1 mg/ml	28		4730
		0,0084 mg/ml	20-22 °C		Levobupivacaine hydrochloride : ? mg/ml	40		3507
		2 mg/ml	37°C		Ziconotide acetate : 25 µg/ml	60		2248
		2 mg/ml	37°C		Morphine sulfate : 50 mg/ml Bupivacaine hydrochloride : 24 mg/ml	90		2305
		2 mg/ml	37°C		Hydromorphone hydrochloride : 50 mg/ml Bupivacaine hydrochloride : 24 mg/ml	90		2305
		0,05 mg/ml	37°C		Morphine sulfate : 20 mg/ml	90		1869
		1,84 mg/ml	37°C		Morphine sulfate : 2 mg/ml	90		1869



Compatibilités

	Clonidine hydrochloride : 0,018 mg/ml Aminophylline : 0,9 mg/ml		2018
			4130
	Clonidine hydrochloride : 0,2 mg/ml Baclofen : 1 mg/ml		1601
	Clonidine hydrochloride : 0,012 mg/ml Cisatracurium besylate : 5 mg/ml		3823
	Clonidine hydrochloride : 0,012 mg/ml Clonazepam : 0.2 mg/ml		3823
	Clonidine hydrochloride : 0,0024 mg/ml Defibrotide : 8 mg/ml		3728
	Clonidine hydrochloride : 0,012 mg/ml Diclofenac : 3 mg/ml		3823
	Clonidine hydrochloride : 0,009 & 0,03 mg/ml Dihydralazine mesilate : 0.5 & 1.5 mg/ml		4130
	Clonidine hydrochloride : 0,018 mg/ml Dobutamine hydrochloride : 2 mg/ml		2018
	Clonidine hydrochloride : 0,0075 mg/ml Dobutamine hydrochloride : 8 mg/ml		1506
	Clonidine hydrochloride : 0,0075 mg/ml Dopamine hydrochloride : 8 mg/ml		1506
	Clonidine hydrochloride : 0,018 mg/ml Dopamine hydrochloride : 2 mg/ml		2018
	Clonidine hydrochloride : 0,018 mg/ml Epinephrine hydrochloride : 20 µg/ml		2018
	Clonidine hydrochloride : 0,0075 mg/ml Esomeprazole sodium : 0.32 mg/ml		1506
	Clonidine hydrochloride : 0,018 mg/ml Fentanyl citrate : 50 µg/ml		2018

	Clonidine hydrochloride : 0.0075 mg/ml Furosemide : 2 mg/ml		1506
	Clonidine hydrochloride : 0.009 & 0.03 mg/ml Furosemide : 1.2 & 10 mg/ml		4130
	Clonidine hydrochloride : 0.012 mg/ml Haloperidol lactate : 0.5 mg/ml		3823
	Clonidine hydrochloride : 0.0075 mg/ml Heparin sodium : 50 UI/ml	 	1506
	Clonidine hydrochloride : 0.0075 mg/ml Insulin : 1 UI/ml	 	1506
	Clonidine hydrochloride : 0,0125 mg/ml Insulin aspart : 1 UI/ml	 	1508
	Clonidine hydrochloride : 0,018 mg/ml Isoprenaline hydrochloride : 0,004 mg/ml		2018
	Clonidine hydrochloride : 0.015 mg/ml Ketamine hydrochloride : 25 mg/ml		3705
	Clonidine hydrochloride : 0,018 mg/ml Labetalol hydrochloride : 1 mg/ml		2018
	Clonidine hydrochloride : 0,0084 mg/ml Levobupivacaine hydrochloride		3507
	Clonidine hydrochloride : 0.009 & 0.03 mg/ml Levosimendan : 0.025 mg/ml		4130
	Clonidine hydrochloride : 0.015 mg/ml Lorazepam : 0.33 mg/ml		186
	Clonidine hydrochloride : 0.015 mg/ml Lormetazepam : 0.12 mg/ml		3705
	Clonidine hydrochloride : 0,018 mg/ml Magnesium sulfate : 9,6 mg/ml		2018
	Clonidine hydrochloride : 0.009 & 0.03 mg/ml Metamizol sodium : 50 & 100 mg/ml		4130
	Clonidine hydrochloride : 0.0075 mg/ml Methadone hydrochloride : 0.2 mg/ml	 	1506
			4698
			186
	Clonidine hydrochloride : 0.015 mg/ml Midazolam hydrochloride : 5 mg/ml		186
	Clonidine hydrochloride : 0.015 mg/ml Midazolam hydrochloride : 3.6 mg/ml		3705
	Clonidine hydrochloride : 0,018 mg/ml Midazolam hydrochloride : 1 mg/ml		2018
	Clonidine hydrochloride : 0.012 mg/ml Midazolam hydrochloride : 2.1 mg/ml		3823
	Clonidine hydrochloride : 0.009 & 0.03 mg/ml Milrinone lactate : 0.2 mg/ml		4130
	Clonidine hydrochloride : 0.0075 mg/ml Morphine hydrochloride : 1 mg/ml	 	1506
	Clonidine hydrochloride : 0.25 mg/ml Morphine sulfate : 5 mg/ml		1708
	Clonidine hydrochloride : 0,05 & 1,84 mg/ml Morphine sulfate : 2 & 20 mg/ml		1869
	Clonidine hydrochloride : 4 mg/ml Morphine sulfate : 50 mg/ml		1708

	Clonidine hydrochloride : 0,0125 mg/ml Mycophenolate mofetil : 10 mg/ml		4698
	Clonidine hydrochloride : 0.012 mg/ml Nimodipine : 0.2 mg/ml		3823
	Clonidine hydrochloride : 0,018 mg/ml Nitroglycerin : 0,4 mg/ml		2018
	Clonidine hydrochloride : 0,018 mg/ml Norepinephrine bitartrate : 0,02 mg/ml		2018
	Clonidine hydrochloride : 0.0075 mg/ml Pantoprazole sodium : 0.32 mg/ml		1506
	Clonidine hydrochloride : 0,001 mg/ml Pentoxifyllin : 5 mg/ml		4538
	Clonidine hydrochloride : 0.003 mg/ml Pethidine hydrochloride : 8 mg/ml		2184
	Clonidine hydrochloride : 0.015 mg/ml Piritramide : 1 mg/ml		3705
	Clonidine hydrochloride : 0,018 mg/ml Potassium chloride : 1 mEq/l		2018
	Clonidine hydrochloride : 0,018 mg/ml Potassium chloride : 40 mEq/l		2018
	Clonidine hydrochloride : 0.001 >> 0.015 mg/ml Propofol : 1.8 >> 18.2 mg/ml		4011
	Clonidine hydrochloride : 0,005 >> 0,05 mg/ml Ropivacain hydrochloride : 1 - 2 mg/ml		1516
	Clonidine hydrochloride : 0.005 & 0.05 mg/ml Ropivacain hydrochloride : 1 & 2 mg/ml		1665
	Clonidine hydrochloride : 0.015 mg/ml Sodium oxybate : 200 mg/ml		3705
	Clonidine hydrochloride : 0.015 mg/ml Sufentanil citrate : 0.03 mg/ml		3705
	Clonidine hydrochloride : 0,018 mg/ml Theophylline : 1 mg/ml		2018
	Clonidine hydrochloride : 0,0125 mg/ml Thiamine hydrochloride : 1 mg/ml		4698
	Clonidine hydrochloride : 0,0125 mg/ml Urapidil : 5 mg/ml		4698
	Clonidine hydrochloride : 0.009 & 0.03 mg/ml Urapidil : 2 & 5 mg/ml		4130
	Clonidine hydrochloride : 0.012 mg/ml Valproic acid : 16 mg/ml		3823
	Clonidine hydrochloride : 0,018 mg/ml Verapamil hydrochloride : 2,5 mg/ml		2018
	Clonidine hydrochloride : 0.009 & 0.03 mg/ml Verapamil hydrochloride : 1 mg/ml		4130



Voie d'administration



Bibliographie


	Type	Source
186	Revue	Swart EL, Mooren RAG, Van Loenen AC. Compatibility of midazolam hydrochloride and lorazepam with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 1995 ; 52: 2020-2022.
346	Revue	Wulf H, Gleim M, Mignat C. The stability of mixtures of morphine hydrochloride, bupivacaine hydrochloride, and clonidine hydrochloride in portable pump reservoirs for the management of chronic pain syndromes. J Pain Symptom Manage 1994 ; 9: 308-311.
650	Revue	Trissel LA, Hassenbusch SJ. Development of clonidine hydrochloride injections for epidural and intrathecal administration. Int J Pharm Compound 1997 ; 1: 274-277.
1506	Revue	Lopez-Cabezas C, Guerrero L, Molas G, Anglada H, Soy D. Physicochemical compatibility of high concentration drugs usually Y-site administered in intensive care units. EJHP 2015 ;22:107-112.
1508	Revue	Voirol P, Berger-Gryllaki M, Pannatier A, Eggimann P, Sadeghipour F. Visual compatibility of insulin aspart with intravenous drugs frequently used in ICU. EJHP 2015 ;22:123-124.
1516	Laboratoire	Ropivacaine (Naropeine®) - Summary of Product Characteristics Mercury Pharmaceuticals Limited 2012
1601	Revue	Godwin DA, Kim NH, Zuniga R. Stability of a baclofen and clonidine hydrochloride admixture for intrathecal administration. Hosp Pharm 2001 ; 36: 950-954.
1665	Revue	Öster Svedberg K, McKenzie J, Larrivee-Elkins C. Compatibility of ropivacaine with morphine, sufentanil, fentanyl, or clonidine. J Clin Pharm Ther 2002 ; 21: 39-45.
1708	Revue	Xu QA, Trissel LA, Pham L. Physical and chemical stability of low and high concentrations of morphine sulfate with clonidine hydrochloride packaged in plastic syringes. Int J Pharm Compound 2002 ; 6: 66-69.
1869	Revue	Hildebrand KR, Elsberry DD, Hassenbusch SJ. Stability and compatibility of morphine-clonidine admixtures in an implantable infusion system. J Pain Symptom Manage 2003 ; 25, 5: 464-471.
1928	Revue	Alvarez JC, De Mazancourt Ph, Chartier-Kastler E, Denys P. Drug stability testing to support clinical feasibility investigations for intrathecal baclofen-clonidine admixture. J Pain Symptom Manage 2004 ; 28, 3: 268-272.
1948	Revue	Classen AM, Wimbish GH, Kupiec TC. Stability of admixtures containing morphine sulfate, bupivacaine hydrochloride, and clonidine hydrochloride in an implantable infusion system. J Pain Symptom Manage 2004 ; 28, 6: 603-611.
2018	Revue	Veggeland T. Visual compatibility of clonidine with selected drugs. Am J Health-Syst Pharm 2005 ; 62: 1968-1969.

2184	Revue	Vranken JH, van Kan HJM, ven der Vegt MH. Stability and compatibility of a meperidine-clonidine mixture in portable pump reservoirs for the management of cancer pain syndromes. J Pain Symptom Manage 2006 ; 32, 4: 297-299.
2248	Revue	Shields D, Montenegro R. Chemical stability of ziconotide-clonidine hydrochloride admixtures with and without morphine sulfate during simulated intrathecal administration. Neuromodulation 2007 ; 10, 1: 6-11.
2305	Revue	Bianchi F, Ginggen A, Tardy Y. Stability and compatibility of drug mixtures in an implantable infusion system. Anaesthesia 2008 63, 9: 972-978.
2317	Revue	Hollenwaeger M, Borquin Challandes I, Fallab L.C, Schaad N, Zelger G. Development and stability testing of a concentrated injectable clonidine solution for intrathecal analgesia. EJHP Science 2009 ; 15, 1: 3-5.
3507	Laboratoire	Chirocaine - Summary of Product Characteristics AbbVie 2013
3705	Revue	Knudsen L, Eisend S, Haake N, Kunze T. Physicochemical compatibility of commonly used analgesics and sedatives in the intensive care medicine. EJHP 2014 ;21:161-166
3728	Revue	Correard F, Savry A, Gauthier-Villano L, Pisano P, Pourroy B. Visual compatibility of defibrotide with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2014 ; 71: 1288-1291.
3823	Revue	Juan E.P, Palau M.M, Cerd? S.A, Rubert M.A, Nicolau B.R. Compatibilit� physique de m�dicaments administr�s dans l'unit� de soins intensifs Pharmactuel 2015 ; 48, 3 : 146-152.
4011	Revue	Gersonde F, Eisend S, Haake N, Kunze T. Physicochemical compatibility and emulsion stability of propofol with commonly used analgesics and sedatives in an intensive care unit. EJHP 2016 2016;0:1-11
4130	Revue	Koller AK, Krebs S, D�rje F. Untersuchungen zur Kompatibilit�t von Clonidin mit h�ufig eingesetzten Arzneimittel auf Intensivstationen. Pharmaceutics 2021 , 13, 21.
4538	Revue	Campbell A, Petrovski M, Senarathna G, Mukadam ,Strunk T, Batty K. Compatibility of pentoxifylline and parenteral medications. Archives of Disease in Childhood 2020 ; 105: 395-397.
4643	Revue	Catry E, Colsoul M-L, Closset M, Nyssen C, Hubert J, Soumoy L, Bihin B, Jamart J, Hecq J-D, Galanti L. Evaluation of 30-day stability of morphine hydrochloride and clonidine at high and low concentrations in polypropylene syringes. EJHP 2021
4698	Revue	Ayari G, D'Huart E, Vigneron J, Demor� B. Y-site compatibility of intravenous medications commonly used in intensive care units : laboratory tests on 75 mixtures involving nine main drugs. Pharmaceutical Technology in Hospital Pharmacy 2022
4730	Revue	Sorrieul J, Robert J, Vincent L, Andre M, Bourcier B, Bienfait F, Jubier Hamon S, Dupoirion D, Devys C. Stability of Morphine Sulfate-Clonidine and Sufentanil-Clonidine Mixtures. Neuromodulation 2022

Stabilis























































































































Clonidine hydrochloride



Stabilité des préparations

		1 mg ® = ?	Sorbate de potassium 300 mg Citrate de potassium 346 mg Acide citrique 200 mg Saccharinate de sodium 26 mg Eau ppi >> 100 mL 2-8°C		90			4052
		2 mg ® = ?	Eau purifiée 50 mL Sorbate de potassium 150 mg Acide citrique >> pH 4-5 Sirop simple >> 100 mL 2-8°C		90			4272
		2 mg ® = ?	Eau purifiée 50 mL Acide citrique >> pH 4-5 Sirop simple >> 100 mL 2-8°C		90			4272
		2 mg ® = ?	Eau purifiée 50 mL Acide citrique >> pH 4-5 Sirop simple >> 100 mL 23-27°C		90			4272
		1 mg ® = ? (Novopharm)	Oral Mix® >> 100 mL 25°C		91			3714
		1 mg ® = ? (Novopharm)	Oral Mix SF® >> 100 mL 25°C		91			3714
		1 mg ® = ?	Sorbate de potassium 300 mg Citrate de potassium 346 mg Acide citrique 200 mg Saccharinate de sodium 26 mg Eau ppi >> 100 mL 25°C		30			4052
		15 µg ® = Medicianz Healthcare	Glucose 5% >> 30 mL 35°C		24			4353

		Medicianz Healthcare	Glucose 5% >> 30 mL	35°C		24			4353
		Medicianz Healthcare	Glucose 10 % >> 30 mL	35°C		24			4353
		Medicianz Healthcare	Glucose 10 % >> 30 mL	35°C		24			4353
		Medicianz Healthcare	NaCl 0.9% >> 30 mL	35°C		24			4353
		Medicianz Healthcare	NaCl 0.9% >> 30 mL	35°C		24			4353
		6 mg Catapres®	Sirop simple >> 60 ml	4°C		28			2502
		6 mg Clonidine HCl	Eau purifiée 2 ml Sirop simple >> 60 ml	4°C		28			2502
		1 mg ® = ? (Novopharm)	Oral Mix® >> 100 mL	4°C		91			3714
		1 mg ® = ? (Novopharm)	Oral Mix SF® >> 100 mL	4°C		91			3714
		Medicianz Healthcare	Glucose 10 % >> 30 mL	4°C		7			4353
		Medicianz Healthcare	Glucose 5% >> 30 mL	4°C		7			4353
		Medicianz Healthcare	Glucose 5% >> 30 mL	4°C		7			4353
		Medicianz Healthcare	Glucose 10 % >> 30 mL	4°C		7			4353
		Medicianz Healthcare	NaCl 0.9% >> 30 mL	4°C		7			4353
		Medicianz Healthcare	NaCl 0.9% >> 30 mL	4°C		7			4353
		0,6 mg ® = ? (Actavis)	Sirop simple >> 60 ml	2-8°C		35			3844
		600 µg ® = ?	Inorpha® >> 60 mL	2-8°C		60			4090
		15 mg ® = ?	SyrSpend SF PH4® >> 150 mL	2-8°C		90			4408
		15 mg ® = ?	SyrSpend SF PH4® >> 150 mL	20-25°C		90			4408
		Mint Pharmaceutical	Orablend® >> 60 mL	23-27°C		90			4648
		Teva	Orablend® >> 60 mL	23-27°C		90			4648
		5 mg Clonidine HCl	Acide citrique 10.2 g NaHPO4 18.3 g Sirop simple 200 ml POH benzoate de methyle Arôme framboise 50 mg Eau distillée >> 100 ml PH= 5	25°C		270			3319
		1 mg ® = ? (Novopharm)	Oral Mix® >> 100 mL	25°C		91			3714
		1 mg ® = ? (Novopharm)	Oral Mix SF® >> 100 mL	25°C		91			3714
		1 mg ® = ? (Novopharm)	Oral Mix® >> 100 mL	4°C		91			3714
		1 mg ® = ? (Novopharm)	Oral Mix SF® >> 100 mL	4°C		91			3714
		Boehringer Ingelheim	Orablend® >> 3 ml	25°C		91			3649
		0,05 mg ® = ? (Novopharm)	Oral Mix® >> 5 mL	25°C		91			3714
		0,05 mg ® = ? (Novopharm)	Oral Mix SF® >> 5 mL	25°C		91			3714




Bibliographie

	Type	Source
2502	Revue	Levinson ML, Johnson CE. Stability of an extemporaneously compounded clonidine hydrochloride oral liquid Am J Hosp Pharm 1992 ; 49: 122-125.
3319	Revue	de Goede A.L, Boedhram R.R, Eckhardt M, Hanff L.M, Koch B.C.P, Vermaat C.H, Vermes A. Development and validation of a paediatric oral formulation of clonidine hydrochloride Int J Pharm 2012 ; 433, 1-2 : 119-120.
3649	Revue	Ma C, Decarie D, Ensom M.H.H. Stability of clonidine suspension in oral plastic syringes. Am J Health-Syst Pharm 2014 ; 71:657-661.
3714	Revue	Ensom M.H.H, Décarie D. Stability of Extemporaneously Compounded Clonidine in Glass and Plastic Bottles and Plastic Syringes. Can J Hosp Pharm 2014 ; 67, 4: 274-280.
3844	Revue	Sauberan J.B, Phuong P, Ilog N.D, Rossi S.S. Stability and Osmolality of Extemporaneously Prepared Clonidine Oral Liquid for Neonates. Ann Pharmacotherapy 2016 ; 50: 243-244.
4052	Revue	Verhac C, Bourdon F, Titecat M, Frealle E, Dhome C, Berneron C, Odou P. Physicochemical and microbiological stability of a new paediatric oral solution of clonidine. Pharmaceutical Technology in Hospital Pharmacy 2017
4090	Revue	Potier A, Voyat J, Nicolas A. Stability study of a clonidine oral solution in a novel vehicle designed for pediatric patients. Pharm Dev Technol 2017
4272	Revue	Merino-Bohorquez, Delgado-Valverde M, Garcia-Palomo M, Dávila- Pousa MC, Canete C, Villaronga M, Rodriguez-Marrodan B, Lopez-Ro Physicochemical and microbiological stability of two news oral liquid formulations of clonidine hydrochloride for pediatric patients. Pharm Dev Technol 2019
4353	Revue	Lu D, Harmanjeet H, Wanandy T, Paine M, . PetersonG.M, Patel R. Physicochemical stability of extemporaneously prepared clonidine solutions for use in neonatal abstinence syndrome. J Clin Pharm Ther 2019
4408	Revue	Polonini H, Loures da Silva S, Neves Cunha C, de Oliveira Ferreira A, Anagnostou K, Dijkers E. Stability of Azathioprine, Clonidine Hydrochloride, Clopidogrel Bisulfate, Ethambutol Hydrochloride, Griseofulvin, Hydralazine Hydrochloride, Nitrofurantoin, and Thioguanine Oral Suspensions Compounded with SyrSpend SF PH4. Int J Pharm Compound 2020 ;24,3:252-262
4648	Revue	Coache D, Friciu M, Roullin G, Boule M, Forest J-M, Leclair G. Stability evaluation of compounded clonidine hydrochloride oral liquids based on a solidphase extraction HPLC-UV method. PlosOne 2021 16(11): e0260279.

Stabilis



Clonidine hydrochloride



Stabilité des préparations

	200 µg ® = Catapres	Lactose >> 1000 µg	23-27°C		120			4630




Bibliographie

	Type	Source
4630	Revue	Saito J, Hanawa T, Matsumoto T, Yoshikawa N, Harada T, Iwahashi K, Nakamura H, Yamatani A. Stability of clonidine hydrochloride in an oral powder form compounded for pediatric patients in Japan. J Pharm Health Care Sci 2021 ; 7:31

Stabilis



Clonidine hydrochloride



Stabilité des préparations

?		20 mcg Catapressan®	Cellulose microcristalline Carmin	25°C		365			4716



Bibliographie

	Type	Source
4716	Revue	Wasilewski M, Curti C, Panuccio C, Bouguergour C, Primas N, Lamy E, Castera-Ducros C, Jean C, Pirre Bertault-Peres P, Vanelle P Pre-formulation and Stability Study of 20 mcg Clonidine Hydrochloride Pediatric Capsules. J Pediatr Pharmacol Ther 2022 ;27,7:625-631



Dictionnaire

 Antihypertenseur	 Injectable
 Noms commerciaux	 Stabilité des solutions
 Contenant	 Molécule
 Concentration	 Température
 Conservation	 Durée de stabilité
 Biosimilaire	 Données conflictuelles
 Bibliographie	 Verre
 Chlorure de sodium 0,9%	 A l'abri de la lumière
 Jour	 Non précisée
 Non précisé	 Stabilité en mélange
 Solvant	 Molécule
 Aucun	 Polyvinyl chlorure
 Non précisé	 Lumière
 Polypropylène	 Eau pour préparation injectable
 Heure	 Seringue polypropylène
 Synchroned®	 Compatibilités
 Compatible	 Précipitation immédiate
 Incompatible	 NaCl 0,9% ou glucose 5%
 Turbidité immédiate	 Changement de couleur en 24 heures
 Instabilité chimique	 Voie d'administration
 Perfusion intraveineuse	 Perfusion continue
 Intramusculaire	 Sous cutanée
 Intrathécale	 Bibliographie
 Solution buvable	 Stabilité des préparations
 Origine	 Excipient
 Poudre	 Flacon injectable
 Comprimés	 Flacon plastique
 Seringue PP orale	 Sachet papier
 Gélule	 Dictionnaire