


Stabilis



Ketamine hydrochloride



Noms commerciaux

Aescoket	Italie
Anesket	Colombie, Mexique
Calypsol	Hongrie, Malaisie, Pologne, Roumanie, Thaïlande
Inducmina	Argentine, Pérou
Kanox	Malaisie
Keiram	Egypte, Vénézuéla
Keta	Allemagne, Inde
Keta Hameln	Pérou
Ketafast	Inde
Ketajet	Inde
Ketalar	Australie, Belgique, Brésil, Canada, Chili, Colombie, Danemark, Emirats Arabes Unis, Etats Unis d'Amérique, Finlande, Grande Bretagne, Irlande, Luxembourg, Norvège, Nouvelle Zélande, Pays bas, Portugal, Suède, Turquie
Ketalin	Mexique
Ketamar	Egypte
Ketamax	Inde, Vénézuéla
Ketamin	Allemagne
Ketamina	Argentine, Chili, Colombie, Pérou, Vénézuéla
Ketamine	Canada, Egypte, Etats Unis d'Amérique, France, Irlande, Italie, Malaisie, Nouvelle Zélande, Roumanie,
Ketanest	Poligie
Ketanir	Colombie, Equateur, Pérou
Ketashort	Colombie
Ketava	Malaisie
Ketmin	Inde
Ketolar	Espagne
Ketsia	Inde
Kmin	Inde
Tekam	Arabie Saoudite, Emirats Arabes Unis



Stabilité des solutions

		10 mg/ml	25°C		182			3435
		1 mg/ml	25°C		28			3859
		1 mg/ml	33°C		7			3859
		10 mg/ml	25°C		30			1714
		1 mg/ml	25°C		365			2287
		1 mg/ml	40°C		365			2287
		1 mg/ml	4°C		365			2287
		10 mg/ml	25°C		100			4303
		50 mg/ml	25°C		180			3874
		50 mg/ml	25°C		50			3911
		0,1 mg/ml	21°C		24			1864



Stabilité en mélange



































		0,2 >> 1 mg/ml	25°C		Hydromorphone hydrochloride : 0,2 mg/ml	7		2336
		1 mg/ml	25°C		Droperidol : 0,05 mg/ml Fentanyl citrate : 10 µg/ml	30		1993
		40 mg/ml	23°C		Oxycodone hydrochloride : 10 mg/ml	7		4143
		4 mg/ml	23°C		Oxycodone hydrochloride : 0,4 mg/ml	7		4143
		0,1 mg/ml	23°C		Oxycodone hydrochloride : 10 mg/ml	7		4143
		0,2 >> 1 mg/ml	25°C		Hydromorphone hydrochloride : 0,2 mg/ml	7		2336
		1 mg/ml	25°C		Droperidol : 0,05 mg/ml Fentanyl citrate : 10 µg/ml	30		1993
		1 & 25 mg/ml	25°C		Morphine sulfate : 1 & 25 mg/ml	6		2350
		1 mg/ml	4°C		Droperidol : 0,05 mg/ml Fentanyl citrate : 10 µg/ml	30		1993
		4 mg/ml	23°C		Oxycodone hydrochloride : 0,4 mg/ml	7		4143
		40 mg/ml	23°C		Oxycodone hydrochloride : 10 mg/ml	7		4143
		0,1 mg/ml	23°C		Oxycodone hydrochloride : 10 mg/ml	7		4143
		3,6 & 42,8 mg/ml	23°C		Dexamethasone sodium phosphate : 0,07 mg/ml	8		2022
		2 mg/ml	23°C		Morphine sulfate : 2 >> 10 mg/ml	91		2322
















































PP	▲	25 mg/ml	25°C	☀	Clonidine hydrochloride : 0,015 mg/ml	7	◐	3705
PP	▲	25 mg/ml	25°C	☀	Lormetazepam : 0,12 mg/ml	7	◐	3705
PP	▲	25 mg/ml	25°C	☀	Midazolam hydrochloride : 3,6 mg/ml	7	◐	3705
PP	▲	25 mg/ml	25°C	☀	Clonidine hydrochloride : 0,015 mg/ml Piritramide : 1 mg/ml Midazolam hydrochloride : 3,6 mg/ml Lormetazepam : 0,12 mg/ml Sufentanil citrate : 0,03 mg/ml	8	☑	3705
PP	▲	12,5 mg/ml	25°C	☀	Propofol : 10 mg/ml	24	☑	4011
PP	▲	22,7 mg/ml	25°C	☀	Propofol : 1,8 mg/ml	24	☑	4011
PP	▲	2,27 mg/ml	25°C	☀	Propofol : 18 mg/ml	24	☑	4011
PP	▲	1 >> 25 mg/ml	25°C	?	Morphine sulfate : 1 >> 25 mg/ml	6	◐	2350
PP	▲	3,6 & 42,8 mg/ml	37°C	☀	Dexamethasone sodium phosphate : 0,07 mg/ml	8	◐	2022
PP	▲	3,6 & 42,8 mg/ml	4°C	☀	Dexamethasone sodium phosphate : 0,07 mg/ml	8	◐	2022
PP	▲	2 mg/ml	5°C	☀	Morphine sulfate : 2 >> 10 mg/ml	91	◐	2322
POF	▲	1,4 mg/ml	25°C	☀	Butorphanol tartrate : 0,067 mg/ml Droperidol : 0,034 mg/ml	14	◐	4115
POF	▲	1,4 mg/ml	4°C	☀	Butorphanol tartrate : 0,067 mg/ml Droperidol : 0,034 mg/ml	14	◐	4115
PP	▲	0,2 >> 1 mg/ml	25°C	☀	Hydromorphone hydrochloride : 0,2 mg/ml	7	◐	2336
PP	▲	2,5 mg/ml	28°C	☀	Lidocaine hydrochloride : 20 mg/ml	48	☑	4350
PP	∅	5,2 mg/ml	23°C	☀	Propofol : 4,9 mg/ml	3	☑	2329
PP	∅	3,3 mg/ml	23°C	☀	Propofol : 6,8 mg/ml	3	☑	2329
?	∅	27,7 mg/ml	21°C	☀	Morphine tartrate : 57,8 mg/ml	24	☑	1864
?	∅	41,2 mg/ml	21°C	☀	Morphine tartrate : 17,6 mg/ml	24	☑	1864



Compatibilités

↙	✗	Ketamine hydrochloride : 50 mg/ml	NaH CO ₃	2109
↙	✗	Ketamine hydrochloride : 50 mg/ml Aciclovir sodium : 50 mg/ml		2109
	✓	Ketamine hydrochloride : 5 mg/ml Alprostadil : 20 µg/ml	◆	4491
	✓	Ketamine hydrochloride : 50 mg/ml Alprostadil : 500 µg/ml		4389
	✓	Ketamine hydrochloride : 5 mg/ml Alprostadil : 20 µg/ml	◆	4651
	✓	Ketamine hydrochloride : 50 mg/ml Amikacin sulfate : 250 mg/ml		2109

		Ketamine hydrochloride : 50 mg/ml Aminophylline : 25 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Aminophylline : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Amiodarone hydrochloride : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Amoxicillin sodium / clavulanic acid : 100/10 mg/ml		3824
		Ketamine hydrochloride : 50 mg/ml Ampicillin sodium : 250 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Atropine sulfate : 0.4 mg/ml		2109
		Ketamine hydrochloride : 1 >> 4 mg/ml Butorphanol tartrate : 0.05 >> 0.15 mg/ml		181
		Ketamine hydrochloride : 50 mg/ml Caffeine : 10 mg/ml		3964
		Ketamine hydrochloride : 50 mg/ml Caffeine : 10 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Calcium gluconate : 100 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Cefazolin sodium : 100 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Cefotaxime sodium : 100 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Ceftazidime : 100 mg/ml		2109
		Ketamine hydrochloride : 10 mg/ml Ceftazidime : 83.3 mg/ml		1759
		Ketamine hydrochloride : 50 mg/ml Cefuroxime sodium : 100 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Chlorpromazine hydrochloride : 25 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Clindamycin phosphate : 150 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Cloxacillin sodium : 100 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Co-trimoxazole : 80/16 mg/ml		2109
		Ketamine hydrochloride Diazepam		3501
		Ketamine hydrochloride : 50 mg/ml Digoxin : 50 µg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Dimenhydrinate : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Diphenhydramine hydrochloride : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Dobutamine hydrochloride : 12.5 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Dopamine hydrochloride : 40 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Epinephrine hydrochloride : 1000 µg/ml		2109

		Ketamine hydrochloride : 50 mg/ml Insulin : 100 UI/ml		2109
		Ketamine hydrochloride : 10 mg/ml		4507
		Ketamine hydrochloride : 50 mg/ml Isoprenaline hydrochloride : 0,2 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml	RL	4603
		Ketamine hydrochloride : 10 mg/ml Cefepime dihydrochloride : 125 mg/ml		2141
		Ketamine hydrochloride : 10 mg/ml Ceftazidime : 125 mg/ml		2141
		Ketamine hydrochloride : 50 mg/ml Ciclosporin : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Ciclosporin : 50 mg/ml		4389
		Ketamine hydrochloride : 25 mg/ml Clonidine hydrochloride : 0.015 mg/ml		3705
		Ketamine hydrochloride : 50 mg/ml Cloxacillin sodium : 100 mg/ml		3012
		Ketamine hydrochloride : 50 mg/ml Dexamethasone sodium phosphate : 4 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Dexamethasone sodium phosphate : 10 mg/ml		2109
		Ketamine hydrochloride : 3.57 & 42.85 mg/ml Dexamethasone sodium phosphate : 0.07 mg/ml		2022
		Ketamine hydrochloride : 50 mg/ml Dexmedetomidine : 100 µg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Esmolol hydrochloride : 10 mg/ml		4389
		Ketamine hydrochloride : 0,19 mg/ml Fentanyl citrate : 9,8 µg/ml		4436
		Ketamine hydrochloride : 1 mg/ml Fentanyl citrate : 40 µg/ml		1934
		Ketamine hydrochloride : 50 mg/ml Furosemide : 10 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Gentamicin sulfate : 40 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Heparin sodium : 25000 UI/ml		2109
		Ketamine hydrochloride : 50 mg/ml Hydrocortisone sodium succinate : 125 mg/ml		2109
		Ketamine hydrochloride : 0.2 >> 1 mg/ml Hydromorphone hydrochloride : 0.2 mg/ml		2336
		Ketamine hydrochloride Hydroxocobalamin		3932
		Ketamine hydrochloride : 2.5 mg/ml Lidocaine hydrochloride : 20 mg/ml		4350
		Ketamine hydrochloride : 50 mg/ml Lorazepam : 4 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Lorazepam : 4 mg/ml		2109
		Ketamine hydrochloride : 25 mg/ml Lormetazepam : 0.12 mg/ml		3705

		Ketamine hydrochloride : 50 mg/ml Magnesium sulfate : 500 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Meropenem : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Meropenem : 50 mg/ml		4319
		Ketamine hydrochloride Methohexital sodium		3501
		Ketamine hydrochloride : 50 mg/ml Methylprednisolone acetate : 62.5 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Metoclopramide hydrochloride : 5 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Metronidazole : 5 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Midazolam hydrochloride : 5 mg/ml		2109
		Ketamine hydrochloride : 25 mg/ml Midazolam hydrochloride : 3.6 mg/ml		3705
		Ketamine hydrochloride : 50 mg/ml Milrinone lactate : 1 mg/ml		2109
		Ketamine hydrochloride : 2 mg/ml Morphine sulfate : 2 >> 10 mg/ml		2322
		Ketamine hydrochloride : 41,2 mg/ml Morphine tartrate : 57,8 mg/ml		1864
		Ketamine hydrochloride : 10 mg/ml Morphine tartrate : 24 mg/ml		980
		Ketamine hydrochloride : 27,7 mg/ml Morphine tartrate : 57,8 mg/ml		1864
		Ketamine hydrochloride : 50 mg/ml Naloxone hydrochloride : 0.4 mg/ml		3408
		Ketamine hydrochloride : 50 mg/ml Naloxone hydrochloride : 0.4 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Nicardipine hydrochloride : 0,2 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Nitroglycerin : 5 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Nitroglycerin : 5 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Norepinephrine bitartrate : 1 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Ondansetron hydrochloride : 2 mg/ml		4389
		Ketamine hydrochloride : 0.1 & 40 mg/ml Oxycodone hydrochloride : 0.4 & 10 mg/ml		4143
		Ketamine hydrochloride : 23.5 & 44.4 mg/ml Oxycodone hydrochloride : 14.7 & 38.5 mg/ml		2900
		Ketamine hydrochloride : 23.5 & 44.4 mg/ml Oxycodone hydrochloride : 14.7 & 38.5 mg/ml		2900
		Ketamine hydrochloride : 50 mg/ml Oxytocin : 10 UI/ml		2109
		Ketamine hydrochloride : 50 mg/ml Pancuronium bromide : 2 mg/ml		2109

		Ketamine hydrochloride : 50 mg/ml Paracetamol : 10 mg/ml		4742
		Ketamine hydrochloride : 5 mg/ml Paracetamol : 10 mg/ml		4435
		Ketamine hydrochloride Pentobarbital sodium		3501
		Ketamine hydrochloride : 2 mg/ml Pethidine hydrochloride : 12 mg/ml		321
		Ketamine hydrochloride : 50 mg/ml Pethidine hydrochloride : 100 mg/ml		2109
		Ketamine hydrochloride Phenobarbital sodium		3501
		Ketamine hydrochloride : 50 mg/ml Phenytoin sodium : 50 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Piperacillin sodium : 200 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Piperacillin sodium : 200 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Piperacillin sodium / tazobactam : 200 mg/ml		2109
		Ketamine hydrochloride : 25 mg/ml Piritramide : 1 mg/ml		3705
		Ketamine hydrochloride : 50 mg/ml Potassium chloride : 2000 mEq/l		2109
		Ketamine hydrochloride : 50 mg/ml Potassium phosphate : 4 mmol/ml		2109
		Ketamine hydrochloride : 50 mg/ml Promethazine hydrochloride : 25 mg/ml		2109
		Ketamine hydrochloride : 10 mg/ml Propofol : 10 mg/ml		2329
		Ketamine hydrochloride : 3.3 mg/ml Propofol : 6.7 mg/ml		2329
		Ketamine hydrochloride : 10 mg/ml Propofol : 10 mg/ml		300
		Ketamine hydrochloride : 2.3 >> 22.7 mg/ml Propofol : 1.8 >> 18.2 mg/ml		4011
		Ketamine hydrochloride : 1.45 >> 3.7 mg/ml Propofol : 9.26 >> 9.6 mg/ml		4157
		Ketamine hydrochloride : 10 mg/ml Propofol		660
		Ketamine hydrochloride : 50 mg/ml Ranitidine hydrochloride : 25 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Salbutamol sulfate : 1 mg/ml		4389
		Ketamine hydrochloride : 50 mg/ml Salbutamol sulfate : 1 mg/ml		2109
		Ketamine hydrochloride : 50 mg/ml Sodium bicarbonate : 84 mg/ml		2109
		Ketamine hydrochloride : 25 mg/ml Sodium oxybate : 200 mg/ml		3705
		Ketamine hydrochloride : 25 mg/ml Sufentanil citrate : 0.03 mg/ml		3705

	Ketamine hydrochloride : 50 mg/ml Sufentanil citrate : 0,05 mg/ml		4389
	Ketamine hydrochloride : 50 mg/ml Sugammadex : 100 mg/ml		3372
	Ketamine hydrochloride : 10 mg/ml Temocilline : 83.33 mg/ml		2231
			3501
	Ketamine hydrochloride : 50 mg/ml Tobramycin sulfate : 40 mg/ml		2109
	Ketamine hydrochloride : 0.5 >> 2 mg/ml Tramadol hydrochloride : 5 mg/ml		365
	Ketamine hydrochloride : 10 mg/ml Vancomycin hydrochloride : 10 mg/ml		3385
	Ketamine hydrochloride : 50 mg/ml Vancomycin hydrochloride : 50 mg/ml		2109
	Ketamine hydrochloride : 50 mg/ml Vasopressin : 20 UI/ml		4389



Voie d'administration



Bibliographie

	Type	Source
181	Revue	Fuchao Chen, Hui Xiong, Jinguo Yang, Baoxia Fang, Jun Zhu, Benhong Zhou. Butorphanol and Ketamine Combined in Infusion Solutions for Patient-Controlled Analgesia Administration: A Long-Term Stability Study. Med Sci Monit 2015 ; 21:1138-1145.
300	Revue	Trissel LA, Gilbert DL, Martinez JF. Compatibility of propofol injectable emulsion with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 1997 ; 54: 1287-1292.
321	Revue	Ambados F. Compatibility of ketamine hydrochloride and meperidine hydrochloride. Am J Health-Syst Pharm 1997 ; 54: 205.
365	Revue	Junfeng Gu, Wengang Qin, Fuchao Chen, Zhongyuan Xia. Long-Term Stability of Tramadol and Ketamine Solutions for Patient-Controlled Analgesia Delivery. Med Sci Monit 2015 ; 21:2528-2534.
660	Revue	Michaels MR, Stauffer GL, Haas DP. Propofol compatibility with other intravenous drug products - Two new methods of evaluating IV emulsion compatibility. Ann Pharmacotherapy 1996 ; 30: 228-232.
980	Revue	Ambados F. Compatibility of morphine and ketamine for subcutaneous infusion. Aust J Hosp Pharm 1995 ; 25: 352.

1714	Revue	Gupta VD. Stability of ketamine hydrochloride injection after reconstitution in water for injection and storage in 1-ml tuberculin polypropylene syringes for pediatric use. Int J Pharm Compound 2002 ; 6: 316-317.
1759	Revue	Servais H, Tulkens PM. Stability and compatibility of ceftazidime administered by continuous infusion to intensive care patients. Antimicrob Agents Chemother 2001 ; 45: 2643-2647.
1864	Revue	Lau MH, Hackman C, Morgan DJ. Compatibility of ketamine and morphin injections. Pain 1998 ; 75: 389-390.
1934	Revue	Ambados F, Brealey J. Compatibility of ketamine hydrochloride and fentanyl citrate in polypropylene syringes. Am J Health-Syst Pharm 2004 ; 61: 1438-1445.
1993	Revue	Lee DKT, Wang DP, Harsono R, Wong CY. Compatibility of fentanyl citrate, ketamine hydrochloride, and droperidol in 0.9% sodium chloride injection stored in polyvinyl chloride bags. Am J Health-Syst Pharm 2005 ; 62: 1190-1192.
2022	Revue	Watson DG, Lin M, Morton A, Cable CG, McArthur DA. Compatibility and stability of dexamethasone sodium phosphate and ketamine hydrochloride subcutaneous infusions in polypropylene syringes. J Pain Symptom Manage 2005 ; 30: 80-86.
2109	Revue	Pelletier E, Forest JM, Hildgen P. Compatibilité de la kétamine injectable lors de l'administration en dérivé avec d'autres médicaments usuels. Pharmactuel 2006 ; 39: 71-75.
2141	Revue	Barinian N, Chanteux H, Viaene E, Servais H, Tulkens PM. Stability and compatibility study of cefepime in comparaison with ceftazidime for potential administration by continuous infusion under conditions pertinent to ambulatory treatment of cystic fibrosis patients and to administration in intensive care units. J Antimicrob Chemother 2003 ; 51: 651-658.
2231	Revue	de Jongh R, Hens R, Basma V, mouton JW, Tulkens PM, Carryn S. Continuous versus intermittent infusion of temocillin, a directed spectrum penicillin for intensive care patients with nosocomial pneumonia: stability, compatibility, population pharmacokinetic studies and breakpoint selection. J Antimicrob Chemother 2008 ; 61, 2: 382-388.
2287	Revue	Stucki MC, Leury-Souverain S, Sautter AM, Sadeghipour F, Bonnabry P. Development of ready-to-use ketamine hydrochloride syringes for safe use in post-operative pain. EJHP Science 2008 ; 14, 1: 14-18.
2322	Revue	Donnelly R.F. Physical Compatibility and Chemical Stability of Ketamine–Morphine Mixtures in Polypropylene Syringes. Can J Hosp Pharm 2009 ; 62, 1
2329	Revue	Donnelly R.F, Willman E, Andolfatto G. Stability of Ketamine–Propofol mixtures for procedural sedation and analgesia in the emergency department. Can J Hosp Pharm 2008 ; 61, 6: 426-430.
2336	Revue	Ensom M.H.H, Decarie D, Leung K, Montgomery C Stability of Hydromorphone–Ketamine Solutions in Glass Bottles, Plastic Syringes, and IV Bags for Pediatric Use Can J Hosp Pharm 2009 ; 62, 2: 112-118.
2350	Revue	Roy J.J, Hildgen P. Stability of morphine-ketamine in 0.9% sodium chloride injection packaged in syringes, plastic bags and MEDICATION CASSETTE Reservoirs. Int J Pharm Compound 2000 ; 4, 3: 225-228.
2900	Revue	Hines S, Pleasance S. Compatibility of an injectable high strength oxycodone formulation with typical diluents, syringes, tubings, infusion bags and drugs for potential co-administration. EJHP 2009 ; 15, 5: 32-38.


3012	Revue	Sullivan T, Forrest J.M, Leclair G. Compatibility of Cloxacillin Sodium with Selected Intravenous Drugs During Simulated Y-Site Administration Hosp Pharm 2015 ; 50, 3: 214-220.
3372	Revue	Hanci V, Ali Kiraz H, Ömür D, Ekin S, Uyan B, Yurtlu B.S. Precipitation in Gallipoli: Sugammadex / Amiodarone & Sugammadex / Dobutamine & Sugammadex / Protamine. Rev Bras Anesthesiol 2013 ; 63, 1: 163-166.
3385	Revue	Raverdi V, Ampe E, Hecq JD, Tulkens PM. Stability and compatibility of vancomycin for administration by continuous infusion. J Antimicrob Chemother 2013 ; 68: 1179-1182.
3408	Revue	Tollec S, Touzin K, Pelletier E, Forest J.M. Evaluation visuelle de la compatibilité physique de la naloxone avec d'autres médicaments intraveineux usuels. Pharmactuel 2013 ; 46, 1 : 16-21.
3435	Revue	Donnelly R.F. Stability of Diluted Ketamine Packaged in Glass Vials. Can J Hosp Pharm 2013 ; 66, 3 : 198.
3501	Laboratoire	Ketamine hydrochloride (Ketalar®) - Summary of Product Characteristics Pfizer 2011
3705	Revue	Knudsen L, Eisend S, Haake N, Kunze T. Physicochemical compatibility of commonly used analgesics and sedatives in the intensive care medicine. EJHP 2014 ;21:161-166
3824	Revue	Boudi S, Roy H, Forest JM, Leclair G. Compatibilité physique de l'association amoxicilline-acide clavulanique en injection avec plusieurs autres médicaments lors d'une administration en Y. Pharmactuel 2023 2023;56,3:91-98
3859	Revue	Foy G, Poinignon V, Mercier L, Laurent S, Paci A. Microbiological and Physico-Chemical Stability of Ketamine Solution for Patient-Controlled Analgesia Systems. RRJHCP 2016 ; 1, 3: 31-37.
3874	Revue	Huvelle S, Godet M, Hecq J.D, Gillet P, Bihin B, Jamart J, Galanti L. Long-term stability of ketamine hydrochloride 50 mg/ml injection in 3 ml syringes Ann Pharm Fr 2016 ; 74: 283-287.
3911	Revue	Closset M, Hecq J D, Gonzalez E, Bihin B, Jamart J, L Galanti L. Does an interaction exist between ketamine hydrochloride and Becton Dickinson syringes? EJHP 2017 ; 24: 230-234.
3932	Laboratoire	Hydroxocobalamine (Cyanokit®) - Résumé des caractéristiques du produit Serb Laboratoire 2015
3964	Revue	Audet M.A, Forest E, Friciu M, Forest J.M, Leclair G. Compatibilité du citrate de caféine injectable avec plusieurs autres médicaments. Pharmactuel 2017 ; 50,1 : 27-33.
4011	Revue	Gersonde F, Eisend S, Haake N, Kunze T. Physicochemical compatibility and emulsion stability of propofol with commonly used analgesics and sedatives in an intensive care unit. EJHP 2016 2016;0:1-11
4115	Revue	Fang B, Wang L, Gu J, Chen F, Shi X. Physicochemical stability of ternary admixtures of butorphanol, ketamine, and droperidol in polyolefin bags for patient-controlled analgesia use. Drug Design Dev Ther 2016 ;10:3873-3878
4143	Revue	Daouphars M, Hervou?t C.H, Bohn P, Martin D, Rouvet J, Basuyau F, Varin R. Physicochemical stability of oxycodone-ketamine solutions in polypropylene syringe and polyvinyl chloride bag for patient-controlled analgesia use. EJHP 2016 ; 25, 4
4157	Revue	Izgi M, Basara B, Muderrisoglu A, Yilbas A.A, Uluer M.S, Celebioglu B. Evaluation of the stability and stratification of propofol and ketamine mixtures for pediatric anesthesia. Pediatric Anesthesia 2018

4303	Revue	Anderson C, MacKay M. Stability of Fentanyl Citrate, Hydromorphone Hydrochloride, Ketamine Hydrochloride, Midazolam, Morphine Sulfate, and Pentobarbital Sodium in Polypropylene Syringes. Pharmacy 2015 3, 379-385.
4319	Revue	Lessard J-J, Caron E, Schérier H, Forest J-M, Leclair G. Compatibility of Y-site Injection of Meropenem Trihydrate With 101 Other Injectable Drugs. Hosp Pharm 2020 ; 55, 5: 332-337.
4350	Revue	Beiler B, Barraud D, Vigneron J, Demor? B. Physicochemical stability of an admixture of lidocaine and ketamine in polypropylene syringe used in opioid-free anaesthesia. EJHP 2019 ;0:1-5
4389	Revue	Côté K, Correal F, Metras M.E, Friciu M, Forest J.M, Leclair G. Compatibilité physique des médicaments administrés en Y aux soins intensifs, en particulier la dexmédétomidine, le lévamisendan et la kétamine. Pharmactuel 2019 ;52,4:206-213
4435	Revue	Hanifah S, Nugroho B.H, Chabib L. Compatibility of acetaminophen with central nervous system medications during simulated Y-site injection. Anaesthesiol Intensive Ther 2020 ; 52, 1: 23-27.
4436	Revue	Hanifah S, Kennedy R.A; Ball P.A. Extended compatibility of fentanyl and ketamine in dextrose 5%. Anaesthesiol Intensive Ther 2018 ; 50, 3: 221-225.
4491	Revue	De Basagoiti A, Katsumiti A, Abascal S, Bustinza A, López-Giménez L.R, Pilar P, De Miguel M, Campino A. Physical compatibility of alprostadil with selected drugs commonly used in the neonatal intensive care units. Eur J Pedia 2020
4507	Revue	Ross E, Salinas A, Petty K, Her C, Carpenter J. Compatibility of medications with intravenous lipid emulsions: Effects of simulated Y-site mixing. Am J Health-Syst Pharm 2020 ;77,23:1980-1985
4603	Revue	Vallée M, Barthélémy I, Friciu M, Pelletier E, Forest J.M, Benoit F, Leclair G. Compatibility of Lactated Ringer's Injection With 94 Selected Intravenous Drugs During Simulated Y-site Administration. Hosp Pharm 2021 ; 56, 4: 228-234.
4651	Revue	De Basagoiti A, Katsumiti A, Abascal S, Bustinza A, López-Giménez L.R, Pascual P, De Miguel M, Campino A. Physical compatibility of alprostadil with selected drugs commonly used in the neonatal intensive care units. Eur J Pedia 2021 ;180,1169–1176.
4742	Revue	Macoviciuc M, Nguyen C, Forest J-M, Leclair G. Compatibilité physique de l'acétaminophène injectable avec 102 autres médicaments lors d'une administration en Y. Pharmactuel 2022 ; 55, 4: 247-255.

Stabilis



Ketamine hydrochloride



Stabilité des préparations

		500 mg ® = ?	Inorpha® >> 50 mL	2-8°C		90			4574
		2500 mg ® = ?	Inorpha® >> 50 mL	2-8°C		90			4574
		2500 mg ® = ?	Inorpha® >> 50 mL	22-25°C		90			4574
		500 mg ® = ?	Inorpha® >> 50 mL	22-25°C		90			4574



Bibliographie

	Type	Source
4574	Revue	Ancedy D, Sebti M, Postaire M, Vidal F, Cisternino S. Stability of 10-mg/mL and 50-mg/mL ketamine oral solutions. Am J Hosp Pharm 2021 ;78,9:825-831



Dictionnaire

Anesthésique général	Injectable
Noms commerciaux	Stabilité des solutions
Contenant	Molécule
Concentration	Température
Conservation	Durée de stabilité
Biosimilaire	Données conflictuelles
Bibliographie	Verre
Eau pour préparation injectable	Lumière
Jour	Polyvinyl chlorure
Chlorure de sodium 0,9%	Non précisée
Seringue polypropylène	Aucun
A l'abri de la lumière	Non précisé
Heure	Stabilité en mélange
Solvant	Molécule
Polypropylène	Polyoléfine
Compatibilités	Précipitation immédiate
Incompatible	NaHCO ₃
Compatible	Glucose 5%
Turbidité immédiate	Nutrition parentérale (mélange ternaire)
RL Ringer lactate	Instabilité chimique
Incompatibilité non précisée	Instabilité de l'émulsion à 6 heures
Précipitation en 30 minutes	Voie d'administration
Intraveineuse	Perfusion intraveineuse
Intramusculaire	Sous cutanée
Intrathécale	Perfusion SC continue
Bibliographie	Solution buvable
Stabilité des préparations	Origine
Excipient	Flacon plastique
Poudre	Dictionnaire