


Stabilis



Naratriptan Hydrochloride



Stabilité des préparations

| | | 15 mg Amerge® | OraPlus® / OraSweet® (1:1) >> 30 mL | 23°C | | 7 | | | 2678 |
|--|--|---------------|--|------|--|----|--|--|------|
| | | 15 mg Amerge® | OraPlus® / OraSweet SF® (1:1) >> 30 mL | 23°C | | 7 | | | 2678 |
| | | 15 mg Amerge® | OraPlus® / OraSweet® (1:1) >> 30 mL | 4°C | | 90 | | | 2678 |
| | | 15 mg Amerge® | OraPlus® / OraSweet SF® (1:1) >> 30 mL | 4°C | | 90 | | | 2678 |
















Bibliographie

| | Type | Source |
|------|-------|--|
| 2678 | Revue | Zhang YP, Trissel LA, Fox JL. Naratriptan hydrochloride in extemporaneously compounded oral suspensions. Int J Pharm Compound 2000 ; 4: 69-71. |



Dictionnaire

| | |
|--|--|
|  Divers |  Solution buvable |
|  Stabilité des préparations |  Contenant |
|  Origine |  Excipient |
|  Température |  Conservation |
|  Durée de stabilité |  Biosimilaire |
|  Données conflictuelles |  Bibliographie |
|  Flacon plastique |  Comprimés |
|  A l'abri de la lumière |  Jour |
|  Bibliographie |  Dictionnaire |