


# Stabilis



## Pethidine hydrochloride



Noms commerciaux

|            |   |
|------------|---|
| Aldodan    | Autriche, Iran, Turquie   |
| Alodan     | Autriche, Iran  |
| Cluyer     | Argentine   |
| Demerol    | Canada, Etats Unis d'Amérique, Vénézuéla  |
| Dolantin   | Allemagne   |
| Dolantina  | Brésil, Espagne   |
| Dolantine  | Belgique, Luxembourg  |
| Dolargan   | Hongrie, Pologne  |
| Dolcontral | Allemagne, Pologne  |
| Dolosal    | Tunisie   |
| Meperidina | Argentine, Colombie   |
| Meperidine | Canada, Etats Unis d'Amérique   |
| Pethidin   | Allemagne, Belgique   |
| Pethidine  | France, Grande Bretagne, Iran, Irlande, Islande, Malaisie, Nouvelle Zélande, Suisse |
| Petidin    | Danemark, Finlande, Norvège, Suède  |
| Petidina   | Chili   |



### Stabilité des solutions

| PVC |  | 2,5 mg/ml       | 25°C  |  | 24 |  |  | 1292 |
|-----|--|-----------------|-------|--|----|--|--|------|
| PVC |  | 1,2 mg/ml       | 21°C  |  | 36 |  |  | 340  |
|     |  | 0,25 & 30 mg/ml | 22°C  |  | 28 |  |  | 1750 |
|     |  | 0,25 & 30 mg/ml | 4°C   |  | 28 |  |  | 1750 |
|     |  | 10 mg/ml        | -20°C |  | 84 |  |  | 119  |
|     |  | 10 mg/ml        | 23°C  |  | 84 |  |  | 119  |
|     |  | 10 mg/ml        | 4°C   |  | 84 |  |  | 119  |
|     |  | 10 mg/ml        | 37°C  |  | 90 |  |  | 1735 |



## Stabilité en mélange

|     |  | 25 mg/ml   | 25°C | ? | Chlorpromazine hydrochloride : 6,25 mg/ml<br>Hydroxyzine dihydrochloride : 12,5 mg/ml | 366 |  | 342  |
|-----|--|------------|------|---|---|-----|--|------|
|     |  | 5,5 mg/ml  | 25°C |   | Palonosetron hydrochloride : 25 µg/ml   | 4   |  | 2196 |
| PVC |  | 25 mg/ml   | 4°C  |   | Chlorpromazine hydrochloride : 6,25 mg/ml<br>Hydroxyzine dihydrochloride : 12,5 mg/ml | 366 |  | 342  |
| PVC |  | 7,35 mg/ml | 32°C | ? | Metoclopramide hydrochloride : 0.15 mg/ml   | 48  |  | 930  |
| PVC |  | 4 mg/ml    | 22°C | ? | Ondansetron hydrochloride : 0,1 & 1 mg/ml   | 31  |  | 332  |
| PVC |  | 8 mg/ml    | 25°C |   | Clonidine hydrochloride : 0,003 mg/ml   | 21  |  | 2184 |
| PVC |  | 4 mg/ml    | 32°C | ? | Ondansetron hydrochloride : 0,1 & 1 mg/ml   | 7   |  | 332  |
| PVC |  | 4 mg/ml    | 4°C  |   | Ondansetron hydrochloride : 0,1 & 1 mg/ml   | 31  |  | 332  |
| PP  |  | 8,33 mg/ml | 23°C |   | Ondansetron hydrochloride : 1,33 mg/ml  | 24  |  | 815  |
| PP  |  | 8,33 mg/ml | 4°C  |   | Ondansetron hydrochloride : 1,33 mg/ml  | 24  |  | 815  |



## Facteur influençant la stabilité























































|  |                    |  |  |      |
|--|--------------------|--|--|------|
|  | NaHCO <sub>3</sub> |  |  | 3525 |
|--|--------------------|--|--|------|



## Compatibilités

|  | Pethidine hydrochloride : 1 mg/ml<br>Aciclovir sodium : 5 mg/ml    | 336      |
|--|--|----------|
|  | Pethidine hydrochloride : 10 mg/ml<br>Aciclovir sodium : 5 mg/ml   | 62       |
|  | Pethidine hydrochloride : 100 mg/ml<br>Aciclovir sodium : 5 mg/ml  | 132      |
|  | Pethidine hydrochloride<br>Aciclovir sodium                        | 3595     |
|  | Pethidine hydrochloride : 4 mg/ml<br>Allopurinol sodium : 3 mg/ml  | 307      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Amifostine : 10 mg/ml         | 3        |
|  | Pethidine hydrochloride : 100 mg/ml<br>Amikacin sulfate : 50 mg/ml | 0.45 132 |
|  | Pethidine hydrochloride : 10 mg/ml<br>Amikacin sulfate : 5 mg/ml   | 405      |
|  | Pethidine hydrochloride<br>Aminophylline                           | 3525     |

|  |  |  |    |      |
|--|--|--|----|------|
|  |  | Pethidine hydrochloride<br>Amobarbital sodium  |    | 3525 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Ampicillin sodium - sulbactam sodium : 30 mg/ml        |    | 406  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Atenolol : 0.5 mg/ml                                   |    | 62   |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Aztreonam : 40 mg/ml                                    |    | 99   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Aztreonam : 20 mg/ml                                   |    | 62   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Bivalirudin : 5 mg/ml                                  |    | 1713 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Bumetanide : 0.25 mg/ml                                |    | 62   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Caspofungin acetate : 0,7 mg/ml                        |    | 2247 |
|  |  | Pethidine hydrochloride : 50 mg/ml   |    | 939  |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Amphotericin B cholesteryl sulfate complex : 0.83 mg/ml |    | 921  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Anidulafungin : 0.5 mg/ml                              |    | 1982 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefalotin sodium : 20 mg/ml                            |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefamandole nafate : 20 mg/ml                          |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefamandole nafate : 40 mg/ml                          |    | 406  |
|  |  | Pethidine hydrochloride : 0,5 mg/ml<br>Cefazolin sodium : 10 mg/ml                           |    | 111  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefmetazole sodium : 100 mg/ml                         |    | 93   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefoperazone sodium : 20 mg/ml                         |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefoperazone sodium : 20 mg/ml                         |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Ceforanide : 20 mg/ml                                  |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefotaxime sodium : 20 mg/ml                           |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefoxitin sodium : 40 mg/ml                            |    | 406  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Cefoxitin sodium : 20 mg/ml                            |    | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Ceftaroline fosamil : 2,22 mg/ml                       |    | 3249 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Ceftaroline fosamil : 2,22 mg/ml                       | RL | 3249 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Ceftazidime : 20 & 40 mg/ml                            |    | 62   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Ceftizoxime sodium : 20 mg/ml                          |    | 405  |

|   |   |   |  |      |
|---|---|---|--|------|
|     |     | Pethidine hydrochloride : 10 mg/ml<br>Ceftobiprole medocartil sodium : 2 mg/ml          | RL   | 2269 |
|    |    | Pethidine hydrochloride<br>Ceftobiprole medocartil sodium                               |  | 4650 |
|    |    | Pethidine hydrochloride : 10 mg/ml<br>Ceftobiprole medocartil sodium : 2 mg/ml          |    | 2269 |
|   |    | Pethidine hydrochloride : 4 mg/ml   |    | 301  |
|   |    | Pethidine hydrochloride : 10 mg/ml<br>Ceftolozane / tazobactam : 10/5 mg/ml             |    | 3828 |
|   |    | Pethidine hydrochloride : 10 mg/ml<br>Ceftriaxone disodium : 20 & 40 mg/ml              |    | 62   |
|   |    | Pethidine hydrochloride : 10 mg/ml<br>Cefuroxime sodium : 30 mg/ml                      |    | 405  |
|   |    | Pethidine hydrochloride : 10 mg/ml<br>Chloramphenicol sodium succinate : 20 mg/ml       |    | 405  |
|   |    | Pethidine hydrochloride : 4 mg/ml<br>Cisatracurium besylate : 0.1 >> 5 mg/ml            |    | 299  |
|   |    | Pethidine hydrochloride : 4 mg/ml<br>Cladribine : 0.5 mg/ml                             |    | 1496 |
|   |    | Pethidine hydrochloride : 4 mg/ml<br>Cladribine : 0.015 mg/ml                           |    | 1496 |
|   |    | Pethidine hydrochloride : 10 mg/ml<br>Clindamycin phosphate : 12 mg/ml                  |    | 405  |
|   |   | Pethidine hydrochloride : 8 mg/ml<br>Clonidine hydrochloride : 0.003 mg/ml              |   | 2184 |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Co-trimoxazole : 4/0.8 mg/ml                      |  | 405  |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Dexamethasone sodium phosphate : 0.2 mg/ml        |  | 62   |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Dexmedetomidine : 4 µg/ml                         |  | 1712 |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Digoxin : 250 µg/ml                               |  | 62   |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Diltiazem hydrochloride : 5 mg/ml                 |  | 198  |
|   |  | Pethidine hydrochloride : 100 mg/ml<br>Diltiazem hydrochloride : 1 & 5 mg/ml            |  | 198  |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Diphenhydramine hydrochloride : 1&50 mg/ml        |  | 62   |
|   |  | Pethidine hydrochloride : 100 mg/ml<br>Dobutamine hydrochloride : 2 mg/ml               |  | 1041 |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Dobutamine hydrochloride : 1 mg/ml                |  | 62   |
|   |  | Pethidine hydrochloride : 4 mg/ml<br>Docetaxel : 0.9 mg/ml                              |  | 1754 |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Dopamine hydrochloride : 1.6 mg/ml                |  | 62   |
|   |  | Pethidine hydrochloride : 10 mg/ml<br>Doripenem : 5 mg/ml                               |  | 2262 |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Doxorubicin hydrochloride liposome peg : 0.4 mg/ml |  | 251  |

|  |   |   |      |      |
|--|---|---|------|------|
|  | Pethidine hydrochloride : 10 mg/ml<br>Doxycycline hyclate : 1 mg/ml         |   | 405  |      |
|  | Pethidine hydrochloride : 10 mg/ml<br>Droperidol : 2.5 mg/ml                |   | 62   |      |
|  | Pethidine hydrochloride : 10 mg/ml<br>Erythromycin lactobionate : 5 mg/ml   |   | 405  |      |
|  | Pethidine hydrochloride : 10 mg/ml<br>Famotidine : 0.2 mg/ml                |   | 62   |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Famotidine : 2 mg/ml                   |   | 215  |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Fenoldopam mesylate : 80 µg/ml         |   | 1803 |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Filgrastim : 30 µg/ml                  |   | 244  |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Fludarabine phosphate : 1 mg/ml        |   | 492  |      |
|  | Pethidine hydrochloride : 4 mg/ml   |   | 1415 |      |
|  | Pethidine hydrochloride<br>Eptifibatide                                     |   | 3934 |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Etoposide phosphate : 5 mg/ml          |   | 1410 |      |
|  |   | Pethidine hydrochloride : 5 mg/ml<br>Flucloxacillin sodium : 20 mg/ml |      | 1232 |
|  | Pethidine hydrochloride : 10 mg/ml<br>Fluconazole : 1 mg/ml                 |   | 62   |      |
|  | Pethidine hydrochloride : 10 mg/ml<br>Fosfomycin : 30 mg/ml                 |   | 4055 |      |
|  |   | Pethidine hydrochloride : 5 mg/ml<br>Furosemide : 1 mg/ml             |      | 1232 |
|  |   | Pethidine hydrochloride : 10 mg/ml<br>Furosemide : 10 mg/ml           |      | 62   |
|  | Pethidine hydrochloride : 0.1 mg/ml   |   | 340  |      |
|  | Pethidine hydrochloride : 10 mg/ml  |   | 62   |      |
|  |   | Pethidine hydrochloride : 10 mg/ml<br>Furosemide : 2.4 mg/ml          |      | 62   |
|  | Pethidine hydrochloride : 10 mg/ml<br>Furosemide : 0.8 mg/ml                |   | 62   |      |
|  | Pethidine hydrochloride : 50 mg/ml<br>Gallium nitrate : 1 mg/ml             |   | 91   |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Gemcitabine hydrochloride : 10 mg/ml   |   | 1423 |      |
|  | Pethidine hydrochloride : 10 mg/ml<br>Gentamicin sulfate : 0.8 mg/ml        |   | 405  |      |
|  | Pethidine hydrochloride<br>Glycopyrronium bromide                           |   | 3599 |      |
|  | Pethidine hydrochloride : 4 mg/ml<br>Granisetron hydrochloride : 0.05 mg/ml |   | 182  |      |
|  |   | Pethidine hydrochloride<br>Heparin sodium                             | 3525 |      |
|  | Pethidine hydrochloride : 10 mg/ml<br>Heparin sodium : 60 UI/ml             |   | 406  |      |

|  |  |   |  |      |
|--|--|---|--|------|
|  |  | Pethidine hydrochloride<br>Heparin sodium   |  | 3540 |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Hetastarch : 60 mg/ml                            |  | 1721 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Hydrocortisone sodium succinate : 2 mg/ml       |  | 62   |
|  |  | Pethidine hydrochloride : 1 & 50 mg/ml<br>Idarubicin hydrochloride : 1 mg/ml          |  | 491  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Imipenem - cilastatin sodium : 5 mg/ml          |  | 62   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Insulin : 0.2 UI/ml                             |  | 406  |
|  |  | Pethidine hydrochloride : 50 mg/ml<br>Insulin : 0.2 UI/ml                             |  | 129  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Isavuconazonium sulfate : 1.5 mg/ml             |  | 3829 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Kanamycin sulfate : 2.5 mg/ml                   |  | 405  |
|  |  | Pethidine hydrochloride : 100 mg/ml<br>Ketamine hydrochloride : 50 mg/ml              |  | 2109 |
|  |  | Pethidine hydrochloride : 12 mg/ml<br>Ketamine hydrochloride : 2 mg/ml                |  | 321  |
|  |  | Pethidine hydrochloride<br>Ketorolac tromethamine                                     |  | 3593 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Labetalol hydrochloride : 5 mg/ml               |  | 62   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Lansoprazole : 0.55 mg/ml                       |  | 1625 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Lidocaine hydrochloride : 1 mg/ml               |  | 62   |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Linezolid : 2 mg/ml                              |  | 1925 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Magnesium sulfate : 16,67 >> 100 mg/ml          |  | 517  |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Melphalan : 0.1 mg/ml                            |  | 169  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Methylprednisolone sodium succinate : 2.5 mg/ml |  | 62   |
|  |  | Pethidine hydrochloride : 16.67 mg/ml<br>Metoclopramide hydrochloride : 6.67 mg/ml    |  | 930  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Metoclopramide hydrochloride : 0.2 mg/ml        |  | 62   |
|  |  | Pethidine hydrochloride : 7.35 mg/ml<br>Metoclopramide hydrochloride : 0.15 mg/ml     |  | 930  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Metoprolol tartrate : 1 mg/ml                   |  | 62   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Metronidazole : 5 mg/ml                         |  | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Micafungin : 1.5 mg/ml                          |  | 2108 |
|  |  | Pethidine hydrochloride : 50 mg/ml<br>Midazolam hydrochloride : 2.5 mg/ml             |  | 404  |

|  |  |  |  |      |
|--|--|--|--|------|
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Minocycline hydrochloride : 0.2 mg/ml        |  | 405  |
|  |  | Pethidine hydrochloride<br>Morphine sulfate  |  | 3531 |
|  |  | Pethidine hydrochloride<br>Morphine sulfate  |  | 3525 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Moxalactam : 20 mg/ml                        |  | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Nafcillin sodium : 20 & 30 mg/ml             |  | 406  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Nafcillin sodium : 20 mg/ml                  |  | 405  |
|  |  | Pethidine hydrochloride : 8.33 mg/ml<br>Ondansetron hydrochloride : 1.33 mg/ml     |  | 815  |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Ondansetron hydrochloride : 0.1 & 1 mg/ml     |  | 332  |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Ondansetron hydrochloride : 1 mg/ml           |  | 334  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Oxacillin sodium : 20 mg/ml                  |  | 405  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Oxaliplatin : 0,5 mg/ml                      |  | 1662 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Oxytocin : 12 UI/ml                          |  | 406  |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Paclitaxel : 1.2 mg/ml                        |  | 248  |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Palonosetron hydrochloride : 50 µg/ml        |  | 2196 |
|  |  | Pethidine hydrochloride<br>Pantoprazole sodium                                     |  | 2090 |
|  |  | Pethidine hydrochloride : 50 mg/ml<br>Paracetamol : 10 mg/ml                       |  | 3571 |
|  |  | Pethidine hydrochloride : 50 mg/ml<br>Paracetamol : 10 mg/ml                       |  | 4435 |
|  |  | Pethidine hydrochloride<br>Parecoxib sodium  |  | 3504 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Pemetrexed disodium : 20 mg/ml               |  | 1953 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Penicillin G potassium : 0.1 MUI/ml          |  | 405  |
|  |  | Pethidine hydrochloride<br>Pentobarbital sodium                                    |  | 3525 |
|  |  | Pethidine hydrochloride<br>Phenobarbital sodium                                    |  | 3525 |
|  |  | Pethidine hydrochloride<br>Phenytoin sodium  |  | 3525 |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Piperacillin sodium : 60 mg/ml               |  | 405  |
|  |  | Pethidine hydrochloride : 4 mg/ml<br>Piperacillin sodium / tazobactam : 40/5 mg/ml |  | 81   |
|  |  | Pethidine hydrochloride : 10 mg/ml<br>Plazomicin sulfate : 24 mg/ml                |  | 4145 |

|  |  |  |      |
|--|--|--|------|
|  | Pethidine hydrochloride : 10 mg/ml<br>Potassium chloride : 400 mEq/l             |  | 62   |
|  | Pethidine hydrochloride : 4 mg/ml<br>Propofol : 10 mg/ml                         |  | 300  |
|  | Pethidine hydrochloride : 10 mg/ml<br>Propranolol hydrochloride : 1 mg/ml        |  | 62   |
|  | Pethidine hydrochloride : 10 mg/ml<br>Ranitidine hydrochloride : 0.5 mg/ml       |  | 406  |
|  | Pethidine hydrochloride : 100 mg/ml<br>Ranitidine hydrochloride : 25 mg/ml       |  | 58   |
|  | Pethidine hydrochloride : 10 mg/ml<br>Ranitidine hydrochloride : 1.2 & 2 mg/ml   |  | 406  |
|  | Pethidine hydrochloride : 4 mg/ml<br>Remifentanil hydrochloride : 25 & 250 µg/ml |  | 59   |
|  | Pethidine hydrochloride : 4 mg/ml<br>Sargramostim : 10 µg/ml                     |  | 335  |
|  | Pethidine hydrochloride<br>Sodium bicarbonate                                    |  | 3525 |
|  | Pethidine hydrochloride : 50 mg/ml<br>Sugammadex : 100 mg/ml                     |  | 3372 |
|  | Pethidine hydrochloride : 10 mg/ml<br>Sulbactam/durlobactam : 15/15 mg/ml        |  | 4801 |
|  | Pethidine hydrochloride : 10 mg/ml<br>Tedizolid phosphate : 0.8 mg/ml            |  | 3827 |
|  | Pethidine hydrochloride : 4 mg/ml<br>Teniposide : 0.1 mg/ml                      |  | 905  |
|  | Pethidine hydrochloride<br>Thiopental sodium                                     |  | 3525 |
|  | Pethidine hydrochloride<br>Thiopental sodium                                     |  | 3675 |
|  | Pethidine hydrochloride : 4 mg/ml<br>Thiotepa : 1 mg/ml                          |  | 249  |
|  | Pethidine hydrochloride : 10 mg/ml<br>Ticarcillin / clavulanic acid : 31 mg/ml   |  | 406  |
|  | Pethidine hydrochloride : 10 mg/ml<br>Tobramycin sulfate : 0.8 mg/ml             |  | 405  |
|  | Pethidine hydrochloride : 10 mg/ml<br>Tobramycin sulfate : 1.6 >> 2.4 mg/ml      |  | 406  |
|  | Pethidine hydrochloride : 10 mg/ml<br>Vancomycin hydrochloride : 5 mg/ml         |  | 405  |
|  | Pethidine hydrochloride : 0.15 mg/ml<br>Verapamil hydrochloride : 0.08 mg/ml     |  | 1057 |
|  | Pethidine hydrochloride : 10 mg/ml<br>Verapamil hydrochloride : 2.5 mg/ml        |  | 62   |
|  | Pethidine hydrochloride : 4 mg/ml<br>Vinorelbine tartrate : 1 mg/ml              |  | 84   |





## Voie d'administration



## Bibliographie

|     | Type  | Source  |
|-----|-------|---|
| 3   | Revue | Trissel LA, Martinez JF.<br>Compatibility of amifostine with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1995 ; 52: 2208-2212.   |
| 58  | Revue | Parker WA.<br>Physical compatibility of ranitidine HCl with preoperative injectable medications.<br>Can J Hosp Pharm 1985 ; 38: 160-161.  |
| 59  | Revue | Trissel LA, Gilbert DL, Martinez JF, Kim MC.<br>Compatibility of remifentanyl hydrochloride with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1997 ; 54: 2192-2196.   |
| 62  | Revue | Pugh CB, Pabis DJ, Rodriguez C.<br>Visual compatibility of morphine sulfate and meperidine hydrochloride with other injectable drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1991 ; 48: 123-125.  |
| 81  | Revue | Trissel LA, Martinez JF.<br>Compatibility of piperacillin sodium plus tazobactam with selected drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1994 ; 51: 672-678.  |
| 84  | Revue | Trissel LA, Martinez JF.<br>Visual, turbidimetric, and particle-content assessment of compatibility of vinorelbine tartrate with selected drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1994 ; 51: 495-499.   |
| 91  | Revue | Lober CA, Dollard PA.<br>Visual compatibility of gallium nitrate with selected drugs during Y-site injection.<br>Am J Hosp Pharm 1993 ; 50: 1208-1210.  |
| 93  | Revue | Hutchings SR, Rusho WJ, Tyler LS.<br>Compatibility of cefmetazole sodium with commonly used drugs during Y-site delivery.<br>Am J Health-Syst Pharm 1996 ; 53: 2185-2188.   |
| 99  | Revue | Trissel LA, Martinez JF.<br>Compatibility of aztreonam with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1995 ; 52: 1086-1090.  |
| 111 | Revue | Lee DKT, Wong CY, Wang DP.<br>Stability of cefazolin sodium and meperidine hydrochloride.<br>Am J Health-Syst Pharm 1996 ; 53: 1608,1610.   |
| 119 | Revue | Strong ML, Schaaf LJ, Pankaskie MC, Robinson DH.<br>Shelf-lives and factors affecting the stability of morphine sulphate and meperidine (pethidine) hydrochloride in plastic syringes for use in patient-controlled analgesic devices.<br>J Clin Pharm Ther 1994 ; 19: 361-369. |
| 129 | Revue | Smythe M, Malouf E.<br>Visual compatibility of insulin with secondary intravenous drugs in admixtures.<br>Am J Hosp Pharm 1991 ; 48: 125-126.   |
| 132 | Revue | Najari Z, Rusho WJ.<br>Compatibility of commonly used bone marrow transplant drugs during Y-site delivery.<br>Am J Health-Syst Pharm 1997 ; 54: 181-184.  |

|     |       |  |
|-----|-------|--|
| 169 | Revue | Trissel LA, Martinez JF.<br>Physical compatibility of melphalan with selected drugs during simulated Y-site administration.<br>Am J Hosp Pharm 1993 ; 50: 2359-2363.   |
| 182 | Revue | Trissel LA, Gilbert DL, Martinez JF.<br>Compatibility of granisetron hydrochloride with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1997 ; 54: 56-60.   |
| 198 | Revue | Gayed AA, Kheshary PR, Hinkle RL.<br>Visual compatibility of diltiazem injection with various diluents and medications during simulated Y-site injection.<br>Am J Health-Syst Pharm 1995 ; 52: 516-520.                                |
| 215 | Revue | Keyi X, Gagnon N, Bisson C, Desmarais M, LeBel M.<br>Stability of famotidine in polyvinyl chloride minibags and polypropylene syringes and compatibility of famotidine with selected drugs.<br>Ann Pharmacotherapy 1993 ; 27: 422-426. |
| 244 | Revue | Trissel LA, Martinez JF.<br>Compatibility of filgrastim with selected drugs during simulated Y-site administration.<br>Am J Hosp Pharm 1994 ; 51: 1907-1913.   |
| 248 | Revue | Trissel LA, Martinez JF.<br>Turbidimetric assessment of the compatibility of taxol with 42 other drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1993 ; 50: 300-304.   |
| 249 | Revue | Trissel LA, Martinez JF.<br>Compatibility of thiotepa (lyophilized) with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1996 ; 53: 1041-1045.  |
| 251 | Revue | Trissel LA, Gilbert DL, Martinez JF.<br>Compatibility of doxorubicin hydrochloride liposome injection with selected other drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1997 ; 54: 2708-2713.                |
| 299 | Revue | Trissel LA, Martinez JF, Gilbert DL.<br>Compatibility of cisatracurium besylate with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1997 ; 54: 1735-1741.  |
| 300 | Revue | Trissel LA, Gilbert DL, Martinez JF.<br>Compatibility of propofol injectable emulsion with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1997 ; 54: 1287-1292.                                      |
| 301 | Revue | Trissel LA, Gilbert DL, Martinez JF, Baker MB, Walter WV, Mirtallo JM.<br>Compatibility of parenteral nutrient solutions with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 1997 ; 54: 1295-1300.   |
| 307 | Revue | Trissel LA, Martinez JF.<br>Compatibility of allopurinol sodium with selected drugs during simulated Y-site administration.<br>Am J Hosp Pharm 1994 ; 51: 1792-1799.   |
| 321 | Revue | Ambados F.<br>Compatibility of ketamine hydrochloride and meperidine hydrochloride.<br>Am J Health-Syst Pharm 1997 ; 54: 205.  |
| 332 | Revue | Xu QA, Trissel LA, Fox JL.<br>Compatibility of ondansetron hydrochloride with meperidine hydrochloride for combined administration.<br>Ann Pharmacotherapy 1995 ; 29: 1106-1109.   |
| 334 | Revue | Trissel LA, Tramonte SM, Grilley BJ.<br>Visual compatibility of ondansetron hydrochloride with selected drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1991 ; 48: 988-992.  |
| 335 | Revue | Trissel LA, Bready BB, Kwan JW, Santiago NM.<br>Visual compatibility of sargramostim with selected antineoplastic agents, anti-infectives, or other drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1992 ; 49: 402-406.    |

|      |       |   |
|------|-------|---|
| 336  | Revue | Forman JK, Lachs JR, Souney PF.<br>Visual compatibility of acyclovir sodium with commonly used intravenous drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1987 ; 44: 1408-1409.  |
| 340  | Revue | Macias JM, Martin WJ, Lloyd CW.<br>Stability of morphine sulfate and meperidine hydrochloride in a parenteral nutrient formulation.<br>Am J Hosp Pharm 1985 ; 42: 1087-1094.  |
| 342  | Revue | Conklin CA, Kerege JF, Christensen JM.<br>Stability of an analgesic-sedative combination in glass and plastic single-dose syringes.<br>Am J Hosp Pharm 1985 ; 42: 339-342.  |
| 404  | Revue | Forman JK, Souney PF.<br>Visual compatibility of midazolam hydrochloride with common preoperative injectable medications.<br>Am J Hosp Pharm 1987 ; 44: 2298-2299.  |
| 405  | Revue | Nieves-Cordero AL, Luciw HM, Souney PF.<br>Compatibility of narcotic analgesic solutions with various antibiotics during simulated Y-site injection.<br>Am J Hosp Pharm 1985 ; 42: 1108-1109.   |
| 406  | Revue | Smythe MA, Patel MA, Gasloli RA.<br>Visual compatibility of narcotic analgesics with selected intravenous admixtures.<br>Am J Hosp Pharm 1990 ; 47: 819-820.  |
| 491  | Revue | Turowski RC, Durthaler JM.<br>Visual compatibility of idarubicin hydrochloride with selected drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1991 ; 48: 2181-2184.  |
| 492  | Revue | Trissel LA, Parks NPT, Santiago NM.<br>Visual compatibility of fludarabine phosphate with antineoplastic drugs, anti-infectives, and other selected drugs during simulated Y-site injection.<br>Am J Hosp Pharm 1991 ; 48: 2186-2189. |
| 517  | Revue | Letourneau M.<br>Visual compatibility of magnesium sulfate with narcotic analgesics.<br>Am J Hosp Pharm 1992 ; 49: 838-839.   |
| 815  | Revue | Stewart JT, Warren FW, King DT, Venkateshwaran TG, Fox JL.<br>Stability of ondansetron hydrochloride and 12 medications in plastic syringes.<br>Am J Health-Syst Pharm 1998 ; 55: 2630-2634.  |
| 905  | Revue | Trissel LA, Martinez JF.<br>Screening teniposide for Y-site physical incompatibilities.<br>Hosp Pharm 1994 ; 29: 1010-1017.   |
| 921  | Revue | Trissel LA, Gilbert DL, Martinez JF.<br>Incompatibility and compatibility of amphotericin B cholesteryl sulfate complex with selected other drugs during simulated Y-site administration.<br>Hosp Pharm 1998 ; 33: 284-292.           |
| 930  | Revue | Hor MMS, Chan SY, Yow KL, Lim LY, Chan E.<br>Stability of admixtures of pethidine and metoclopramide in aqueous solution, 5% dextrose and 0.9% sodium chloride.<br>J Clin Pharm Ther 1997 ; 22: 339-345.                              |
| 939  | Revue | Gilbar PJ, Groves CF.<br>Visual compatibility of total parenteral nutrition solution (Synthamin 17 Premix*) with selected drugs during simulated Y-site injection.<br>Aust J Hosp Pharm 1994 ; 24: 167-170.                           |
| 1041 | Revue | Hasegawa GR, Eder JF.<br>Visual compatibility of dobutamine hydrochloride with other injectable drugs.<br>Am J Hosp Pharm 1984 ; 41: 949-951.   |
| 1057 | Revue | Cutie MR.<br>Compatibility of verapamil hydrochloride injection with commonly used additives.<br>Am J Hosp Pharm 1983 ; 40: 1205-1207.  |

|      |       |   |
|------|-------|---|
| 1232 | Revue | Beatson C, Taylor A.<br>A physical compatibility study of furosemide & flucloxacillin injections.<br>Br J Pharm Pract 1987 ; 9: 223-226, 236.   |
| 1292 | Revue | Grassby PF, Roberts DE.<br>Stability of epidural opiate solutions in 0.9 per cent sodium chloride infusion bags.<br>Int J Pharm Pract 1995 ; 3: 174-177.  |
| 1410 | Revue | Trissel LA, Martinez JF, Simmons M.<br>Compatibility of etoposide phosphate with selected drugs during simulated Y-site injection.<br>J Am Pharm Assoc 1999 ; 39: 141-145.  |
| 1415 | Revue | Trissel L.A, Gilbert D.L, Martinez J.F, Baker M.B, Walter W.V, Mirtallo J.M.<br>Compatibility of medications with 3-in-1 parenteral nutrition admixtures.<br>JPEN 1999 ; 23: 67-74.   |
| 1423 | Revue | Trissel LA, Martinez JF, Gilbert DL.<br>Compatibility of gemcitabine hydrochloride with 107 selected drugs during simulated Y-site injection.<br>J Am Pharm Assoc 1999 ; 39: 514-518.   |
| 1496 | Revue | Trissel LA, Martinez JF, Gilbert DL.<br>Screening cladribine for Y-site physical compatibility with selected drugs.<br>Hosp Pharm 1996 ; 31: 1425-1428.   |
| 1625 | Revue | Trissel LA, Saenz C, Williams YW, Ingram D.<br>Incompatibilities of lansoprazole injection with other drugs during simulated Y-site coadministration.<br>Int J Pharm Compound 2001 ; 5: 314-321.  |
| 1662 | Revue | Trissel LA, Saenz CA, Ingram DS, Ogundele AB.<br>Compatibility screening of oxaliplatin during simulated Y-site administration with other drugs.<br>J Oncol Pharm Practice 2002 ; 8: 33-37.   |
| 1712 | Revue | Trissel LA, Saenz CA.<br>Compatibility screening of Precedex during simulated Y-site administration with other drugs.<br>Int J Pharm Compound 2002 ; 6: 230-233.  |
| 1713 | Revue | Trissel LA, Saenz CA.<br>Compatibility screening of bivalirudin during simulated Y-site administration with other drugs.<br>Int J Pharm Compound 2002 ; 6: 311-315.   |
| 1721 | Revue | Trissel LA, Williams KY, Baker MB.<br>Compatibility screening of Hextend during simulated Y-site administration with other drugs.<br>Int J Pharm Compound 2001 ; 5: 69-72.  |
| 1735 | Revue | Harvey SC, Toussaint CP, Coe SE, Watson EE, O'Neil MG, Patrick KS.<br>Stability of mepiridine in an implantable infusion pump using capillary gas chromatography-mass spectrometry and a deuterated internal standard.<br>J Pharm Biomed Anal 1999 ; 21: 577-583. |
| 1750 | Revue | Donnelly RF, Bushfield TL.<br>Chemical stability of meperidine hydrochloride in polypropylene syringes.<br>Int J Pharm Compound 1998 ; 2: 463-465.  |
| 1754 | Revue | Trissel LA, Gilbert DL, Wolkin AC.<br>Compatibility of docetaxel with selected drugs during simulated Y-site administration.<br>Int J Pharm Compound 1999 ; 3: 241-244.   |
| 1803 | Revue | Trissel, LA, Saenz CA, Ogundele OB, Ingram D, Baker MB.<br>Compatibility of fenoldopam mesylate with other drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2003 ; 60: 80-85.  |
| 1925 | Revue | Trissel LA, Williams KY, Gilbert DL.<br>Compatibility screening of linezolid injection during simulated Y-site administration with other drugs and infusion solutions.<br>J Am Pharm Assoc 2000 ; 40: 515-519.  |
| 1953 | Revue | Trissel LA, Saenz CA, Ogundele AB, Ingram DS.<br>Physical compatibility of pemetrexed disodium with other drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2004 ; 61: 2289-2293.   |

|      |             |  |
|------|-------------|--|
| 1982 | Revue       | Trissel LA, Ogundele AB.<br>Compatibility of anidulafungin with other drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2005 ; 62: 834-837.  |
| 2090 | Revue       | Pere H, Chasse V, Forest JM, Hildgen P.<br>Compatibility of injectable pantoprazole in Y-site administration.<br>Pharmactuel 2004 ; 37: 193-196.   |
| 2108 | Revue       | Trusley C, Kupiec TC, Trissel LA.<br>Compatibility of micafungin injection with other drugs during simulated Y-site co-administration.<br>Int J Pharm Compound 2006 ; 10: 230-232.   |
| 2109 | Revue       | Pelletier E, Forest JM, Hildgen P.<br>Compatibilité de la kétamine injectable lors de l'administration en dérivé avec d'autres médicaments usuels.<br>Pharmactuel 2006 ; 39: 71-75.  |
| 2184 | Revue       | Vranken JH, van Kan HJM, ven der Vegt MH.<br>Stability and compatibility of a meperidine-clonidine mixture in portable pump reservoirs for the management of cancer pain syndromes.<br>J Pain Symptom Manage 2006 ; 32, 4: 297-299.              |
| 2196 | Revue       | Trissel LA, Trusley C, Ben M, Kupiec TC.<br>Physical and chemical stability of palonosetron hydrochloride with five opiate agonists during Y-site administration.<br>Am J Health-Syst Pharm 2007 ; 64, 11: 1209-1213.                            |
| 2247 | Revue       | Chan P, Heatherly K, Kupiec T.C, Trissel L.A.<br>Compatibility of caspofungin acetate injection with other drugs during simulated Y-site coadministration.<br>Int J Pharm Compound 2008 ; 12, 3: 276-278.  |
| 2262 | Revue       | Brammer MK, Chan P, Heatherly K, Trusley C, Kupiec TC, Trissel LA, Psathas PA, Gilmor T, Schaufelberger D.<br>Compatibility of doripenem with other drugs during simulated Y-site administration<br>Am J Health-Syst Pharm 2008 ; 65: 1261-1265. |
| 2269 | Revue       | Chan P, Bishop A, Kupiec TC, Trissel LA, Gole D, Jimidar IM, Vermeersch H.<br>Compatibility of ceftobiprole medocaril with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2008 ; 65, 16: 1545-1551.            |
| 3249 | Revue       | Singh BM, Dedhiya MG, Dinunzio J, Chan P, Kupiec TC, Trissel LA, Laudano JB.<br>Compatibility of ceftaroline fosamil for injection with selected drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2011 ; 68: 2163-2169.   |
| 3372 | Revue       | Hanci V, Ali Kiraz H, Ömür D, Ekin S, Uyan B, Yurtlu B.S.<br>Precipitation in Gallipoli: Sugammadex / Amiodarone & Sugammadex / Dobutamine & Sugammadex / Protamine.<br>Rev Bras Anesthesiol 2013 ; 63, 1: 163-166.                              |
| 3504 | Laboratoire | Parecoxib (Dynastat®) - Summary of Product Characteristics<br>Pfizer 2012  |
| 3525 | Laboratoire | Pethidine hydrochloride - Summary of product Characteristics<br>AMCO Amdipharm Mercury 2012  |
| 3531 | Laboratoire | Morphine sulphate 10 mg/mL injection BP – Summary of Product Characteristics<br>Wockhardt 2014   |
| 3540 | Laboratoire | Heparin sodium - Summary of Product Characteristics.<br>Wockhardt 2010   |
| 3571 | Revue       | Anderson C, Boehme S, Ouellette J, Stidham C, MacKay M.<br>Physical and Chemical Compatibility of Injectable Acetaminophen During Simulated Y-Site Administration.<br>Hosp Pharm 2014 ; 49, 1: 42-47.  |
| 3593 | Laboratoire | Ketorolac trometamol (Ketorolac®) - Summary of Product Characteristics<br>Beacon Pharmaceuticals 2011  |
| 3595 | Laboratoire | Aciclovir - Summary of Product Characteristics<br>Hospira 2009   |
| 3599 | Laboratoire | Glycopyrrolate Injection U.S.P. - Summary of Product Characteristics<br>Amco Amdipharm Mercy 2013  |

|      |             |  |
|------|-------------|--|
| 3675 | Laboratoire | Thiopental sodium - Summary of Product Characteristics<br>Archimedes Pharma UK Ltd 2015  |
| 3827 | Poster      | Ghazi I.M, Hamada Y, Nicolau D.P.<br>Compatibility of tedizolid phosphate with selected intravenous drugs via simulated Y-site conditions.<br>ASHP Midyear 2015  |
| 3828 | Poster      | Thabit A.K, Hamada Y, Nicolau D.P.<br>Ceftozolane/tazobactam physical compatibility during simulated Y-site administration.<br>ASHP Midyear 2015   |
| 3829 | Poster      | So W, Kim L, Thabit A.K, Nicolau D.P, Kuti J.L.<br>Compatibility of isavunazonium sulfate during simulated Y-site administration.<br>ASHP Midyear 2015   |
| 3934 | Laboratoire | Eptifibatide (Integrilin®) - Résumé des caractéristiques du produit<br>GlaxoSmithKline Laboratoire 2016  |
| 4055 | Revue       | Monogue M, Almarzoky Abuhussain S, Kuti J, Nicolau D.<br>Physical compatibility of fosfomycin for injection with select i.v. drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2018 , 75, 1:36-44          |
| 4145 | Revue       | Asempa T.E, Avery L.M, Kidd J.M, Kuti J.L, Nicolau D.P.<br>Physical compatibility of plazomicin with select i.v. drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2018 ;75,14:1048-1056                   |
| 4435 | Revue       | Hanifah S, Nugroho B.H, Chabib L.<br>Compatibility of acetaminophen with central nervous system medications during simulated Y-site injection.<br>Anaesthesiol Intensive Ther 2020 ; 52, 1: 23-27.                               |
| 4650 | Laboratoire | Ceftobiprole (Zevtera 500 mg powder for concentrate for solution for infusion.) Summary of Product Characteristics, Advanz Pharma updated 4 aug 2021.<br>Advanz Pharma 2021  |
| 4801 | Revue       | Ruiz V, Yuwei Shen Y, Abouelhassan Y, Fouad A, Nicolau D, Kuti J.<br>Physical compatibility of sulbactam/durlobactam with select intravenous drugs during simulated Y-site administration.<br>Am J Health-Syst Pharm 2024 ;51,1: |



# Dictionnaire

|  |  |           |                                     |
|--|--|-----------|-------------------------------------|
|  | Antalgique                               |           | Injectable                          |
|  | Noms commerciaux                         |           | Stabilité des solutions             |
|  | Contenant                                |           | Molécule                            |
|  | Concentration                            |           | Température                         |
|  | Conservation                             |           | Durée de stabilité                  |
|  | Biosimilaire                             |           | Données conflictuelles              |
|  | Bibliographie                            |           | Polyvinyl chlorure                  |
|  | Chlorure de sodium 0,9%                  |           | Lumière                             |
|  | Jour                                     |           | Glucose 5%                          |
|  | Heure                                    |           | Seringue polypropylène              |
|  | NaCl 0,9% ou glucose 5%                  |           | A l'abri de la lumière              |
|  | Non précisé                              |           | Non précisée                        |
|  | Stabilité en mélange                     |           | Solvant                             |
|  | Molécule                                 |           | Verre                               |
|  | Eau pour préparation injectable          |           | Aucun                               |
|  | Polypropylène                            |           | Facteur influençant la stabilité    |
|  | Provoque                                 |           | Dégradation                         |
|  | Compatibilités                           |           | Compatible                          |
|  | Précipitation en 1 heure                 |           | Incompatible                        |
|  | Incompatibilité non précisée             |           | Précipitation immédiate             |
|  | Chlorure de sodium 0,45%                 |           | Turbidité immédiate                 |
|  | Nutrition parentérale (mélange binaire)  | <b>RL</b> | Ringer lactate                      |
|  | NaCl 0,9% + bactériostatique             |           | Perte de turbidité                  |
|  | Nutrition parentérale (mélange ternaire) |           | Turbidité à 24 heures               |
|  | Solvant spécifique                       |           | Changement de couleur               |
|  | Changement de couleur après 2 heures     |           | Changement de couleur après 1 heure |
|  | Précipitation en 15 minutes              |           | Voie d'administration               |
|  | Intraveineuse                            |           | Perfusion intraveineuse             |
|  | Perfusion continue                       |           | Intramusculaire                     |
|  | Sous cutanée                             |           | Intrathécale                        |



Bibliographie



Dictionnaire