


# Stabilis



## Tizanidine hydrochloride



### Stabilité des préparations

		6 mg Sirdalud®	Eau ppi >> 100 mL	15-30°C	?	7		4637
		6 mg Sirdalud®	Eau ppi >> 100 mL	2-8°C	?	7		4637
		6 mg Sirdalud®	Eau ppi >> 100 mL	40°C	?	7		4637
		6 mg Sirdalud®	Eau ppi >> 100 mL	15-30°C	?	7		4637
		6 mg Sirdalud®	Eau ppi >> 100 mL	2-8°C	?	7		4637
		6 mg Sirdalud®	Eau ppi >> 100 mL	40°C	?	7		4637






















### Bibliographie

	Type	Source
4637	Revue	Gobetti C, da Silva Bitencourt, A, Vinícius Ayres M, Peixoto de Freitas A.L, Loureiro Mendez A.S, Garcia C.V. Evaluation of physicochemical and microbiological stability of liquid preparation from tizanidine hydrochloride tablets - a Hospital concern. Braz J Pharm Sci 2021 ;57: e18896.



# Dictionnaire

 Divers	 Solution buvable
 Stabilité des préparations	 Contenant
 Origine	 Excipient
 Température	 Conservation
 Durée de stabilité	 Biosimilaire
 Données conflictuelles	 Bibliographie
 Verre	 Comprimés
 Non précisée	 Jour
 Flacon plastique	 Bibliographie
 Dictionnaire	