





















































































































































































































































# Stabilis



|  |  |    |    |  |    |        |  |
|---|---|---|---|--|---|---|---|
| Aciclovir sodium  | 10 mg/ml  |    |    | 25°C   |    | 30     | 1717  |
| Adalimumab  | 50 mg/ml  |    |    | 23-27°C  |    | 28     | 4627  |
| Adenosin  | 0,75 mg/ml  |    |    | -15°C  |    | 16     | 816   |
| Adenosin  | 0,75 mg/ml  |    |    | 25°C   |    | 16     | 816   |
| Adenosin  | 0,75 mg/ml  |    |    | 5°C  |    | 16     | 816   |
| Adenosin  | 0,75 mg/ml  |    | RL  | -15°C  |    | 14     | 816   |
| Adenosin  | 0,75 mg/ml  |    | RL  | 25°C   |    | 14     | 816   |
| Adenosin  | 0,75 mg/ml  |    | RL  | 5°C  |    | 14     | 816   |
| Adenosin  | 3 mg/ml   |   |   | -15°C  |   | 14    | 816   |
| Adenosin  | 3 mg/ml   |  |  | 25°C   |  | 7    | 816   |
| Adenosin  | 3 mg/ml   |  |  | 5°C  |  | 14   | 816   |
| Aflibercept   | 40 mg/ml  |  |  | 4°C  |  | 30   | 4798  |
| Alprostadil   | 1,5 µg/ml   |  |  | 28-32°C  |  | 48   | 3761  |
| Alprostadil   | 15 µg/ml  |  |  | 28-32°C  |  | 48   | 3761  |
| Alteplase   | 1 mg/ml   |  |  | -20°C  |  | 8    | 3862  |
| Amikacin sulfate  | 190 mg/ml   |  |  | 22°C-23°C  |  | 48   | 639   |
| Aminophylline   | 5 mg/ml   |  |  | 22°C   |  | 91   | 478   |
| Aminophylline   | 5 mg/ml   |  |  | 4°C  |  | 91   | 478   |
| Amiodarone hydrochloride  | 25 mg/ml  |  |  | 2-8°C  |  | 28   | 4252  |
| Atracurium besylate   | 0,5 >> 5 mg/ml  |  |  | < 30°C   |  | 24   | 3676  |
| Atracurium besylate   | 10 mg/ml  |  |  | 25°C   |  | 42   | 657   |
| Atracurium besylate   | 10 mg/ml  |  |  | 40°C   |  | 7    | 657   |
| Atracurium besylate   | 10 mg/ml  |  |  | 5°C  |  | 42   | 657   |
| Atropine sulfate  | 2 mg/ml   |  |  | 23°C   |  | 364  | 2297  |
| Atropine sulfate  | 2 mg/ml   |  |  | 35°C   |  | 28   | 2297  |
| Atropine sulfate  | 2 mg/ml   |  |  | 5°C  |  | 364  | 2297  |
| Azacitidine   | 0.5 mg/ml   |  | RL  | -20°C  |  | 30   | 414   |

|             |               |  |    |         |   |     |  |      |
|-------------|---------------|--|----|---------|---|-----|--|------|
| Azacitidine | 0.5 & 2 mg/ml |  | RL | 20°C    | ? | 2   |  | 414  |
| Azacitidine | 2 mg/ml       |  | RL | -20°C   |   | 18  |  | 414  |
| Azacitidine | 25 mg/ml      |  |    | -20°C   |   | 8   |  | 3204 |
| Azacitidine | 25 mg/ml      |  |    | -20°C   | ? | 23  |  | 3351 |
| Azacitidine | 25 mg/ml      |  |    | -20°C   |   | 30  |  | 3818 |
| Azacitidine | 25 mg/ml      |  |    | -20°C   |   | 28  |  | 4697 |
| Azacitidine | 25 mg/ml      |  |    | 2-8°C   |   | 48  |  | 3534 |
| Azacitidine | 25 mg/ml      |  |    | 2-8°C   |   | 3   |  | 3818 |
| Azacitidine | 25 mg/ml      |  |    | 2-8°C   |   | 48  |  | 4628 |
| Azacitidine | 25 mg/ml      |  |    | 2-8°C   |   | 4   |  | 4697 |
| Azacitidine | 25 mg/ml      |  |    | 20-25°C |   | 2   |  | 4697 |
| Azacitidine | 25 mg/ml      |  |    | 4°C     |   | 5   |  | 3246 |
| Aztreonam   | 125 mg/ml     |  |    | 20-25°C |   | 48  |  | 4634 |
| Aztreonam   | 120 mg/ml     |  |    | 25°C    |   | 12  |  | 4326 |
| Aztreonam   | 20 mg/ml      |  |    | 25°C    |   | 48  |  | 644  |
| Aztreonam   | 40 mg/ml      |  |    | 25°C    |   | 12  |  | 4326 |
| Bevacizumab | 25 mg/ml      |  | ∅  | 2-8°C   | ? | 180 |  | 2661 |
| Bevacizumab | 25 mg/ml      |  | ∅  | 4°C     |   | 90  |  | 3265 |
| Bevacizumab | 25 mg/ml      |  | ∅  | 4°C     |   | 90  |  | 3312 |
| Bevacizumab | 25 mg/ml      |  | ∅  | 4°C     |   | 30  |  | 4798 |
| Bortezomib  | 1 mg/ml       |  |    | 2-6°C   |   | 10  |  | 3337 |
| Bortezomib  | 1 mg/ml       |  |    | 2-8°C   |   | 35  |  | 3240 |
| Bortezomib  | 1 mg/ml       |  |    | 2-8°C   |   | 28  |  | 4137 |
| Bortezomib  | 1 mg/ml       |  |    | 22°C    |   | 3   |  | 2010 |
| Bortezomib  | 1 mg/ml       |  |    | 25°C    |   | 14  |  | 3240 |
| Bortezomib  | 1 mg/ml       |  |    | 25°C    |   | 7   |  | 4137 |
| Bortezomib  | 1 mg/ml       |  |    | 5°C     |   | 5   |  | 2010 |
| Bortezomib  | 1 & 2.5 mg/ml |  |    | 25°C    |   | 25  |  | 4485 |
| Bortezomib  | 1 & 2.5 mg/ml |  |    | 4°C     |   | 35  |  | 4485 |
| Bortezomib  | 2,5 mg/ml     |  |    | 2-8°C   |   | 21  |  | 3688 |
| Bortezomib  | 2,5 mg/ml     |  |    | 2-8°C   |   | 28  |  | 4137 |
| Bortezomib  | 2,5 mg/ml     |  |    | 23°C    |   | 21  |  | 3688 |
| Bortezomib  | 2,5 mg/ml     |  |    | 25°C    |   | 7   |  | 4137 |

|                           |                 |  |  |           |  |     |  |      |
|---------------------------|-----------------|--|--|-----------|--|-----|--|------|
| Bortezomib                | 2,5 mg/ml       |  |  | 4°C       |  | 23  |  | 3418 |
| Bortezomib                | 2.5 mg/ml       |  |  | 2-8°C     |  | 14  |  | 3537 |
| Bortezomib                | 2.5 mg/ml       |  |  | 2-8°C     |  | 30  |  | 3447 |
| Bupivacaine hydrochloride | 1,25 mg/ml      |  |  | 23°C      |  | 32  |  | 293  |
| Bupivacaine hydrochloride | 1,25 mg/ml      |  |  | 3°C       |  | 32  |  | 293  |
| Busulfan                  | 0,54 mg/ml      |  |  | 2-8°C     |  | 30  |  | 4033 |
| Busulfan                  | 6 mg/ml         |  |  | 18°C-20°C |  | 28  |  | 2128 |
| Busulfan                  | 6 mg/ml         |  |  | 2-8°C     |  | 28  |  | 2128 |
| Busulfan                  | 6 mg/ml         |  |  | 4°C       |  | 4   |  | 3285 |
| Caffeine                  | 10 mg/ml        |  |  | 25°C      |  | 60  |  | 990  |
| Caffeine                  | 10 mg/ml        |  |  | 4°C       |  | 60  |  | 990  |
| Caffeine citrate          | 10 mg/ml        |  |  | 22°C      |  | 180 |  | 43   |
| Calcitriol                | 0,5 µg/ml       |  |  | 25°C      |  | 8   |  | 305  |
| Calcitriol                | 0,5 µg/ml       |  |  | 25°C      |  | 8   |  | 305  |
| Calcitriol                | 1 & 2 µg/ml     |  |  | 25°C      |  | 8   |  | 305  |
| Carboplatin               | 10 mg/ml        |  |  | 37°C      |  | 24  |  | 645  |
| Carboplatin               | 10 mg/ml        |  |  | 4°C       |  | 120 |  | 645  |
| Carboplatin               | 10 mg/ml        |  |  | 25°C      |  | 8   |  | 1667 |
| Carfilzomib               | 2 mg/ml         |  |  | 15-30°C   |  | 4   |  | 3348 |
| Carfilzomib               | 2 mg/ml         |  |  | 2-8°C     |  | 24  |  | 3348 |
| Carfilzomib               | 2 mg/ml         |  |  | 25°C      |  | 14  |  | 3986 |
| Carfilzomib               | 0,8 mg/ml       |  |  | 2-8°C     |  | 28  |  | 3986 |
| Carfilzomib               | 0,8 mg/ml       |  |  | 25°C      |  | 10  |  | 3986 |
| Cefalotin sodium          | 200 mg/ml       |  |  | -20°C     |  | 270 |  | 574  |
| Cefamandole nafate        | 286 mg/ml       |  |  | -20°C     |  | 270 |  | 574  |
| Cefazolin sodium          | 100 mg/ml       |  |  | 5°C       |  | 30  |  | 3230 |
| Cefazolin sodium          | 200 mg/ml       |  |  | 5°C       |  | 30  |  | 3230 |
| Cefazolin sodium          | 333 mg/ml       |  |  | -20°C     |  | 270 |  | 574  |
| Cefazolin sodium          | 125 mg/ml       |  |  | 20-25°C   |  | 24  |  | 4634 |
| Cefazolin sodium          | 50 mg/ml        |  |  | 25°C      |  | 7   |  | 1814 |
| Cefazolin sodium          | 50 mg/ml        |  |  | 5°C       |  | 22  |  | 1814 |
| Cefepime dihydrochloride  | 100 & 200 mg/ml |  |  | -20°C     |  | 90  |  | 1068 |
| Cefepime dihydrochloride  | 100 & 200 mg/ml |  |  | 22-24°C   |  | 2   |  | 1046 |

|                              |                  |   |   |           |   |     |   |      |
|------------------------------|------------------|---|---|-----------|---|-----|---|------|
| Cefepime dihydrochloride     | 100 & 200 mg/ml  |     |     | 4°C       |     | 7   |     | 1068 |
| Cefepime dihydrochloride     | 100 & 200 mg/ml  |    |    | 4°C       |    | 14  |    | 1046 |
| Cefepime dihydrochloride     | 100 & 200 mg/ml  |    |    | -20°C     |    | 90  |    | 1068 |
| Cefepime dihydrochloride     | 100 & 200 mg/ml  |    |    | 4°C       |    | 7   |    | 1068 |
| Cefepime dihydrochloride     | 125 mg/ml        |    |    | 20-25°C   |    | 24  |    | 4634 |
| Cefepime dihydrochloride     | 200 mg/ml        |    |    | 22-24°C   |    | 2   |    | 1046 |
| Cefepime dihydrochloride     | 200 mg/ml        |    |    | 4°C       |    | 14  |    | 1046 |
| Cefepime dihydrochloride     | 100 mg/ml        |    |    | 22°C-24°C |    | 2   |    | 1046 |
| Cefepime dihydrochloride     | 120 mg/ml        |    |    | 25°C      |    | 10  |    | 4326 |
| Cefepime dihydrochloride     | 20 mg/ml         |    |    | 25°C      |    | 2   |    | 1626 |
| Cefepime dihydrochloride     | 20 mg/ml         |    |    | 25°C      |    | 12  |    | 4326 |
| Cefepime dihydrochloride     | 20 mg/ml         |    |    | 5°C       |    | 21  |    | 1626 |
| Cefepime dihydrochloride     | 40 mg/ml         |    |    | 25°C      |    | 10  |    | 4326 |
| Cefepime dihydrochloride     | 100 mg/ml        |    |    | 22°C-24°C |    | 1   |    | 1046 |
| Cefiderocol sulfate tosylate | 62,5 mg/mL       |  |  | 20-25°C   |  | 24  |  | 4634 |
| Cefotaxime sodium            | 125 mg/ml        |  |  | 20-25°C   |  | 6   |  | 4268 |
| Cefotaxime sodium            | 83,3 mg/ml       |  |  | 20-25°C   |  | 6   |  | 4268 |
| Cefotaxime sodium            | 50 mg/ml         |  |  | 25°C      |  | 24  |  | 1711 |
| Cefotaxime sodium            | 50 mg/ml         |  |  | 5°C       |  | 18  |  | 1711 |
| Cefoxitin sodium             | 125 mg/ml        |  |  | 20-25°C   |  | 12  |  | 4634 |
| Ceftazidime                  | 100 mg/ml        |  |  | -20°C     |  | 91  |  | 477  |
| Ceftazidime                  | 100 mg/ml        |  |  | 22°C      |  | 24  |  | 477  |
| Ceftazidime                  | 100 mg/ml        |  |  | 4°C       |  | 10  |  | 477  |
| Ceftazidime                  | 100 & 200 mg/ml  |  |  | -20°C     |  | 91  |  | 445  |
| Ceftazidime                  | 100 & 200 mg/ml  |  |  | 21°C-23°C |  | 8   |  | 445  |
| Ceftazidime                  | 100 & 200 mg/ml  |  |  | 4°C       |  | 96  |  | 445  |
| Ceftazidime                  | 125 mg/ml        |  |  | 20-25°C   |  | 24  |  | 4634 |
| Ceftazidime                  | 20 mg/ml         |  |  | -20°C     |  | 90  |  | 4032 |
| Ceftazidime                  | 20 mg/ml         |  |  | 2-8°C     |  | 7   |  | 4032 |
| Ceftazidime                  | 125 mg/ml        |  |  | 20-25°C   |  | 8   |  | 4634 |
| Ceftazidime Avibactam        | 125/31,25 mg/ml  |  |  | 20-25°C   |  | 24  |  | 4634 |
| Ceftolozane / tazobactam     | 62,5/31,25 mg/ml |  |  | 20-25°C   |  | 48  |  | 4634 |
| Ceftriaxone disodium         | 100 mg/ml        |  |  | -20°C     |  | 180 |  | 100  |

|                        |                 |  |  |         |  |     |  |      |
|------------------------|-----------------|--|--|---------|--|-----|--|------|
| Ceftriaxone disodium   | 100 mg/ml       |  |  | 20°C    |  | 5   |  | 100  |
| Ceftriaxone disodium   | 100 mg/ml       |  |  | 4°C     |  | 40  |  | 100  |
| Ceftriaxone disodium   | 100 mg/ml       |  |  | 8°C     |  | 13  |  | 1638 |
| Ceftriaxone disodium   | 10 & 40 mg/ml   |  |  | -15°C   |  | 10  |  | 259  |
| Ceftriaxone disodium   | 250 & 450 mg/ml |  |  | -15°C   |  | 56  |  | 279  |
| Ceftriaxone disodium   | 250 & 450 mg/ml |  |  | 20°C    |  | 24  |  | 279  |
| Ceftriaxone disodium   | 250 & 450 mg/ml |  |  | 4°C     |  | 10  |  | 279  |
| Ceftriaxone disodium   | 250 mg/ml       |  |  | -15°C   |  | 56  |  | 279  |
| Ceftriaxone disodium   | 250 & 450 mg/ml |  |  | 20°C    |  | 24  |  | 279  |
| Ceftriaxone disodium   | 250 & 450 mg/ml |  |  | 4°C     |  | 10  |  | 279  |
| Cefuroxime sodium      | 10 mg/ml        |  |  | -18°C   |  | 120 |  | 3569 |
| Cefuroxime sodium      | 10 mg/ml        |  |  | -20°C   |  | 365 |  | 1972 |
| Cefuroxime sodium      | 10 mg/ml        |  |  | 25°C    |  | 16  |  | 1972 |
| Cefuroxime sodium      | 10 mg/ml        |  |  | 5°C     |  | 21  |  | 1972 |
| Cefuroxime sodium      | 50 mg/ml        |  |  | 25°C    |  | 2   |  | 1813 |
| Cefuroxime sodium      | 50 mg/ml        |  |  | 5°C     |  | 21  |  | 1813 |
| Cefuroxime sodium      | 90 mg/ml        |  |  | 25°C    |  | 48  |  | 4284 |
| Cefuroxime sodium      | 90 mg/ml        |  |  | 4°C     |  | 14  |  | 4284 |
| Chlorothiazide sodium  | 25 mg/ml        |  |  | 2-8°C   |  | 6   |  | 2206 |
| Chlorothiazide sodium  | 10 mg/ml        |  |  | 25°C    |  | 96  |  | 3821 |
| Ciclosporin            | mg/ml           |  |  | 25°C    |  | 28  |  | 453  |
| Cidofovir              | 6.25 mg/ml      |  |  | 25°C    |  | 150 |  | 1989 |
| Cidofovir              | 6.25 mg/ml      |  |  | 32°C    |  | 150 |  | 1989 |
| Cidofovir              | 6.25 mg/ml      |  |  | 4°C     |  | 150 |  | 1989 |
| Cisatracurium besylate | 0,1 mg/ml       |  |  | 23-27°C |  | 2   |  | 4358 |
| Cisatracurium besylate | 0,1 mg/ml       |  |  | 4-6°C   |  | 7   |  | 4358 |
| Cisatracurium besylate | 0,1 mg/ml       |  |  | 23-27°C |  | 2   |  | 4358 |
| Cisatracurium besylate | 0,1 mg/ml       |  |  | 4-6°C   |  | 2   |  | 4358 |
| Cisatracurium besylate | 2 mg/ml         |  |  | 23-27°C |  | 7   |  | 4358 |
| Cisatracurium besylate | 2 mg/ml         |  |  | 23°C    |  | 30  |  | 533  |
| Cisatracurium besylate | 2 mg/ml         |  |  | 4-6°C   |  | 7   |  | 4358 |
| Cisatracurium besylate | 2 mg/ml         |  |  | 4°C     |  | 30  |  | 533  |
| Cisatracurium besylate | 5 mg/ml         |  |  | 23-27°C |  | 7   |  | 4358 |




































































































































|                        |                 |  |      |           |   |    |  |      |
|------------------------|-----------------|--|------|-----------|---|----|--|------|
| Cisatracurium besylate | 5 mg/ml         |  | ∅    | 4-6°C     | ? | 7  |  | 4358 |
| Clindamycin phosphate  | 150 mg/ml       |  | ▲    | 22°C-23°C |   | 48 |  | 639  |
| Clindamycin phosphate  | 60 mg/ml        |  | ▲    | 25°C      |   | 48 |  | 644  |
| Clonazepam             | 0,5 mg/ml       |  | 💧    | 25°C      |   | 48 |  | 2217 |
| Cloxacillin sodium     | 100 mg/ml       |  | 💧    | 25°C      | ? | 1  |  | 4244 |
| Cloxacillin sodium     | 100 mg/ml       |  | 💧    | 4°C       | ? | 14 |  | 4244 |
| Cloxacillin sodium     | 250 mg/ml       |  | 💧    | 20-25°C   |   | 24 |  | 4634 |
| Cloxacillin sodium     | 50 mg/ml        |  | 💧    | 25°C      | ? | 1  |  | 4244 |
| Cloxacillin sodium     | 50 mg/ml        |  | 💧    | 4°C       | ? | 14 |  | 4244 |
| Cloxacillin sodium     | 125 mg/ml       |  | ▲♦   | 20-25°C   |   | 24 |  | 4634 |
| Co-trimoxazole         | 16/80 mg/ml     |  | ∅    | 18°C-24°C |   | 60 |  | 446  |
| Crisantaspase          | 5000 & 10000 UI |  | ▲    | <25°C     | ? | 8  |  | 4480 |
| Cytarabine             | 20 & 50 mg/ml   |  | 💧    | 21°C      |   | 30 |  | 1229 |
| Cytarabine             | 20 & 50 mg/ml   |  | 💧    | 6°C-9°C   |   | 30 |  | 1229 |
| Cytarabine             | 0,1 & 20 mg/ml  |  | ▲♦   | 2-8°C     |   | 28 |  | 2255 |
| Cytarabine             | 20 mg/ml        |  | ▲♦   | 20-25°C   |   | 28 |  | 2255 |
| Cytarabine             | 0,1 mg/ml       |  | ▲    | 20-25°C   |   | 28 |  | 2255 |
| Cytarabine             | 1 mg/ml         |  | ▲    | 2-8°C     |   | 28 |  | 4455 |
| Cytarabine             | 1 mg/ml         |  | ▲    | 25°C      |   | 14 |  | 4455 |
| Cytarabine             | 10 mg/ml        |  | ▲    | 2-8°C     |   | 28 |  | 4455 |
| Cytarabine             | 10 mg/ml        |  | ▲    | 25°C      |   | 5  |  | 4455 |
| Cytarabine             | 5 mg/ml         |  | ▲    | 2-8°C     |   | 28 |  | 4455 |
| Cytarabine             | 5 mg/ml         |  | ▲    | 25°C      |   | 8  |  | 4455 |
| Cytarabine             | 0,1 mg/ml       |  | ♦    | 20-25°C   |   | 14 |  | 2255 |
| Cytarabine             | 3 mg/ml         |  | EI B | 23°C      | ? | 48 |  | 31   |
| Cytarabine             | 3 mg/ml         |  | EI B | 4°C       |   | 48 |  | 31   |
| Cytarabine             | 20 & 50 mg/ml   |  | ∅    | -10°C     |   | 14 |  | 850  |
| Cytarabine             | 20 & 50 mg/ml   |  | ∅    | 22°C      | ? | 14 |  | 850  |
| Cytarabine             | 20 & 50 mg/ml   |  | ∅    | 8°C       |   | 14 |  | 850  |
| Dalteparin sodium      | 1000 UI/ml      |  | ▲    | 2-8°C     |   | 30 |  | 4031 |
| Dalteparin sodium      | 2500 UI/ml      |  | ▲    | 4°C       | ? | 28 |  | 2268 |
| Dalteparin sodium      | 10000 UI/ml     |  | ∅    | 25°C      | ? | 30 |  | 1873 |
| Dalteparin sodium      | 25000 UI/ml     |  | ∅    | 4°C       | ? | 30 |  | 1873 |

|                                |                      |  |  |              |  |     |  |      |
|--------------------------------|----------------------|--|--|--------------|--|-----|--|------|
| Daratumumab                    | 120 mg/mL            |  |  | 15-25°C      |  | 24  |  | 4785 |
| Daratumumab                    | 120 mg/mL            |  |  | 2-8°C        |  | 28  |  | 4784 |
| Daratumumab                    | 120 mg/mL            |  |  | 2-8°C        |  | 24  |  | 4785 |
| Daratumumab                    | 120 mg/mL            |  |  | 20-24°C      |  | 28  |  | 4784 |
| Daunorubicin hydrochloride     | 2 mg/ml              |  |  | 4°C          |  | 43  |  | 686  |
| Deferoxamine mesylate          | 250 mg/ml            |  |  | 30°C         |  | 14  |  | 5    |
| Dexamethasone sodium phosphate | 0,1 & 1 mg/ml        |  |  | 25°C         |  | 22  |  | 1701 |
| Dexamethasone sodium phosphate | 10 mg/ml             |  |  | 23°C         |  | 55  |  | 28   |
| Dexamethasone sodium phosphate | 10 mg/ml             |  |  | 4°C          |  | 55  |  | 28   |
| Dexmedetomidine                | 4 µg/ml              |  |  | 20-25°C      |  | 2   |  | 3299 |
| Dexmedetomidine                | 4 µg/ml              |  |  | 5°C          |  | 14  |  | 3299 |
| Diamorphine hydrochloride      | 2 & 20 mg/ml         |  |  | 18-22°C      |  | 18  |  | 1886 |
| Diatrizoate meglumine          | ? mg/ml              |  |  | -20°C        |  | 30  |  | 554  |
| Diatrizoate meglumine          | ? mg/ml              |  |  | 25°C         |  | 1   |  | 554  |
| Diatrizoate meglumine          | ? mg/ml              |  |  | 4°C          |  | 7   |  | 554  |
| Dimenhydrinate                 | 2,5 >> 10 mg/ml      |  |  | 22°C         |  | 60  |  | 1806 |
| Dimenhydrinate                 | 2,5 >> 10 mg/ml      |  |  | 4°C          |  | 60  |  | 1806 |
| Diphenhydramine hydrochloride  | 1,25 & 2,5 & 5 mg/ml |  |  | 22°C         |  | 28  |  | 1277 |
| Diphenhydramine hydrochloride  | 1,25 & 2,5 & 5 mg/ml |  |  | 4°C          |  | 28  |  | 1277 |
| Dobutamine hydrochloride       | 10 mg/ml             |  |  | 2-8°C        |  | 365 |  | 4584 |
| Dobutamine hydrochloride       | 10 mg/ml             |  |  | -25 >> -15°C |  | 90  |  | 4584 |
| Dobutamine hydrochloride       | 10 mg/ml             |  |  | 23-27°C      |  | 30  |  | 4584 |
| Dobutamine hydrochloride       | 10 mg/ml             |  |  | -25 >> -15°C |  | 21  |  | 4584 |
| Dobutamine hydrochloride       | 10 mg/ml             |  |  | 20°C         |  | 35  |  | 3293 |
| Dobutamine hydrochloride       | 10 mg/ml             |  |  | 4°C          |  | 42  |  | 3293 |
| Dobutamine hydrochloride       | 5 mg/ml              |  |  | 23-25°C      |  | 48  |  | 206  |
| Dobutamine hydrochloride       | 5 mg/ml              |  |  | 25°C         |  | 24  |  | 196  |
| Dobutamine hydrochloride       | 5 mg/ml              |  |  | 4°C          |  | 48  |  | 206  |
| Dolasetron mesylate            | 10 mg/ml             |  |  | 23°C         |  | 31  |  | 1807 |
| Dolasetron mesylate            | 10 mg/ml             |  |  | 4°C          |  | 31  |  | 1807 |
| Dolasetron mesylate            | 20 mg/ml             |  |  | 25°C         |  | 240 |  | 1986 |
| Dopamine hydrochloride         | 10 mg/ml             |  |  | 23°C         |  | 84  |  | 3712 |
| Dopamine hydrochloride         | 2 mg/ml              |  |  | 23°C         |  | 84  |  | 3712 |






























































































































|                           |               |  |  |           |  |     |  |      |
|---------------------------|---------------|--|--|-----------|--|-----|--|------|
| Dopamine hydrochloride    | 30 mg/ml      |  |  | 23°C      |  | 84  |  | 3712 |
| Dopamine hydrochloride    | 0,5 mg/ml     |  |  | 25°C      |  | 7   |  | 1820 |
| Dopamine hydrochloride    | 0,5 mg/ml     |  |  | 4°C       |  | 120 |  | 1820 |
| Dopamine hydrochloride    | 4 mg/ml       |  |  | 23-25°C   |  | 48  |  | 206  |
| Dopamine hydrochloride    | 4 mg/ml       |  |  | 25°C      |  | 24  |  | 196  |
| Dopamine hydrochloride    | 4 mg/ml       |  |  | 4°C       |  | 48  |  | 206  |
| Dopamine hydrochloride    | 10 mg/ml      |  |  | 23°C      |  | 84  |  | 3712 |
| Dopamine hydrochloride    | 2 mg/ml       |  |  | 23°C      |  | 84  |  | 3712 |
| Dopamine hydrochloride    | 30 mg/ml      |  |  | 23°C      |  | 84  |  | 3712 |
| Doxapram hydrochloride    | 2.5 mg/ml     |  |  | 25°C      |  | 36  |  | 3723 |
| Doxapram hydrochloride    | 8 mg/ml       |  |  | 25°C      |  | 24  |  | 3723 |
| Doxorubicin hydrochloride | 2 mg/ml       |  |  | 4°C       |  | 43  |  | 686  |
| Doxorubicin hydrochloride | 0,1 mg/ml     |  |  | 20-25°C   |  | 4   |  | 2256 |
| Doxorubicin hydrochloride | 0,1 & 1 mg/ml |  |  | 2-8°C     |  | 28  |  | 2256 |
| Doxorubicin hydrochloride | 1 mg/ml       |  |  | 20-25°C   |  | 28  |  | 2256 |
| Doxorubicin hydrochloride | 1 & 2 mg/ml   |  |  | 23°C      |  | 124 |  | 681  |
| Doxorubicin hydrochloride | 1 & 2 mg/ml   |  |  | 4°C       |  | 124 |  | 681  |
| Doxorubicin hydrochloride | 2 mg/ml       |  |  | 2-8°C     |  | 84  |  | 3670 |
| Droperidol                | 0,18 mg/ml    |  |  | 20°C-25°C |  | 14  |  | 1968 |
| Droperidol                | 0.625 mg/ml   |  |  | 23-27°C   |  | 180 |  | 3207 |
| Enoxaparin sodium         | 20 mg/ml      |  |  | 2-6°C     |  | 14  |  | 1893 |
| Enoxaparin sodium         | 20 mg/ml      |  |  | 22°C-26°C |  | 14  |  | 1893 |
| Enoxaparin sodium         | 8 mg/ml       |  |  | 2-6°C     |  | 14  |  | 4413 |
| Enoxaparin sodium         | 100 mg/ml     |  |  | 3°C       |  | 10  |  | 811  |
| Ephedrine hydrochloride   | 10 mg/ml      |  |  | 25°C      |  | 365 |  | 2035 |
| Ephedrine hydrochloride   | 10 mg/ml      |  |  | 40°C      |  | 365 |  | 2035 |
| Ephedrine sulfate         | 5 mg/ml       |  |  | 25°C      |  | 60  |  | 1720 |
| Ephedrine sulfate         | 5 mg/ml       |  |  | 4°C       |  | 60  |  | 1720 |
| Epinephrine hydrochloride | 100 µg/ml     |  |  | 25°C      |  | 7   |  | 659  |
| Epinephrine hydrochloride | 700 µg/ml     |  |  | 25°C      |  | 56  |  | 659  |
| Epinephrine hydrochloride | 20 µg/ml      |  |  | 23°C      |  | 84  |  | 3712 |
| Epinephrine hydrochloride | 300 µg/ml     |  |  | 23°C      |  | 84  |  | 3712 |
| Epinephrine hydrochloride | 900 µg/ml     |  |  | 23°C      |  | 84  |  | 3712 |



|                           |             |  |  |         |  |     |  |      |
|---------------------------|-------------|--|--|---------|--|-----|--|------|
| Epinephrine hydrochloride | 10 µg/ml    |  |  | 2-8°C   |  | 90  |  | 4323 |
| Epinephrine hydrochloride | 10 µg/ml    |  |  | 20-25°C |  | 12  |  | 4778 |
| Epinephrine hydrochloride | 10 µg/ml    |  |  | 25°C    |  | 21  |  | 4393 |
| Epinephrine hydrochloride | 10 µg/ml    |  |  | 4°C     |  | 56  |  | 4393 |
| Epinephrine hydrochloride | 10 µg/ml    |  |  | 4°C     |  | 56  |  | 4778 |
| Epinephrine hydrochloride | 20 µg/ml    |  |  | 2-8°C   |  | 183 |  | 3445 |
| Epinephrine hydrochloride | 20 µg/ml    |  |  | 2-8°C   |  | 180 |  | 3397 |
| Epinephrine hydrochloride | 20 µg/ml    |  |  | 23°C    |  | 84  |  | 3712 |
| Epinephrine hydrochloride | 300 µg/ml   |  |  | 23°C    |  | 84  |  | 3712 |
| Epinephrine hydrochloride | 900 µg/ml   |  |  | 23°C    |  | 84  |  | 3712 |
| Epirubicin hydrochloride  | 2 mg/ml     |  |  | 4°C     |  | 43  |  | 686  |
| Epirubicin hydrochloride  | 0,5 mg/ml   |  |  | 20°C    |  | 28  |  | 1317 |
| Epirubicin hydrochloride  | 0,5 mg/ml   |  |  | 4°C     |  | 28  |  | 1317 |
| Epirubicin hydrochloride  | 1 mg/ml     |  |  | 8°C     |  | 84  |  | 1823 |
| Epirubicin hydrochloride  | 1 & 2 mg/ml |  |  | 23°C    |  | 150 |  | 683  |
| Epirubicin hydrochloride  | 1 & 2 mg/ml |  |  | 4°C     |  | 150 |  | 683  |
| Epirubicin hydrochloride  | 2 mg/ml     |  |  | 25°C    |  | 14  |  | 887  |
| Epirubicin hydrochloride  | 2 mg/ml     |  |  | 4°C     |  | 180 |  | 887  |
| Epirubicin hydrochloride  | 8.33 mg/ml  |  |  | 4°C     |  | 72  |  | 3473 |
| Epirubicin hydrochloride  | 2 mg/ml     |  |  | 2-8°C   |  | 84  |  | 3670 |
| Eribulin mesylate         | 0.205 mg/ml |  |  | 2-8°C   |  | 28  |  | 3707 |
| Eribulin mesylate         | 0.205 mg/ml |  |  | 25°C    |  | 28  |  | 3707 |
| Eribulin mesylate         | 0,44 mg/ml  |  |  | 18-22°C |  | 14  |  | 3331 |
| Eribulin mesylate         | 0,44 mg/ml  |  |  | 2-6°C   |  | 14  |  | 3331 |
| Ertapenem                 | 100 mg/ml   |  |  | -20°C   |  | 28  |  | 3717 |
| Ertapenem                 | 100 mg/ml   |  |  | 23°C    |  | 5   |  | 3891 |
| Ertapenem                 | 100 mg/ml   |  |  | 25°C    |  | 0.5 |  | 3717 |
| Ertapenem                 | 100 mg/ml   |  |  | 4°C     |  | 24  |  | 3717 |
| Ertapenem                 | 100 mg/ml   |  |  | 4°C     |  | 48  |  | 3891 |
| Ethacrynate sodium        | 1 mg/ml     |  |  | 25°C    |  | 14  |  | 1716 |
| Ethacrynate sodium        | 1 mg/ml     |  |  | 5°C     |  | 22  |  | 1716 |
| Ethanol                   | 70 %        |  |  | 23-25°C |  | 14  |  | 2221 |
| Ethanol                   | 70 %        |  |  | 23-25°C |  | 14  |  | 2221 |




































































































































|                       |                 |   |   |         |   |     |   |      |
|-----------------------|-----------------|---|---|---------|---|-----|---|------|
| Etoposide phosphate   | 10 & 20 mg/ml   |     |     | 23°C    |     | 31  |     | 1411 |
| Etoposide phosphate   | 10 & 20 mg/ml   |    |    | 32°C    |    | 7   |    | 1411 |
| Etoposide phosphate   | 10 & 20 mg/ml   |    |    | 4°C     |    | 31  |    | 1411 |
| Famotidine            | 2 mg/ml         |    |    | -20°C   |    | 56  |    | 77   |
| Famotidine            | 0,2 mg/ml       |    |    | 22°C    |    | 15  |    | 215  |
| Famotidine            | 2 mg/ml         |    |    | -20°C   |    | 56  |    | 77   |
| Famotidine            | 2 mg/ml         |    |    | -20°C   |    | 21  |    | 77   |
| Faricimab             | 120 mg/ml       |    |    | 4°C     |    | 37  |    | 4790 |
| Fentanyl citrate      | 10 µg/ml        |    |    | 25°C    |    | 100 |    | 4303 |
| Fentanyl citrate      | 13 & 34 µg/ml   |    |    | 22°C    |    | 7   |    | 929  |
| Fentanyl citrate      | 13 & 34 µg/ml   |    |    | 38°C    |    | 7   |    | 929  |
| Fentanyl citrate      | 13 & 34 µg/ml   |    |    | 5°C     |    | 7   |    | 929  |
| Fentanyl citrate      | 20 & 40 µg/ml   |    |    | 23°C    |    | 90  |    | 4223 |
| Fentanyl citrate      | 5 µg/ml         |   |   | 23-27°C |   | 90  |   | 2334 |
| Fentanyl citrate      | 50 µg/ml        |  |  | 23°C    |  | 90  |  | 4223 |
| Fentanyl citrate      | 50 µg/ml        |  |  | 22°C    |  | 28  |  | 2031 |
| Fentanyl citrate      | 50 µg/ml        |  |  | 25°C    |  | 100 |  | 4303 |
| Fentanyl citrate      | 50 µg/ml        |  |  | 5°C     |  | 28  |  | 2031 |
| Floxuridine           | 1 mg/ml         |  |  | 30°C    |  | 21  |  | 5    |
| Floxuridine           | 50 mg/ml        |  |  | 30°C    |  | 21  |  | 5    |
| Flucloxacillin sodium | 140 mg/ml       |  |  | 4°C-8°C |  | 9   |  | 1300 |
| Fluorouracil          | 12 & 40 mg/ml   |  |  | 25°C    |  | 3   |  | 33   |
| Fluorouracil          | 0,1 mg/ml       |  |  | -10°C   |  | 7   |  | 1812 |
| Fluorouracil          | 0,1 mg/ml       |  |  | 25°C    |  | 7   |  | 1812 |
| Fluorouracil          | 0,1 mg/ml       |  |  | 40°C    |  | 7   |  | 1812 |
| Fluorouracil          | 0,1 mg/ml       |  |  | 5°C     |  | 7   |  | 1812 |
| Fluorouracil          | 25 mg/ml        |  |  | 2-8°C   |  | 84  |  | 3670 |
| Fluorouracil          | 50 mg/ml        |  |  | 30°C    |  | 21  |  | 5    |
| Fluoxetine            | mg              |  |   | 20-25°C |  | 180 |  | 3667 |
| Fosphenytoin sodium   | 50 mg/ml        |  |  | -20°C   |  | 30  |  | 800  |
| Fosphenytoin sodium   | 50 mg/ml        |  |  | 25°C    |  | 30  |  | 800  |
| Fosphenytoin sodium   | 50 mg/ml        |  |  | 4°C     |  | 30  |  | 800  |
| Furosemide            | 1,0 > 8,0 mg/ml |  |  | 22°C    |  | 84  |  | 1680 |



































































































































|                            |                    |  |  |           |  |     |  |      |
|----------------------------|--------------------|--|--|-----------|--|-----|--|------|
| Furosemide                 | 1,0 > 8,0 mg/ml    |  |  | 22°C      |  | 7   |  | 1680 |
| Furosemide                 | 1,0 > 8,0 mg/ml    |  |  | 6°C       |  | 84  |  | 1680 |
| Furosemide                 | 5 mg/ml            |  |  | 20°C      |  | 24  |  | 4341 |
| Furosemide                 | 5 mg/ml            |  |  | 4°C       |  | 35  |  | 4341 |
| Furosemide                 | 1 mg/ml            |  |  | 25°C      |  | 96  |  | 3821 |
| Gadoterate meglumine       | 0,5 mmol/ml        |  |  | 25°C      |  | 90  |  | 1679 |
| Gadoterate meglumine       | 0,5 mmol/ml        |  |  | 4°C       |  | 90  |  | 1679 |
| Ganciclovir sodium         | 1,4 & 7 mg/ml      |  |  | -20°C     |  | 365 |  | 245  |
| Ganciclovir sodium         | 1,4 & 7 mg/ml      |  |  | 25°C      |  | 8   |  | 245  |
| Ganciclovir sodium         | 1,4 & 7 mg/ml      |  |  | 4°C       |  | 80  |  | 245  |
| Ganciclovir sodium         | 5 mg/ml            |  |  | 2-8°C     |  | 185 |  | 4021 |
| Ganciclovir sodium         | 5 mg/ml            |  |  | 23-27°C   |  | 185 |  | 4021 |
| Ganciclovir sodium         | 5,8 mg/ml          |  |  | 25°C      |  | 12  |  | 74   |
| Ganciclovir sodium         | 5,8 mg/ml          |  |  | 4°C       |  | 10  |  | 74   |
| Gemcitabine hydrochloride  | 38 mg/ml           |  |  | 23°C      |  | 35  |  | 1422 |
| Gentamicin sulfate         | 30 mg/ml           |  |  | 22°C-23°C |  | 48  |  | 639  |
| Glycopyrronium bromide     | 0,2 mg/ml          |  |  | 25°C      |  | 90  |  | 1756 |
| Glycopyrronium bromide     | 0,2 mg/ml          |  |  | 4°C       |  | 90  |  | 1756 |
| Granisetron hydrochloride  | 0,05 & 0,1 mg/ml   |  |  | 24°C      |  | 14  |  | 48   |
| Granisetron hydrochloride  | 0,05 & 0,1 mg/ml   |  |  | 5°C       |  | 14  |  | 48   |
| Granisetron hydrochloride  | 0,15 mg/ml         |  |  | -20°C     |  | 30  |  | 29   |
| Granisetron hydrochloride  | 0,15 mg/ml         |  |  | 20°C      |  | 3   |  | 29   |
| Granisetron hydrochloride  | 0,15 mg/ml         |  |  | 4°C       |  | 7   |  | 29   |
| Granisetron hydrochloride  | 1 mg/ml            |  |  | 25°C      |  | 15  |  | 1676 |
| Granisetron hydrochloride  | 1 mg/ml            |  |  | 4°C       |  | 15  |  | 1676 |
| Heparin sodium             | 1 UI/ml            |  |  | 20°C      |  | 365 |  | 1234 |
| Heparin sodium             | 1 UI/ml            |  |  | 37°C      |  | 365 |  | 1234 |
| Heparin sodium             | 100 UI/ml          |  |  | 4°C       |  | 14  |  | 895  |
| Heparin sodium             | 500 UI/ml          |  |  | 25°C      |  | 21  |  | 1183 |
| Heparin sodium             | 500 UI/ml          |  |  | 4°C       |  | 21  |  | 1183 |
| Heparin sodium             | 1000 & 40000 UI/ml |  |  | 30°C      |  | 30  |  | 874  |
| Hydrocortisone 17 valerate | mg                 |  |  | 23-27°C   |  | 365 |  | 3892 |
| Hydrocortisone 17 valerate | mg                 |  |  | 23-27°C   |  | 60  |  | 3892 |

|                                 |                |   |   |           |   |     |   |      |
|---------------------------------|----------------|---|---|-----------|---|-----|---|------|
| Hydrocortisone sodium succinate | 50 mg/ml       |     |     | 25°C      |     | 15  |     | 2001 |
| Hydrocortisone sodium succinate | 50 mg/ml       |    |    | 5°C       |    | 120 |    | 2001 |
| Hydrocortisone sodium succinate | 10 mg/ml       |    |    | 25°C      |    | 3   |    | 2354 |
| Hydrocortisone sodium succinate | 10 mg/ml       |    |    | 5°C       |    | 21  |    | 2354 |
| Hydrocortisone sodium succinate | 2 mg/ml        |    | EI B  | 23°C      |    | 24  |    | 31   |
| Hydrocortisone sodium succinate | 2 mg/ml        |    | EI B  | 4°C       |    | 48  |    | 31   |
| Hydromorphone hydrochloride     | 0,1 mg/ml      |    |    | 25°C      |    | 100 |    | 4303 |
| Hydromorphone hydrochloride     | 0,1 mg/ml      |    |    | 30°C      |    | 30  |    | 5    |
| Hydromorphone hydrochloride     | 1,5 & 80 mg/ml |    |    | 23°C      |    | 60  |    | 1706 |
| Hydromorphone hydrochloride     | 1,5 & 80 mg/ml |    |    | 37°C      |    | 48  |    | 1706 |
| Hydromorphone hydrochloride     | 1,5 & 80 mg/ml |    |    | 4°C       |    | 60  |    | 1706 |
| Hydromorphone hydrochloride     | 10 mg/ml       |    | ∅   | 30°C      |    | 30  |    | 5    |
| Idarubicin hydrochloride        | 4 mg/ml        |    |    | 2-8°C     |    | 7   |    | 4661 |
| Indocyanine green               | 2,5 mg/ml      |   |   | -20°C     |   | 28  |   | 4246 |
| Indocyanine green               | 2,5 mg/ml      |  |  | 25°C      |  | 30  |  | 4246 |
| Indocyanine green               | 2,5 mg/ml      |  |  | 4°C       |  | 32  |  | 4246 |
| Indomethacin sodium trihydrate  | 0,5 mg/ml      |  |  | 2-6°C     |  | 14  |  | 303  |
| Indomethacin sodium trihydrate  | 0,5 mg/ml      |  |  | 21°C-25°C |  | 14  |  | 303  |
| Insulin                         | 1 UI/ml        |  |  | 2-6°C     |  | 180 |  | 3224 |
| Insulin                         | 1 UI/ml        |  |  | 2-8°C     |  | 21  |  | 4635 |
| Insulin                         | 1 UI/ml        |  |  | 20-25°C   |  | 48  |  | 4635 |
| Insulin                         | 1 UI/ml        |  |  | 23-27°C   |  | 30  |  | 3224 |
| Insulin                         | 100 UI/ml      |  | ∅   | 3-5°C     |  | 28  |  | 468  |
| Insulin                         | 500 UI/ml      |  | ∅   | 4°C       |  | 28  |  | 4309 |
| Interferon alfa 2b              | 2 MUI/ml       |  |  | 4°C       |  | 21  |  | 35   |
| Interferon alfa 2b              | 2 & 6 MUI/ml   |  |  | 4°C       |  | 42  |  | 824  |
| Isosorbide dinitrate            | 0,6 mg/ml      |  |  | 2-8°C     |  | 28  |  | 4374 |
| Ketamine hydrochloride          | 10 mg/ml       |  |  | 25°C      |  | 30  |  | 1714 |
| Ketamine hydrochloride          | 1 mg/ml        |  |  | 25°C      |  | 365 |  | 2287 |
| Ketamine hydrochloride          | 1 mg/ml        |  |  | 40°C      |  | 365 |  | 2287 |
| Ketamine hydrochloride          | 1 mg/ml        |  |  | 4°C       |  | 365 |  | 2287 |
| Ketamine hydrochloride          | 10 mg/ml       |  | ∅   | 25°C      |  | 100 |  | 4303 |
| Ketamine hydrochloride          | 50 mg/ml       |  | ∅   | 25°C      |  | 180 |  | 3874 |

|                               |             |  |      |           |  |     |  |      |
|-------------------------------|-------------|--|------|-----------|--|-----|--|------|
| Ketamine hydrochloride        | 50 mg/ml    |  |      | 25°C      |  | 50  |  | 3911 |
| Levetiracetam                 | 40 mg/ml    |  |      | 2-8°C     |  | 14  |  | 3847 |
| Levobupivacaine hydrochloride | 1 mg/ml     |  |      | 21°C      |  | 28  |  | 1835 |
| Levobupivacaine hydrochloride | 1 mg/ml     |  |      | 36°C      |  | 23  |  | 1835 |
| Levobupivacaine hydrochloride | 1 mg/ml     |  |      | 4°C       |  | 28  |  | 1835 |
| Levofolinate calcium          | 10 mg/ml    |  |      | 2-8°C     |  | 14  |  | 2531 |
| Levosimendan                  | 2,5 mg/ml   |  |      | 8°C       |  | 60  |  | 3417 |
| Levothyroxine                 | 100 µg/ml   |  |      | 5°C       |  | 7   |  | 2358 |
| Lidocaine hydrochloride       | 20 mg/ml    |  |      | 25°C      |  | 90  |  | 1715 |
| Lidocaine hydrochloride       | 20 mg/ml    |  |      | 25°C      |  | 90  |  | 1715 |
| Lidocaine hydrochloride       | 20 mg/ml    |  |      | 4°C       |  | 90  |  | 1715 |
| Lidocaine hydrochloride       | mg/mL       |  |      | 21°C      |  | 21  |  | 3978 |
| Lidocaine hydrochloride       | mg/mL       |  |      | 21°C      |  | 21  |  | 3978 |
| Lorazepam                     | 1 mg/ml     |  |      | 22°C      |  | 28  |  | 765  |
| Lorazepam                     | 0,167 mg/ml |  |      | 2-8°C     |  | 2   |  | 4248 |
| Lorazepam                     | 0,167 mg/ml |  |      | 20-25°C   |  | 4   |  | 4248 |
| Melphalan                     | 0,015 mg/ml |  |      | -18°C     |  | 28  |  | 3949 |
| Melphalan                     | 0,2 mg/ml   |  |      | -18°C     |  | 28  |  | 3949 |
| Meropenem                     | 10 mg/ml    |  |      | 25°C      |  | 12  |  | 4147 |
| Meropenem                     | 10 mg/ml    |  |      | 25°C      |  | 8   |  | 4326 |
| Meropenem                     | 20 mg/ml    |  |      | 22°C      |  | 17  |  | 4592 |
| Meropenem                     | 20 mg/ml    |  |      | 25°C      |  | 12  |  | 4147 |
| Meropenem                     | 20 mg/ml    |  |      | 25°C      |  | 8   |  | 4326 |
| Meropenem                     | 40 mg/ml    |  |      | 25°C      |  | 8   |  | 4147 |
| Meropenem                     | 40 mg/ml    |  |      | 25°C      |  | 4   |  | 4326 |
| Meropenem                     | 41,7 mg/ml  |  |      | 20-25°C   |  | 8   |  | 4634 |
| Meropenem                     | 41,7 mg/ml  |  |      | 20-25°C   |  | 4   |  | 4634 |
| Metamizol sodium              | 400 mg/ml   |  |      | 10 & 24°C |  | 10  |  | 2103 |
| Metaraminol                   | 0,5 mg/ml   |  |      | 2-8°C     |  | 378 |  | 3758 |
| Metaraminol                   | 0,5 mg/ml   |  |      | 25°C      |  | 378 |  | 3758 |
| Methotrexate sodium           | 50 mg/ml    |  |      | 25°C      |  | 70  |  | 1155 |
| Methotrexate sodium           | 2 mg/ml     |  | EI B | 23°C      |  | 48  |  | 31   |
| Methotrexate sodium           | 2 mg/ml     |  | EI B | 4°C       |  | 48  |  | 31   |

|                                     |                   |  |  |         |  |     |  |      |
|-------------------------------------|-------------------|--|--|---------|--|-----|--|------|
| Methotrexate sodium                 | 2,5 mg/ml         |  |  | 25°C    |  | 7   |  | 1469 |
| Methotrexate sodium                 | 2,5 mg/ml         |  |  | 4°C     |  | 7   |  | 1469 |
| Methotrexate sodium                 | 25 mg/ml          |  |  | 2-8°C   |  | 84  |  | 3670 |
| Methotrexate sodium                 | 25 & 100 mg/ml    |  |  | 2-8°C   |  | 14  |  | 4578 |
| Methotrexate sodium                 | 25 & 100 mg/ml    |  |  | 21°C    |  | 14  |  | 4578 |
| Methylprednisolone sodium succinate | 10 mg/ml          |  |  | 25°C    |  | 4   |  | 1627 |
| Methylprednisolone sodium succinate | 10 mg/ml          |  |  | 5°C     |  | 21  |  | 1627 |
| Metoclopramide hydrochloride        | 0,5 mg/ml         |  |  | 25°C    |  | 21  |  | 1957 |
| Metoclopramide hydrochloride        | 5 mg/ml           |  |  | 23°C    |  | 60  |  | 180  |
| Metoclopramide hydrochloride        | 5 mg/ml           |  |  | 32°C    |  | 7   |  | 180  |
| Metoclopramide hydrochloride        | 5 mg/ml           |  |  | 4°C     |  | 90  |  | 180  |
| Micafungin                          | 0.5 mg/ml         |  |  | 23-27°C |  | 15  |  | 1889 |
| Micafungin                          | 1 mg/ml           |  |  | 23-27°C |  | 15  |  | 1889 |
| Midazolam hydrochloride             | 1 mg/ml           |  |  | -20°C   |  | 365 |  | 3989 |
| Midazolam hydrochloride             | 1 mg/ml           |  |  | -20°C   |  | 365 |  | 4201 |
| Midazolam hydrochloride             | 1 mg/ml           |  |  | 2-8°C   |  | 365 |  | 4201 |
| Midazolam hydrochloride             | 1 mg/ml           |  |  | 23-25°C |  | 90  |  | 4201 |
| Midazolam hydrochloride             | 1 mg/ml           |  |  | 5°C     |  | 365 |  | 3989 |
| Midazolam hydrochloride             | 2 mg/ml           |  |  | 30°C    |  | 10  |  | 5    |
| Midazolam hydrochloride             | 2 mg/ml           |  |  | 5°C     |  | 10  |  | 5    |
| Midazolam hydrochloride             | 3 mg/ml           |  |  | 20°C    |  | 7   |  | 401  |
| Midazolam hydrochloride             | 3 mg/ml           |  |  | 32°C    |  | 7   |  | 401  |
| Midazolam hydrochloride             | 0,4 mg/ml         |  |  | 25°C    |  | 100 |  | 4303 |
| Midazolam hydrochloride             | 5 mg/ml           |  |  | 24-26°C |  | 36  |  | 41   |
| Midazolam hydrochloride             | 5 mg/ml           |  |  | 25°C    |  | 100 |  | 4303 |
| Milrinone lactate                   | 0,2 & 0,025 mg/ml |  |  | 25°C    |  | 90  |  | 4216 |
| Milrinone lactate                   | 0,2 & 0,025 mg/ml |  |  | 4°C     |  | 90  |  | 4216 |
| Milrinone lactate                   | 0,2 & 0,025 mg/ml |  |  | 25°C    |  | 90  |  | 4216 |
| Milrinone lactate                   | 0,2 & 0,025 mg/ml |  |  | 4°C     |  | 90  |  | 4216 |
| Milrinone lactate                   | 1 mg/ml           |  |  | 25°C    |  | 90  |  | 4216 |
| Milrinone lactate                   | 1 mg/ml           |  |  | 4°C     |  | 90  |  | 4216 |
| Mitomycin                           | 0,5 mg/ml         |  |  | 25°C    |  | 7   |  | 648  |
| Mitomycin                           | 0,5 mg/ml         |  |  | 4°C     |  | 28  |  | 648  |

|                              |              |   |   |           |   |      |   |      |
|------------------------------|--------------|---|---|-----------|---|------|---|------|
| Mitomycin                    | 1 mg/ml      |     |     | 25°C      |     | 8    |     | 3897 |
| Mitomycin                    | 2 mg/ml      |    |    | 2-8°C     |    | 8    |    | 4763 |
| Mitomycin                    | 2 mg/ml      |    |    | 20-25°C   |    | 8    |    | 4763 |
| Mitomycin                    | 0,2 mg/ml    |    |    | 2-8°C     |    | 5    |    | 4763 |
| Mitomycin                    | 0,2 mg/ml    |    |    | 20-25°C   |    | 6    |    | 4763 |
| Mitomycin                    | 0,2 mg/ml    |    |    | 25°C      |    | 10   |    | 3897 |
| Mitomycin                    | 0,4 mg/ml    |    |    | 2-8°C     |    | 2    |    | 4763 |
| Mitomycin                    | 0,4 mg/ml    |    |    | 20-25°C   |    | 6    |    | 4763 |
| Mitomycin                    | 1 mg/ml      |    |    | 37°C      |    | 5    |    | 4282 |
| Mitomycin                    | 2 mg/ml      |    |    | 37°C      |    | 5    |    | 4282 |
| Mitoxantrone dihydrochloride | 0,2 mg/ml    |    |    | 20°C      |    | 28   |    | 1317 |
| Mitoxantrone dihydrochloride | 0,2 mg/ml    |    |    | 4°C       |    | 28   |    | 1317 |
| Morphine hydrochloride       | 30 mg/ml     |    |    | 22°C      |    | 90   |    | 1062 |
| Morphine hydrochloride       | 1 mg/ml      |   |   | 37°C      |   | 2    |   | 1264 |
| Morphine hydrochloride       | 30 mg/ml     |  |  | 22°C      |  | 90   |  | 1062 |
| Morphine hydrochloride       | 0.33 mg/ml   |  |  | 2-8°C     |  | 730  |  | 3415 |
| Morphine hydrochloride       | 0.33 mg/ml   |  |  | 22°C      |  | 730  |  | 3415 |
| Morphine hydrochloride       | 1 mg/ml      |  |  | 2-8°C     |  | 58   |  | 3572 |
| Morphine hydrochloride       | 2 mg/ml      |  |  | 25°C      |  | 6    |  | 515  |
| Morphine hydrochloride       | 2 mg/ml      |  |  | 40°C      |  | 6    |  | 515  |
| Morphine hydrochloride       | 20 mg/ml     |  |  | 37°C      |  | 2    |  | 1264 |
| Morphine hydrochloride       | mg/g         |  |   | 15-25°C   |  | 1095 |  | 4653 |
| Morphine sulfate             | 50 mg/ml     |  |  | 23°C      |  | 60   |  | 1709 |
| Morphine sulfate             | 50 mg/ml     |  |  | 37°C      |  | 48   |  | 1709 |
| Morphine sulfate             | 1 mg/ml      |  |  | 25°C      |  | 100  |  | 4303 |
| Morphine sulfate             | 0,1 mg/ml    |  |  | 25°C      |  | 91   |  | 4395 |
| Morphine sulfate             | 0,2 mg/ml    |  |  | 25°C      |  | 91   |  | 4395 |
| Morphine sulfate             | 1,0 mg/ml    |  |  | 25°C      |  | 91   |  | 4395 |
| Morphine sulfate             | 1,76 mg/ml   |  |  | 20°C-25°C |  | 14   |  | 1968 |
| Morphine sulfate             | 2 mg/ml      |  |  | 25°C      |  | 42   |  | 122  |
| Morphine sulfate             | 5 mg/ml      |  |  | 4°C       |  | 60   |  | 1709 |
| Morphine sulfate             | 5 & 50 mg/ml |  |  | 23°C      |  | 60   |  | 1709 |
| Morphine sulfate             | 5 & 50 mg/ml |  |  | 37°C      |  | 48   |  | 1709 |

|                           |                  |   |   |           |   |     |   |      |
|---------------------------|------------------|---|---|-----------|---|-----|---|------|
| Morphine sulfate          | 0,02 mg/ml       |     |     | 25°C      |     | 91  |     | 4395 |
| Morphine sulfate          | 0,04 mg/ml       |    |    | 25°C      |    | 91  |    | 4395 |
| Morphine tartrate         | 4 mg/ml          |    |    | 21°C-23°C |    | 21  |    | 920  |
| Morphine tartrate         | 4 mg/ml          |    |    | 4°C - 8°C |    | 21  |    | 920  |
| Morphine tartrate         | 80 mg/ml         |    |    | 21°C-23°C |    | 21  |    | 920  |
| Morphine tartrate         | 80 mg/ml         |    |    | 4°C - 8°C |    | 21  |    | 920  |
| Nadroparin                | 950 UI/ml        |    |    | 2-8°C     |    | 28  |    | 2310 |
| Nadroparin                | 950 UI/ml        |    |    | 22°C      |    | 28  |    | 2310 |
| Nafcillin sodium          | 250 mg/ml        |    |    | -20°C     |    | 270 |    | 574  |
| Nafcillin sodium          | 10 mg/ml         |    |    | 25°C      |    | 7   |    | 2352 |
| Nafcillin sodium          | 10 mg/ml         |    |    | 5°C       |    | 44  |    | 2352 |
| Nalbuphine hydrochloride  | 1 mg/ml          |    |    | -20°C     |    | 365 |    | 3264 |
| Nalbuphine hydrochloride  | 1 mg/ml          |    |    | 5°C       |    | 365 |    | 3264 |
| Nefopam                   | 2,5 mg/ml        |   |   | 20-25°C   |   | 48  |   | 4267 |
| Neostigmine methylsulfate | 1 mg/ml          |  |  | 25°C      |  | 90  |  | 1682 |
| Neostigmine methylsulfate | 1 mg/ml          |  |  | 4°C       |  | 90  |  | 1682 |
| Netilmicin sulfate        | 10 mg/ml         |  |  | 25°C      |  | 9   |  | 1929 |
| Netilmicin sulfate        | 10 & 100 mg/ml   |  |  | 7°C       |  | 90  |  | 1929 |
| Netilmicin sulfate        | 100 mg/ml        |  |  | 25°C      |  | 30  |  | 1929 |
| Nicardipine hydrochloride | 0,1-0,2 mg/ml    |  |  | 25°C      |  | 24  |  | 3941 |
| Nifedipine                | mg/g             |  |   | 23-27°C   |  | 365 |  | 3892 |
| Nitroglycerin             | 0.11 mg/ml       |  |  | 23-27°C   |  | 24  |  | 3536 |
| Nitroglycerin             | 1 mg/ml          |  |  | 25°C      |  | 24  |  | 196  |
| Nitroglycerin             | ? mg/ml          |  |  | -20°C     |  | 30  |  | 554  |
| Nitroglycerin             | ? mg/ml          |  |  | 25°C      |  | 6   |  | 554  |
| Nitroglycerin             | ? mg/ml          |  |  | 4°C       |  | 7   |  | 554  |
| Nitroglycerin             | 5 mg/ml          |  |  | 25°C      |  | 23  |  | 90   |
| Nitroglycerin             | mg/g             |  |   | 23-27°C   |  | 365 |  | 3892 |
| Nitroprusside sodium      | 0,001 mg/ml      |  |  | 20°C      |  | 264 |  | 2028 |
| Nitroprusside sodium      | 0,001 mg/ml      |  |  | 4°C       |  | 264 |  | 2028 |
| Nitroprusside sodium      | 0,5 & 1,67 mg/ml |  |  | 25°C      |  | 12  |  | 633  |
| Nitroprusside sodium      | 1 mg/ml          |  |  | 25°C      |  | 24  |  | 196  |
| Nitroprusside sodium      | 1 mg/ml          |  |  | 4°C       |  | 9   |  | 3903 |























































































































|                           |                      |  |  |           |  |     |  |      |
|---------------------------|----------------------|--|--|-----------|--|-----|--|------|
| Norepinephrine bitartrate | 0.01 mg/ml           |  |  | 2-8°C     |  | 90  |  | 4323 |
| Norepinephrine bitartrate | 0.1 mg/ml            |  |  | 2-8°C     |  | 7   |  | 3346 |
| Norepinephrine bitartrate | 0.1 mg/ml            |  |  | 2-8°C     |  | 90  |  | 4323 |
| Norepinephrine bitartrate | 0.2 mg/ml            |  |  | -20°C     |  | 365 |  | 3989 |
| Norepinephrine bitartrate | 0.2 mg/ml            |  |  | 5°C       |  | 365 |  | 3989 |
| Norepinephrine bitartrate | 0,5 mg/ml            |  |  | 20-25°C   |  | 48  |  | 4250 |
| Norepinephrine bitartrate | 1,16 mg/ml           |  |  | 20-25°C   |  | 48  |  | 4250 |
| Octreotide acetate        | 0,2 mg/ml            |  |  | -20°C     |  | 60  |  | 127  |
| Octreotide acetate        | 0,2 mg/ml            |  |  | 23°C      |  | 7   |  | 294  |
| Octreotide acetate        | 0,2 mg/ml            |  |  | 3°C       |  | 29  |  | 294  |
| Octreotide acetate        | 0,2 mg/ml            |  |  | 5°C       |  | 60  |  | 127  |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | -20°C     |  | 90  |  | 915  |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | 22-25°C   |  | 48  |  | 915  |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml |  |  | 4°C       |  | 14  |  | 915  |
| Ondansetron hydrochloride | 2 mg/ml              |  |  | -20°C     |  | 90  |  | 915  |
| Ondansetron hydrochloride | 2 mg/ml              |  |  | 22-25°C   |  | 48  |  | 915  |
| Ondansetron hydrochloride | 2 mg/ml              |  |  | 4°C       |  | 14  |  | 915  |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 25°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 37°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 100 mg/ml            |  |  | 24°C      |  | 35  |  | 1726 |
| Oxycodone hydrochloride   | 100 mg/ml            |  |  | 4°C       |  | 35  |  | 1726 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 25°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 1 mg/ml              |  |  | 37°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 10 mg/ml             |  |  | 25°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 10 mg/ml             |  |  | 37°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 50 mg/ml             |  |  | 25°C      |  | 7   |  | 2199 |
| Oxycodone hydrochloride   | 50 mg/ml             |  |  | 37°C      |  | 7   |  | 2199 |
| Pantoprazole sodium       | 4 mg/ml              |  |  | 2-8°C     |  | 28  |  | 3220 |
| Pantoprazole sodium       | 4 mg/ml              |  |  | 23°C-25°C |  | 48  |  | 2030 |
| Pantoprazole sodium       | 4 mg/ml              |  |  | 3°C-5°C   |  | 96  |  | 2030 |
| Paracetamol               | 10 mg/ml             |  |  | 23-25°C   |  | 84  |  | 3350 |
| Parecoxib sodium          | 13,3 & 20 mg/ml      |  |  | 25°C      |  | 48  |  | 1824 |
| Parecoxib sodium          | 13,3 & 20 mg/ml      |  |  | 5°C       |  | 48  |  | 1824 |

|                                  |                   |  |  |         |  |     |  |      |
|----------------------------------|-------------------|--|--|---------|--|-----|--|------|
| Parecoxib sodium                 | 13,3 & 20 mg/ml   |  |  | 25°C    |  | 48  |  | 1824 |
| Parecoxib sodium                 | 13,3 & 20 mg/ml   |  |  | 5°C     |  | 48  |  | 1824 |
| Parecoxib sodium                 | 13,3 & 20 mg/ml   |  |  | 25°C    |  | 48  |  | 1824 |
| Parecoxib sodium                 | 13,3 & 20 mg/ml   |  |  | 5°C     |  | 48  |  | 1824 |
| Pemetrexed disodium              | 25 mg/ml          |  |  | 23°C    |  | 2   |  | 2036 |
| Pemetrexed disodium              | 25 mg/ml          |  |  | 4°C     |  | 31  |  | 2036 |
| Pentobarbital sodium             | 50 mg/ml          |  |  | 25°C    |  | 31  |  | 1628 |
| Pentobarbital sodium             | 50 mg/ml          |  |  | 25°C    |  | 100 |  | 4303 |
| Pethidine hydrochloride          | 0,25 & 30 mg/ml   |  |  | 22°C    |  | 28  |  | 1750 |
| Pethidine hydrochloride          | 0,25 & 30 mg/ml   |  |  | 4°C     |  | 28  |  | 1750 |
| Pethidine hydrochloride          | 10 mg/ml          |  |  | -20°C   |  | 84  |  | 119  |
| Pethidine hydrochloride          | 10 mg/ml          |  |  | 23°C    |  | 84  |  | 119  |
| Pethidine hydrochloride          | 10 mg/ml          |  |  | 4°C     |  | 84  |  | 119  |
| Phenylephrine hydrochloride      | 0,1 mg/ml         |  |  | -20°C   |  | 30  |  | 2194 |
| Phenylephrine hydrochloride      | 0,1 mg/ml         |  |  | 23-25°C |  | 30  |  | 2194 |
| Phenylephrine hydrochloride      | 0,1 mg/ml         |  |  | 3-5°C   |  | 30  |  | 2194 |
| Piperacillin sodium              | 125 mg/ml         |  |  | 20-25°C |  | 24  |  | 4634 |
| Piperacillin sodium              | 40 mg/ml          |  |  | 25°C    |  | 5   |  | 1718 |
| Piperacillin sodium              | 40 mg/ml          |  |  | 5°C     |  | 28  |  | 1718 |
| Piperacillin sodium              | 125 mg/ml         |  |  | 20-25°C |  | 48  |  | 4634 |
| Piperacillin sodium / tazobactam | 125/15,6 mg/ml    |  |  | 20-25°C |  | 48  |  | 4634 |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml |  |  | 4°C     |  | 7   |  | 274  |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml |  |  | -15°C   |  | 30  |  | 274  |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml |  |  | 25°C    |  | 24  |  | 274  |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml    |  |  | -15°C   |  | 30  |  | 274  |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml    |  |  | 25°C    |  | 24  |  | 274  |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml    |  |  | 4°C     |  | 7   |  | 274  |
| Piperacillin sodium / tazobactam | 80 / 10 mg/ml     |  |  | 25°C    |  | 12  |  | 4326 |
| Plerixafor                       | 20 mg/ml          |  |  | 2-8°C   |  | 84  |  | 3896 |
| Plerixafor                       | 20 mg/ml          |  |  | 25°C    |  | 84  |  | 3896 |
| Polymyxine B                     | 2 mg/ml           |  |  | 25-30°C |  | 24  |  | 3895 |
| Polymyxine B                     | 2 mg/ml           |  |  | 4°C     |  | 168 |  | 3895 |
| Polymyxine B                     | 2 mg/ml           |  |  | 25-30°C |  | 24  |  | 3895 |

|                            |               |  |  |           |  |     |  |      |
|----------------------------|---------------|--|--|-----------|--|-----|--|------|
| Polymyxine B               | 2 mg/ml       |  |  | 4°C       |  | 168 |  | 3895 |
| Propafenone hydrochloride  | 0,5 & 2 mg/ml |  |  | 20°C-22°C |  | 48  |  | 193  |
| Propofol                   | < 2 mg/ml     |  |  | 25°C      |  | 6   |  | 3659 |
| Ranibizumab                | 10 mg/ml      |  |  | 4°C       |  | 30  |  | 4798 |
| Ranitidine hydrochloride   | 5 mg/ml       |  |  | 25°C      |  | 91  |  | 4131 |
| Ranitidine hydrochloride   | 5 mg/ml       |  |  | 5°C       |  | 91  |  | 4131 |
| Ranitidine hydrochloride   | 2,5 mg/ml     |  |  | 22°C      |  | 72  |  | 46   |
| Ranitidine hydrochloride   | 2,5 mg/ml     |  |  | 4°C       |  | 91  |  | 46   |
| Remifentanil hydrochloride | 10 µg/ml      |  |  | 2-8°C     |  | 21  |  | 4192 |
| Remifentanil hydrochloride | 10 µg/ml      |  |  | 23-27°C   |  | 90  |  | 4183 |
| Remifentanil hydrochloride | 20 µg/ml      |  |  | 2-8°C     |  | 21  |  | 4192 |
| Remifentanil hydrochloride | 4 µg/ml       |  |  | 23-27°C   |  | 90  |  | 4183 |
| Remifentanil hydrochloride | 4 & 10 µg/ml  |  |  | 23°C      |  | 90  |  | 4231 |
| Remifentanil hydrochloride | 50 µg/ml      |  |  | 2-8°C     |  | 21  |  | 4192 |
| Rituximab                  | 120 mg/ml     |  |  | 2-8°C     |  | 28  |  | 2825 |
| Rituximab                  | 120 mg/ml     |  |  | 30°C      |  | 24  |  | 2825 |
| Salbutamol sulfate         | 0,06 mg/ml    |  |  | 2-8°C     |  | 30  |  | 4342 |
| Salbutamol sulfate         | mg/ml         |  |  | 22-26°C   |  | 7   |  | 2670 |
| Salbutamol sulfate         | mg/ml         |  |  | 4°C       |  | 7   |  | 2670 |
| Sildenafil citrate         | 0,067 mg/ml   |  |  | 25°C      |  | 7   |  | 3274 |
| Sildenafil citrate         | 0,067 mg/ml   |  |  | 37°C      |  | 7   |  | 3274 |
| Sildenafil citrate         | 0,667 mg/ml   |  |  | 25°C      |  | 7   |  | 3274 |
| Sildenafil citrate         | 0,667 mg/ml   |  |  | 37°C      |  | 7   |  | 3274 |
| Sufentanil citrate         | 0,001 mg/ml   |  |  | 21°C      |  | 3   |  | 1835 |
| Sufentanil citrate         | 0,001 mg/ml   |  |  | 36°C      |  | 1   |  | 1835 |
| Sufentanil citrate         | 0,001 mg/ml   |  |  | 4°C       |  | 23  |  | 1835 |
| Sufentanil citrate         | 0,002 mg/ml   |  |  | 21°C      |  | 24  |  | 1752 |
| Sumatriptan succinate      | 12 mg/ml      |  |  | 2-5°C     |  | 72  |  | 1029 |
| Sumatriptan succinate      | 12 mg/ml      |  |  | 25°C      |  | 24  |  | 1029 |
| Suxamethonium chloride     | 20 mg/ml      |  |  | 25°C      |  | 100 |  | 667  |
| Suxamethonium chloride     | 20 mg/ml      |  |  | 40°C      |  | 22  |  | 667  |
| Suxamethonium chloride     | 20 mg/ml      |  |  | 5°C       |  | 107 |  | 667  |
| Suxamethonium chloride     | 20 mg/ml      |  |  | 25°C      |  | 45  |  | 1755 |

|                           |                       |  |    |           |  |     |  |      |
|---------------------------|-----------------------|--|----|-----------|--|-----|--|------|
| Suxamethonium chloride    | 20 mg/ml              |  |    | 4°C       |  | 90  |  | 1755 |
| Teduglutide               | 10 mg/ml              |  |    | -20°C     |  | 45  |  | 4725 |
| Teduglutide               | 10 mg/ml              |  |    | 4-8°C     |  | 28  |  | 4725 |
| Temocilline               | 125 mg/ml             |  |    | 25°C      |  | 24  |  | 2296 |
| Temocilline               | 125 mg/ml             |  |    | 25°C      |  | 24  |  | 2296 |
| Temocilline               | 125 mg/ml             |  |    | 25°C      |  | 24  |  | 2296 |
| Temocilline               | 125 mg/ml             |  | RL | 25°C      |  | 24  |  | 2296 |
| Terbutaline sulfate       | 1 mg/ml               |  |    | 25°C      |  | 60  |  | 449  |
| Terbutaline sulfate       | 1 mg/ml               |  |    | 25°C      |  | 7   |  | 449  |
| Terbutaline sulfate       | 1 mg/ml               |  |    | 4°C       |  | 60  |  | 449  |
| Thiopental sodium         | 25 mg/ml              |  |    | 22°C      |  | 6   |  | 871  |
| Thiopental sodium         | 25 mg/ml              |  |    | 25°C      |  | 5   |  | 527  |
| Thiopental sodium         | 25 mg/ml              |  |    | 3°C       |  | 6   |  | 871  |
| Thiopental sodium         | 25 mg/ml              |  |    | 5°C       |  | 45  |  | 527  |
| Tobramycin sulfate        | 40 mg/ml              |  |    | 25°C      |  | 60  |  | 709  |
| Tobramycin sulfate        | 40 mg/ml              |  |    | 4°C       |  | 60  |  | 709  |
| Tobramycin sulfate        | 30 mg/ml              |  |    | 22°C-23°C |  | 48  |  | 639  |
| Trastuzumab               | 120 mg/ml             |  |    | 2-8°C     |  | 48  |  | 3647 |
| Trastuzumab               | 120 mg/ml             |  |    | 2-8°C     |  | 28  |  | 2975 |
| Trastuzumab               | 120 mg/ml             |  |    | <30°C     |  | 6   |  | 3647 |
| Tropisetron hydrochloride | 1 mg/ml               |  |    | 20-25°C   |  | 14  |  | 924  |
| Tropisetron hydrochloride | 1 mg/ml               |  |    | 4°C       |  | 14  |  | 924  |
| Turoctocog alfa           | 125 >> 750 UI/ml      |  |    | 28-32°C   |  | 24  |  | 4502 |
| Urokinase                 | 0,0025 > 0,025 MUI/ml |  |    | -30°C     |  | 30  |  | 1941 |
| Urokinase                 | 0,005 MUI/ml          |  |    | -20°C     |  | 182 |  | 1061 |
| Urokinase                 | 0,005 MUI/ml          |  |    | 22-25°C   |  | 24  |  | 375  |
| Urokinase                 | 0,005 MUI/ml          |  |    | -20°C     |  | 56  |  | 2050 |
| Urokinase                 | 0,005 MUI/ml          |  |    | 37°C      |  | 56  |  | 2050 |
| Urokinase                 | 0,005 MUI/ml          |  |    | 7°C       |  | 56  |  | 2050 |
| Vancomycin hydrochloride  | 10 mg/ml              |  |    | 25°C      |  | 47  |  | 913  |
| Vancomycin hydrochloride  | 10 mg/ml              |  |    | 4°C       |  | 84  |  | 913  |
| Vancomycin hydrochloride  | 40 mg/ml              |  |    | 20-25°C   |  | 24  |  | 4007 |
| Vancomycin hydrochloride  | 10 mg/ml              |  |    | 4°C       |  | 84  |  | 913  |

|                          |                    |   |   |         |   |     |   |      |
|--------------------------|--------------------|---|---|---------|---|-----|---|------|
| Vancomycin hydrochloride | 41.67 mg/ml        |     |     | 18-25°C |     | 48  |     | 4089 |
| Vancomycin hydrochloride | 5 mg/ml            |    |    | 25°C    |    | 48  |    | 2173 |
| Vancomycin hydrochloride | 5 mg/ml            |    |    | 4°C     |    | 180 |    | 2173 |
| Vancomycin hydrochloride | 0,025 mg/ml        |    |    | 4°C     |    | 14  |    | 895  |
| Vancomycin hydrochloride | 10 mg/ml           |    |    | -20°C   |    | 168 |    | 2530 |
| Vancomycin hydrochloride | 10 mg/ml           |    |    | 25°C    |    | 62  |    | 913  |
| Vancomycin hydrochloride | 10 mg/ml           |    |    | 4°C     |    | 98  |    | 2530 |
| Vancomycin hydrochloride | 25 mg/ml           |    |    | 23-27°C |    | 24  |    | 4373 |
| Vancomycin hydrochloride | 40 mg/ml           |    |    | 20-25°C |    | 24  |    | 4007 |
| Vancomycin hydrochloride | 40 mg/ml           |    |    | 23-27°C |    | 24  |    | 4373 |
| Vancomycin hydrochloride | 10 mg/ml           |    |    | 25°C    |    | 55  |    | 913  |
| Vancomycin hydrochloride | 5 mg/ml            |    |    | 4°C     |    | 24  |    | 428  |
| Vancomycin hydrochloride | 62,5 mg/ml         |    |    | 20-25°C |    | 48  |    | 4348 |
| Vancomycin hydrochloride | 62,5 >> 83,3 mg/ml |    |    | 20-25°C |    | 48  |    | 4634 |
| Vancomycin hydrochloride | 83,3 mg/ml         |  |  | 20-25°C |  | 48  |  | 4348 |
| Vancomycin hydrochloride | 5 mg/ml            |  |  | 4°C     |  | 24  |  | 428  |
| Vancomycin hydrochloride | 5 mg/ml            |  |  | 4°C     |  | 24  |  | 428  |
| Vancomycin hydrochloride | 5 mg/ml            |  |  | 4°C     |  | 24  |  | 428  |
| Vancomycin hydrochloride | 5 mg/ml            |  |  | 4°C     |  | 24  |  | 428  |
| Vancomycin hydrochloride | 5 mg/ml            |  |  | 4°C     |  | 24  |  | 428  |
| Vecuronium bromide       | 1 mg/ml            |  |  | 23-25°C |  | 21  |  | 2209 |
| Vecuronium bromide       | 1 mg/ml            |  |  | 3-5°C   |  | 21  |  | 2209 |
| Vinblastine sulfate      | 1 mg/ml            |  |  | 21°C    |  | 30  |  | 1229 |
| Vinblastine sulfate      | 1 mg/ml            |  |  | 6°C-9°C |  | 30  |  | 1229 |
| Vincristine sulfate      | 0,025 mg/ml        |  |  | 2-8°C   |  | 84  |  | 3214 |
| Vincristine sulfate      | 0,025 mg/ml        |  |  | 25°C    |  | 84  |  | 3214 |
| Vincristine sulfate      | 0,025>>0,15 mg/ml  |  |  | 4°C     |  | 7   |  | 1602 |
| Vincristine sulfate      | 0,1 mg/ml          |  |  | 2-8°C   |  | 84  |  | 3214 |
| Vincristine sulfate      | 0,1 mg/ml          |  |  | 25°C    |  | 84  |  | 3214 |



# Dictionnaire

|      |                            |  |                                 |
|------|----------------------------|--|---------------------------------|
|      | Listes récapitulatives     |  | Stabilité des solutions         |
|      | Contenant                  |  | Seringue polypropylène          |
|      | Molécule                   |  | Concentration                   |
|      | Solvant                    |  | Température                     |
|      | Conservation               |  | Durée de stabilité              |
|      | Bibliographie              |  | Chlorure de sodium 0,9%         |
|      | Non précisée               |  | Jour                            |
|      | Aucun                      |  | Lumière                         |
|      | NaCl 0,9% ou glucose 5%    |  | A l'abri de la lumière          |
| RL   | Ringer lactate             |  | Glucose 10%                     |
|      | Heure                      |  | Eau pour préparation injectable |
|      | Eau ppi + bactériostatique |  | Glucose 5%                      |
|      | Eau ppi réfrigérée (4°C)   |  | Avec ou sans lumière            |
| EI B | Solution d'Elliott B       |  | NaCl 0.6%                       |
|      | Chlorure de sodium 0,45%   |  | NaCl 0,9% + bactériostatique    |
|      | NaCl 0,45% Glucose 5%      |  | Glucose 15%                     |
|      | Glucose 20%                |  | Glucose 25%                     |
|      | Glucose 30%                |  | Dictionnaire                    |