





















































































































Stabilis



|  |  |  |  |  |  |  |  | |
|---|---|---|---|--|---|---|---|------|
| Aciclovir sodium | 1 & 7 & 10 mg/ml |  |  | 23°C |  | 7 |  | 822 |
| Aciclovir sodium | 5 mg/ml |  |  | 2-8°C |  | 63 |  | 4573 |
| Aciclovir sodium | 5 mg/ml |  |  | -20°C |  | 90 |  | 3001 |
| Aciclovir sodium | 5 mg/ml |  |  | 2-8°C |  | 21 |  | 3001 |
| Aciclovir sodium | 10 mg/ml |  |  | 25°C |  | 30 |  | 1717 |
| Aciclovir sodium | 1 & 10 mg/ml |  |  | 25°C |  | 4 |  | 604 |
| Aciclovir sodium | 0,83 mg/ml |  |  | 19°C |  | 14 |  | 4792 |
| Aciclovir sodium | 10 mg/ml |  |  | 19°C |  | 14 |  | 4792 |
| Aciclovir sodium | 10 mg/ml |  |  | 32°C |  | 24 |  | 4792 |
| Adenosin | 2 mg/ml |  |  | 2-8°C |  | 14 |  | 4070 |
| Adenosin | 2 mg/ml |  |  | 20-25°C |  | 14 |  | 4070 |
| Adenosin | 0,006 mg/ml |  |  | 4°C |  | 180 |  | 820 |
| Adenosin | 2 mg/ml |  |  | 2-8°C |  | 14 |  | 4070 |
| Adenosin | 2 mg/ml |  |  | 20-25°C |  | 14 |  | 4070 |
| Adenosin | 2 mg/ml |  |  | 22°C |  | 180 |  | 2216 |
| Adenosin | 2 mg/ml |  |  | 37°C |  | 180 |  | 2216 |
| Adenosin | 2 mg/ml |  |  | 4°C |  | 180 |  | 2216 |
| Aflibercept | 0,6 mg/ml |  |  | 2-8°C |  | 14 |  | 4728 |
| Aflibercept | 4 mg/ml |  |  | 2-8°C |  | 14 |  | 4728 |
| Alizapride hydrochloride | 0,5 & 2 mg/ml |  |  | 2-8°C |  | 28 |  | 1688 |
| Alizapride hydrochloride | 0,5 & 2 mg/ml |  |  | 25°C |  | 7 |  | 1688 |
| Alizapride hydrochloride | 0,5 & 2 mg/ml |  |  | 25°C |  | 4 |  | 1688 |
| Alizapride hydrochloride | 0,5 & 2 mg/ml |  |  | 40°C |  | 4 |  | 1688 |
| Alizapride hydrochloride | 0,5 & 3 mg/ml |  |  | -20°C |  | 150 |  | 1455 |
| Alizapride hydrochloride | 0,5 & 3 mg/ml |  |  | 4°C |  | 150 |  | 1455 |
| Alprostadil | 25 µg/ml |  |  | 4°C |  | 82 |  | 2003 |
| Alprostadil | 11 µg/ml |  |  | 2-8°C |  | 10 |  | 3961 |

| | | | | | | | | |
|--------------------------------------|----------------|---|---|-----------|---|-----|--|------|
| Alprostadiil | 10 µg/ml | ? | ▲ | 2-8°C | | 15 | | 2151 |
| Alteplase | > 0,2 mg/ml | ? | ▲ | 2-8°C | | 24 | | 3616 |
| Alteplase | > 0,2 mg/ml | ? | ▲ | 25°C | ? | 8 | | 3616 |
| Amifostine | 50 mg/ml | | ▲ | 2-8°C | | 24 | | 3598 |
| Amifostine | 50 mg/ml | | ▲ | 25°C | ? | 6 | | 3598 |
| Amikacin sulfate | 5 mg/ml | | ▲ | 4°C | | 8 | | 434 |
| Amikacin sulfate | 0,25 & 5 mg/ml | | ▲ | 23°C | | 7 | | 1816 |
| Amikacin sulfate | 0,25 & 5 mg/ml | | ▲ | 4°C | | 30 | | 1816 |
| Amikacin sulfate | 190 mg/ml | | ▲ | 22°C-23°C | | 48 | | 639 |
| Amiodarone hydrochloride | 0,84 mg/ml | | ▲ | 25°C | | 6 | | 1733 |
| Amoxicillin sodium | 5 mg/ml | | ▲ | 2-8°C | | 4 | | 1845 |
| Amoxicillin sodium | 5 mg/ml | | ▲ | 25°C | | 24 | | 1845 |
| Amoxicillin sodium | 20 mg/ml | | ▲ | 20-25°C | | 12 | | 4634 |
| Amoxicillin sodium | 10 & 20 mg/ml | ? | ▲ | 25°C | ? | 8 | | 1333 |
| Amoxicillin sodium | 50 mg/ml | ? | ▲ | 25°C | ? | 3 | | 1333 |
| Amoxicillin sodium / clavulanic acid | 20 / 2 mg/ml | | ▲ | 20-25°C | | 4 | | 1746 |
| Amoxicillin sodium / clavulanic acid | 20 / 2 mg/ml | | ▲ | 4°C | | 8 | | 1746 |
| Amoxicillin sodium / clavulanic acid | 20 / 4 mg/ml | | ▲ | 20-25°C | | 4 | | 1746 |
| Amoxicillin sodium / clavulanic acid | 20 / 4 mg/ml | | ▲ | 4°C | | 8 | | 1746 |
| Ampicillin sodium | 24 mg/ml | | ▲ | 20-24°C | | 24 | | 4640 |
| Ampicillin sodium | 24 mg/ml | | ▲ | 3-4°C | | 72 | | 4640 |
| Ampicillin sodium | 5 mg/ml | | ▲ | 2-8°C | | 4 | | 1845 |
| Ampicillin sodium | 10 mg/ml | | ▲ | 23°C | | 24 | | 1705 |
| Ampicillin sodium | 10 mg/ml | | ▲ | 4°C | | 3 | | 1705 |
| Ampicillin sodium | 20 & 30 mg/ml | | ▲ | 25°C | ? | 8 | | 604 |
| Ampicillin sodium | 20 & 30 mg/ml | | ▲ | 4°C | | 48 | | 604 |
| Ampicillin sodium | 12 mg/ml | ? | ▲ | 25°C | ? | 24 | | 3880 |
| Ampicillin sodium - sulbactam sodium | 20 mg/ml | | ▲ | 24°C | ? | 24 | | 258 |
| Ampicillin sodium - sulbactam sodium | 20 mg/ml | | ▲ | 5°C | ? | 60 | | 258 |
| Angiotensin II | 10 µg/mL | | ▲ | 2-8°C | | 5 | | 4808 |
| Apomorphine | mg/ml | | ▲ | 2-8°C | ? | 24 | | 3615 |
| Apomorphine | mg/ml | | ▲ | 25°C | ? | 24 | | 3615 |
| Argatroban | 0,2 mg/ml | | ▲ | 25°C | | 180 | | 3235 |





































































































































| | | | | | | | | |
|------------------|-------------------|--|--|---------|--|-----|--|------|
| Argatroban | 0,5 mg/ml | | | 25°C | | 180 | | 3235 |
| Ascorbic acid | 9,3 mg/ml | | | 23-25°C | | 24 | | 1995 |
| Asparaginase | UI/ml | | | 4°C | | 7 | | 2148 |
| Asparaginase | ? UI/ml | | | 8°C | | 7 | | 1858 |
| Asparaginase | 80 UI/ml | | | 4°C | | 7 | | 3243 |
| Asparaginase | ? UI/ml | | | 8°C | | 7 | | 1858 |
| Atezolizumab | 2,4 >> 16,8 mg/ml | | | 2-8°C | | 90 | | 4583 |
| Atezolizumab | 2,4 >> 16,8 mg/ml | | | 30°C | | 24 | | 4583 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | 2-8°C | | 30 | | 4532 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | <30°C | | 24 | | 4532 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | 2-8°C | | 30 | | 4532 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | <30°C | | 24 | | 4532 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | 2-8°C | | 30 | | 4532 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | <30°C | | 24 | | 4532 |
| Atezolizumab | 2,4 >> 16,8 mg/ml | | | 2-8°C | | 90 | | 4583 |
| Atezolizumab | 2,4 >> 16,8 mg/ml | | | 30°C | | 24 | | 4583 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | 2-8°C | | 30 | | 4532 |
| Atezolizumab | 3.2 >> 16.8 mg/ml | | | <30°C | | 24 | | 4532 |
| Atropine sulfate | 2 mg/ml | | | 23°C | | 364 | | 2297 |
| Atropine sulfate | 2 mg/ml | | | 35°C | | 28 | | 2297 |
| Atropine sulfate | 2 mg/ml | | | 5°C | | 364 | | 2297 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 96 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 72 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 96 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 72 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 96 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 72 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 96 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 72 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 2-8°C | | 96 | | 4474 |
| Avelumab | 3.2 mg/mL | | | 20-25°C | | 72 | | 4474 |
| Azacitidine | 0.2 mg/ml | | | 25°C | | 1.9 | | 1039 |
| Azacitidine | 2 mg/ml | | | 25°C | | 2.4 | | 1039 |





































































































































| | | | | | | | | |
|----------------------------|--------------------|--|--|---------|--|------|--|------|
| Azacitidine | 1.4 >> 2.4 mg/ml | | | 4°C | | 3 | | 3816 |
| Azathioprine sodium | 2 mg/ml | | | 23°C | | 8 | | 1260 |
| Azathioprine sodium | 2 mg/ml | | | 4°C | | 16 | | 1260 |
| Aztreonam | 10 mg/ml | | | 24°C | | 4 | | 258 |
| Aztreonam | 10 mg/ml | | | 5°C | | 4 | | 258 |
| Aztreonam | 20 mg/ml | | | -20°C | | 120 | | 1233 |
| Aztreonam | 20 mg/ml | | | 4°C | | 120 | | 1233 |
| Aztreonam | 120 mg/ml | | | 25°C | | 12 | | 4326 |
| Aztreonam | 20 mg/ml | | | 25°C | | 48 | | 644 |
| Aztreonam | 40 mg/ml | | | 25°C | | 12 | | 4326 |
| Baclofen | 1 mg/ml | | | 37°C | | 70 | | 1601 |
| Baclofen | 3 mg/ml | | | 25°C | | 1095 | | 3969 |
| Baclofen | 3 mg/ml | | | 37°C | | 219 | | 3969 |
| Belimumab | 80 mg/ml | | | 15-25°C | | 8 | | 3936 |
| Belimumab | 80 mg/ml | | | 2-8°C | | 8 | | 3936 |
| Belimumab | ? mg/ml | | | 15-25°C | | 8 | | 3936 |
| Belimumab | ? mg/ml | | | 2-8°C | | 8 | | 3936 |
| Belimumab | ? mg/ml | | | 15-25°C | | 8 | | 3936 |
| Belimumab | ? mg/ml | | | 2-8°C | | 8 | | 3936 |
| Belinostat | 8 mg/ml | | | 15-25°C | | 36 | | 3721 |
| Bendamustine hydrochloride | ≈ 0.3 >> 0.6 mg/ml | | | 2-8°C | | 48 | | 3158 |
| Bendamustine hydrochloride | ≈ 0.3 >> 0.6 mg/ml | | | 25°C | | 3.5 | | 3158 |
| Bendamustine hydrochloride | ≈ 0.3 >> 0.4 mg/ml | | | 15-30°C | | 3 | | 2288 |
| Bendamustine hydrochloride | ≈ 0.3 >> 0.4 mg/ml | | | 2-8°C | | 24 | | 2288 |
| Bendamustine hydrochloride | 0,25 mg/ml | | | 23°C | | 9 | | 2289 |
| Bendamustine hydrochloride | 0,25 mg/ml | | | 4°C | | 4 | | 2289 |
| Bevacizumab | 1,4 & 16,5 mg/ml | | | 2-8°C | | 42 | | 4756 |
| Bevacizumab | 1,4 >>16,5 mg/ml | | | 2-8°C | | 35 | | 4516 |
| Bevacizumab | 1,4 >>16,5 mg/ml | | | 30°C | | 2 | | 4516 |
| Bevacizumab | 1.4 >> 16.5 mg/ml | | | 2-30°C | | 48 | | 4467 |
| Bevacizumab | 1.4 >> 16.5 mg/ml | | | 2-8°C | | 30 | | 4467 |
| Bevacizumab | 1,4 & 16,5 mg/ml | | | 2-8°C | | 90 | | 4745 |
| Bevacizumab | 1,4 & 16,5 mg/ml | | | 2-8°C | | 42 | | 4756 |





































































































































| | | | | | | | | |
|-------------------|-------------------|-----|---|-----------|---|----|--|------|
| Bevacizumab | 1,4 & 16,5 mg/ml | POF | ▲ | 22-28°C | | 3 | | 4745 |
| Bevacizumab | 1,4 & 16,5 mg/ml | POF | ▲ | 25°C | ? | 3 | | 4714 |
| Bevacizumab | 1,4 & 16,5 mg/ml | POF | ▲ | 4°C | | 90 | | 4714 |
| Bevacizumab | 1,4 & 16,5 mg/ml | POF | ▲ | 2-8°C | | 45 | | 4525 |
| Bevacizumab | 1,4 & 16,5 mg/ml | POF | ▲ | 28-32°C | | 3 | | 4525 |
| Bevacizumab | 1,4 >>16,5 mg/ml | POF | ▲ | 2-8°C | ? | 35 | | 4516 |
| Bevacizumab | 1,4 >>16,5 mg/ml | POF | ▲ | 30°C | | 2 | | 4516 |
| Bevacizumab | 1,4 >> 16,5 mg/ml | POF | ▲ | 2-30°C | ? | 48 | | 4467 |
| Bevacizumab | 1,4 >> 16,5 mg/ml | POF | ▲ | 2-8°C | ? | 30 | | 4467 |
| Bevacizumab | 16 mg/ml | POF | ▲ | 22°C | ? | 90 | | 2882 |
| Bevacizumab | 16 mg/ml | POF | ▲ | 4°C | ? | 90 | | 2882 |
| Bevacizumab | 2 mg/ml | POF | ▲ | 22°C | ? | 90 | | 2882 |
| Bevacizumab | 2 mg/ml | POF | ▲ | 4°C | ? | 90 | | 2882 |
| Bevacizumab | 1,4 & 16,5 mg/ml | EVA | ▲ | 2-8°C | ? | 42 | | 4756 |
| Bleomycin sulfate | 0,3 & 3 mg/ml | | ▲ | 22°C-25°C | ? | 24 | | 252 |
| Bleomycin sulfate | 3 mg/ml | | ▲ | 2-8°C | ? | 24 | | 3646 |
| Bleomycin sulfate | 0,3 & 3 mg/ml | PVC | ▲ | 22°C-25°C | ? | 24 | | 252 |
| Bleomycin sulfate | 0,75 mg/ml | PP | ▲ | 22°C | | 7 | | 3420 |
| Bleomycin sulfate | 0,75 mg/ml | PP | ▲ | 4°C | | 7 | | 3420 |
| Blinatumomab | 0,26 µg/ml | POF | ▲ | 2-8°C | ? | 10 | | 3774 |
| Blinatumomab | 0,26 µg/ml | POF | ▲ | 23-27°C | ? | 96 | | 3774 |
| Blinatumomab | 0,26 µg/ml | EVA | ▲ | 2-8°C | ? | 10 | | 3774 |
| Blinatumomab | 0,26 µg/ml | EVA | ▲ | 23-27°C | ? | 96 | | 3774 |
| Bortezomib | 1 mg/ml | | ▲ | 2-6°C | | 10 | | 3337 |
| Bortezomib | 1 mg/ml | | ▲ | 2-8°C | | 28 | | 4137 |
| Bortezomib | 1 mg/ml | | ▲ | 23°C | | 42 | | 2232 |
| Bortezomib | 1 mg/ml | | ▲ | 25°C | | 7 | | 4137 |
| Bortezomib | 1 mg/ml | | ▲ | 28°C | | 8 | | 3337 |
| Bortezomib | 1 mg/ml | | ▲ | 4°C | | 28 | | 2011 |
| Bortezomib | 1 mg/ml | | ▲ | 4°C | | 42 | | 2232 |
| Bortezomib | 1 mg/ml | | ▲ | 4°C | | 7 | | 3190 |
| Bortezomib | 1 mg/ml | | ▲ | 5°C | | 5 | | 2010 |
| Bortezomib | 1 & 2,5 mg/ml | | ▲ | 25°C | | 8 | | 1911 |





































































































































| | | | | | | | | |
|---------------------------|---------------|--|--|---------|--|----|--|------|
| Bortezomib | 1 & 2.5 mg/ml | | | 25°C | | 25 | | 4485 |
| Bortezomib | 1 & 2.5 mg/ml | | | 4°C | | 35 | | 4485 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 23°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 25°C | | 33 | | 3418 |
| Bortezomib | 2,5 mg/ml | | | 25°C | | 7 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 4°C | | 30 | | 3349 |
| Bortezomib | 2.5 mg/ml | | | 2-8°C | | 14 | | 3537 |
| Bortezomib | 1 mg/ml | | | 2-6°C | | 10 | | 3337 |
| Bortezomib | 1 mg/ml | | | 2-8°C | | 35 | | 3240 |
| Bortezomib | 1 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 1 mg/ml | | | 22°C | | 3 | | 2010 |
| Bortezomib | 1 mg/ml | | | 25°C | | 14 | | 3240 |
| Bortezomib | 1 mg/ml | | | 25°C | | 7 | | 4137 |
| Bortezomib | 1 mg/ml | | | 5°C | | 5 | | 2010 |
| Bortezomib | 1 & 2.5 mg/ml | | | 25°C | | 25 | | 4485 |
| Bortezomib | 1 & 2.5 mg/ml | | | 4°C | | 35 | | 4485 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 23°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 25°C | | 7 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 4°C | | 23 | | 3418 |
| Bortezomib | 2.5 mg/ml | | | 2-8°C | | 14 | | 3537 |
| Bortezomib | 2.5 mg/ml | | | 2-8°C | | 30 | | 3447 |
| Bortezomib | 2.5 mg/ml | | | 2-8°C | | 30 | | 3447 |
| Bretylum tosilate | 1 mg/ml | | | 25°C | | 30 | | 1193 |
| Bupivacaine hydrochloride | 1,25 mg/ml | | | 23°C | | 32 | | 293 |
| Bupivacaine hydrochloride | 1,25 mg/ml | | | 3°C | | 32 | | 293 |
| Busulfan | 0.5 mg/ml | | | 13-15°C | | 36 | | 2188 |
| Busulfan | 0.5 mg/ml | | | 2-8°C | | 48 | | 2188 |
| Busulfan | 0.5 mg/ml | | | 13-15°C | | 36 | | 2188 |
| Busulfan | 0.5 mg/ml | | | 2-8°C | | 19 | | 2188 |





































































































































| | | | | | | | | |
|---------------------|--------------------|-----|---|-------|---|----|---|------|
| Busulfan | 0,12 mg/ml | POF | ▲ | 25°C | ? | 12 | ☑ | 3198 |
| Busulfan | 0,12 mg/ml | POF | ▲ | 4°C | ? | 12 | ☑ | 3198 |
| Busulfan | 0,24 mg/ml | POF | ▲ | 25°C | ? | 8 | ☑ | 3198 |
| Busulfan | 0,24 mg/ml | POF | ▲ | 4°C | ? | 16 | ☑ | 3198 |
| Busulfan | 0,54 mg/ml | PP | ▲ | 2-8°C | ☀ | 30 | ☑ | 4033 |
| Cabazitaxel | 0,15 mg/ml | POF | ▲ | 25°C | ☀ | 28 | ☐ | 3804 |
| Cabazitaxel | 0,15 mg/ml | POF | ▲ | 4°C | ☀ | 28 | ☐ | 3804 |
| Calcium chloride | 9,3 mg/ml | PVC | ▲ | 25°C | ☀ | 7 | ☐ | 3307 |
| Carboplatin | 0,25 mg/ml | PVC | ▲ | 2-8°C | ☀ | 3 | ☐ | 3830 |
| Carboplatin | 0,25 mg/ml | PVC | ▲ | 25°C | ☀ | 24 | ☑ | 3830 |
| Carboplatin | 2 mg/ml | PVC | ▲ | 2-8°C | ☀ | 7 | ☐ | 3830 |
| Carboplatin | 2 mg/ml | PVC | ▲ | 25°C | ☀ | 24 | ☑ | 3830 |
| Carboplatin | 4 mg/ml | PVC | ▲ | 2-8°C | ☀ | 7 | ☐ | 3830 |
| Carboplatin | 4 mg/ml | PVC | ▲ | 25°C | ☀ | 2 | ☐ | 3830 |
| Carmustine | 0,96 mg/ml | PP | ▲ | 4°C | ☀ | 48 | ☑ | 146 |
| Caspofungin acetate | 0,14 >> 0,47 mg/ml | PP | ▲ | 2-8°C | ☀ | 48 | ☑ | 1519 |
| Caspofungin acetate | 0,14 >> 0,47 mg/ml | PP | ▲ | 25°C | ? | 24 | ☑ | 1519 |
| Caspofungin acetate | 0,14 >> 0,47 mg/ml | PVC | ▲ | 2-8°C | ☀ | 48 | ☑ | 1519 |
| Caspofungin acetate | 0,14 >> 0,47 mg/ml | PVC | ▲ | 25°C | ? | 24 | ☑ | 1519 |
| Caspofungin acetate | 0,5 mg/ml | PP | ▲ | 2-8°C | ? | 28 | ☐ | 4067 |
| Caspofungin acetate | 0,2 >> 0,5 mg/ml | PI | ▲ | 2-8°C | ? | 14 | ☐ | 3140 |
| Caspofungin acetate | 0,2 >> 0,5 mg/ml | PI | ▲ | 25°C | ? | 60 | ☑ | 3140 |
| Catumaxomab | 0,2 >> 3 µg/ml | PP | ▲ | 2-8°C | ? | 48 | ☑ | 2343 |
| Catumaxomab | 0,2 >> 3 µg/ml | PP | ▲ | 25°C | ? | 24 | ☑ | 2343 |
| Cefamandole nafate | 285 mg/ml | PP | ▲ | 25°C | ? | 72 | ☑ | 612 |
| Cefamandole nafate | 285 mg/ml | PP | ▲ | 5°C | ☀ | 10 | ☐ | 612 |
| Cefazolin sodium | 10 mg/ml | PP | ▲ | 2-8°C | ☀ | 28 | ☐ | 1452 |
| Cefazolin sodium | 10 mg/ml | PP | ▲ | 25°C | ? | 7 | ☐ | 1452 |
| Cefazolin sodium | 10 mg/ml | POF | ▲ | 2-8°C | ☀ | 28 | ☐ | 1452 |
| Cefazolin sodium | 10 mg/ml | POF | ▲ | 25°C | ? | 7 | ☐ | 1452 |
| Cefazolin sodium | 10 mg/ml | EVA | ▲ | 23°C | ☀ | 5 | ☐ | 1840 |
| Cefazolin sodium | 10 mg/ml | EVA | ▲ | 4°C | ☀ | 30 | ☐ | 1840 |
| Cefazolin sodium | 50 mg/ml | PP | ▲ | 25°C | ? | 7 | ☐ | 1814 |





































































































































| | | | | | | | | |
|--------------------------|--------------|---|---|-----------|---|----|---|------|
| Cefazolin sodium | 50 mg/ml |  |  | 5°C |  | 22 |  | 1814 |
| Cefepime dihydrochloride | 10 mg/ml |  |  | 22°C-24°C |  | 1 |  | 1605 |
| Cefepime dihydrochloride | 2,5 mg/ml |  |  | 22°C-24°C |  | 6 |  | 1605 |
| Cefepime dihydrochloride | 5 mg/ml |  |  | 22°C-24°C |  | 3 |  | 1605 |
| Cefepime dihydrochloride | 10 mg/ml |  |  | 23°C |  | 2 |  | 1834 |
| Cefepime dihydrochloride | 10 mg/ml |  |  | 4°C |  | 30 |  | 1834 |
| Cefepime dihydrochloride | 40 mg/ml |  |  | 23°C |  | 1 |  | 1834 |
| Cefepime dihydrochloride | 40 mg/ml |  |  | 4°C |  | 7 |  | 1834 |
| Cefepime dihydrochloride | 100 mg/ml |  |  | 22°C-24°C |  | 2 |  | 1046 |
| Cefepime dihydrochloride | 120 mg/ml |  |  | 25°C |  | 10 |  | 4326 |
| Cefepime dihydrochloride | 20 mg/ml |  |  | 25°C |  | 2 |  | 1626 |
| Cefepime dihydrochloride | 20 mg/ml |  |  | 25°C |  | 12 |  | 4326 |
| Cefepime dihydrochloride | 20 mg/ml |  |  | 5°C |  | 21 |  | 1626 |
| Cefepime dihydrochloride | 40 mg/ml |  |  | 25°C |  | 10 |  | 4326 |
| Cefmetazole sodium | 4 & 20 mg/ml |  |  | 23°C |  | 48 |  | 1664 |
| Cefotaxime sodium | 20 mg/ml |  |  | 2-8°C |  | 24 |  | 1452 |
| Cefotaxime sodium | 20 mg/ml |  |  | 25°C |  | 24 |  | 1452 |
| Cefotaxime sodium | 20 mg/ml |  |  | 2-8°C |  | 24 |  | 1452 |
| Cefotaxime sodium | 20 mg/ml |  |  | 25°C |  | 24 |  | 1452 |
| Cefotaxime sodium | 50 mg/ml |  |  | 25°C |  | 24 |  | 1711 |
| Cefotaxime sodium | 50 mg/ml |  |  | 5°C |  | 18 |  | 1711 |
| Ceftaroline fosamil | 4>>12 mg/ml |  |  | 2-8°C |  | 24 |  | 3812 |
| Ceftaroline fosamil | 4>>12 mg/ml |  |  | 25°C |  | 6 |  | 3812 |
| Ceftaroline fosamil | 6 mg/ml |  |  | 25°C |  | 24 |  | 4059 |
| Ceftaroline fosamil | 6 mg/ml |  |  | 30°C |  | 12 |  | 4059 |
| Ceftaroline fosamil | 6 mg/ml |  |  | 35°C |  | 12 |  | 4059 |
| Ceftaroline fosamil | 6 mg/ml |  |  | 4°C |  | 6 |  | 4059 |
| Ceftazidime | 20 mg/ml |  |  | 2-8°C |  | 10 |  | 1452 |
| Ceftazidime | 20 mg/ml |  |  | 25°C |  | 2 |  | 1452 |
| Ceftazidime | 40 mg/ml |  |  | 20°C |  | 20 |  | 1651 |
| Ceftazidime | 20 mg/ml |  |  | 2-8°C |  | 10 |  | 1452 |
| Ceftazidime | 20 mg/ml |  |  | 25°C |  | 2 |  | 1452 |
| Ceftazidime | 20 mg/ml |  |  | 23°C |  | 24 |  | 1840 |

| | | | | | | | | |
|-------------------------------|-------------------|---|---|-----------|---|----|---|------|
| Ceftazidime | 20 mg/ml |  |  | 4°C |  | 7 |  | 1840 |
| Ceftazidime | 125 mg/ml |  |  | 20-25°C |  | 24 |  | 4634 |
| Ceftazidime | 20 mg/ml |  |  | -20°C |  | 90 |  | 4032 |
| Ceftazidime | 20 mg/ml |  |  | 2-8°C |  | 7 |  | 4032 |
| Ceftazidime | 120 mg/ml |  |  | 27°C |  | 16 |  | 287 |
| Ceftazidime | 60 mg/ml |  |  | -20°C |  | 14 |  | 817 |
| Ceftazidime | 60 mg/ml |  |  | 27°C |  | 24 |  | 287 |
| Ceftazidime | 60 mg/ml |  |  | 4°C |  | 14 |  | 817 |
| Ceftazidime | 60 & 120 mg/ml |  |  | 4°C |  | 6 |  | 287 |
| Ceftazidime Avibactam | 25/6,25 mg/ml |  |  | 37°C |  | 12 |  | 4634 |
| Ceftizoxime sodium | 20 mg/ml |  |  | 22°C |  | 4 |  | 591 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 2-8°C |  | 4 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 25°C |  | 24 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 25°C |  | 8 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 2-8°C |  | 4 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 25°C |  | 24 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 25°C |  | 8 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 2-8°C |  | 4 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 25°C |  | 24 |  | 4650 |
| Ceftobiprole medocaril sodium | 2,67 mg/ml |  |  | 25°C |  | 8 |  | 4650 |
| Ceftolozane / tazobactam | 87.7 / 43.8 mg/ml |  |  | 2-8°C |  | 4 |  | 3803 |
| Ceftolozane / tazobactam | 13.33/6.66 mg/ml |  |  | 32°C |  | 18 |  | 4645 |
| Ceftolozane / tazobactam | 13.33/6.66 mg/ml |  |  | 8°C |  | 8 |  | 4645 |
| Ceftolozane / tazobactam | 25/12,5 mg/ml |  |  | 37°C |  | 12 |  | 4634 |
| Ceftolozane / tazobactam | 3.33/1.66 mg/ml |  |  | 32°C |  | 18 |  | 4645 |
| Ceftolozane / tazobactam | 3.33/1.66 mg/ml |  |  | 8°C |  | 8 |  | 4645 |
| Ceftolozane / tazobactam | 13.33/6.66 mg/ml |  |  | 32°C |  | 18 |  | 4645 |
| Ceftolozane / tazobactam | 13.33/6.66 mg/ml |  |  | 8°C |  | 8 |  | 4645 |
| Ceftolozane / tazobactam | 3.33/1.66 mg/ml |  |  | 32°C |  | 18 |  | 4645 |
| Ceftolozane / tazobactam | 3.33/1.66 mg/ml |  |  | 8°C |  | 8 |  | 4645 |
| Ceftriaxone disodium | 10 mg/ml |  |  | 5°C |  | 21 |  | 589 |
| Ceftriaxone disodium | 10 & 50 mg/ml |  |  | 15°C-32°C |  | 7 |  | 589 |
| Ceftriaxone disodium | 20 mg/ml |  |  | 2-8°C |  | 28 |  | 1452 |

| | | | | | | | | |
|----------------------------|-----------------|---|---|-----------|---|-----|---|------|
| Ceftriaxone disodium | 20 mg/ml |  |  | 25°C |  | 24 |  | 432 |
| Ceftriaxone disodium | 20 mg/ml |  |  | 25°C |  | 5 |  | 1452 |
| Ceftriaxone disodium | 50 mg/ml |  |  | 5°C |  | 35 |  | 589 |
| Ceftriaxone disodium | 40 mg/ml |  |  | 23°C |  | 3 |  | 640 |
| Ceftriaxone disodium | 40 mg/ml |  |  | 4°C |  | 30 |  | 640 |
| Ceftriaxone disodium | 20 mg/ml |  |  | 2-8°C |  | 28 |  | 1452 |
| Ceftriaxone disodium | 20 mg/ml |  |  | 25°C |  | 5 |  | 1452 |
| Ceftriaxone disodium | 10 & 20 mg/ml |  |  | 23°C |  | 3 |  | 1840 |
| Ceftriaxone disodium | 10 & 20 mg/ml |  |  | 4°C |  | 30 |  | 1840 |
| Cefuroxime sodium | 7,5 mg/ml |  |  | 2-8°C |  | 7 |  | 1452 |
| Cefuroxime sodium | 7,5 mg/ml |  |  | 25°C |  | 24 |  | 1452 |
| Cefuroxime sodium | 7,5 mg/ml |  |  | 2-8°C |  | 7 |  | 1452 |
| Cefuroxime sodium | 7,5 mg/ml |  |  | 25°C |  | 24 |  | 1452 |
| Cefuroxime sodium | 10 mg/ml |  |  | -18°C |  | 120 |  | 3569 |
| Cefuroxime sodium | 10 mg/ml |  |  | -20°C |  | 365 |  | 1972 |
| Cefuroxime sodium | 10 mg/ml |  |  | 25°C |  | 16 |  | 1972 |
| Cefuroxime sodium | 10 mg/ml |  |  | 5°C |  | 21 |  | 1972 |
| Cefuroxime sodium | 50 mg/ml |  |  | 25°C |  | 2 |  | 1813 |
| Cefuroxime sodium | 50 mg/ml |  |  | 5°C |  | 21 |  | 1813 |
| Cefuroxime sodium | 90 mg/ml |  |  | 25°C |  | 48 |  | 4284 |
| Cefuroxime sodium | 90 mg/ml |  |  | 4°C |  | 14 |  | 4284 |
| Cefuroxime sodium | 10 mg/ml |  |  | -20°C |  | 365 |  | 1972 |
| Cefuroxime sodium | 10 mg/ml |  |  | 25°C |  | 16 |  | 1972 |
| Cefuroxime sodium | 10 mg/ml |  |  | 5°C |  | 21 |  | 1972 |
| Cetuximab | 0.45 >> 5 mg/ml |  |  | 25°C |  | 48 |  | 2220 |
| Cetuximab | 0.45 >> 5 mg/ml |  |  | 25°C |  | 48 |  | 2220 |
| Cetuximab | 0.45 >> 5 mg/ml |  |  | 25°C |  | 48 |  | 2220 |
| Cetuximab | 1 mg/ml |  |  | 25°C |  | 3 |  | 4755 |
| Cetuximab | 1 mg/ml |  |  | 4°C |  | 90 |  | 4755 |
| Cetuximab | 0.45 >> 5 mg/ml |  |  | 25°C |  | 48 |  | 2220 |
| Chlormethine hydrochloride | 1 mg/ml |  |  | 21°C-23°C |  | 6 |  | 558 |
| Chlormethine hydrochloride | 1 mg/ml |  |  | 4°C |  | 6 |  | 558 |
| Chlormethine hydrochloride | 0,02 mg/ml |  |  | 21°C-23°C |  | 3 |  | 558 |





































































































































| | | | | | | | | |
|----------------------------|-----------------|---|---|---------|---|-----|---|------|
| Chlormethine hydrochloride | 0,02 mg/ml |  |  | 4°C |  | 3 |  | 558 |
| Chloroquine sulfate | 0,48 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Chloroquine sulfate | 0,48 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Chloroquine sulfate | 0,48 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Ciclosporin | 2 mg/ml |  |  | 24°C |  | 12 |  | 454 |
| Cidofovir | 0,2 & 8,1 mg/ml |  |  | -20°C |  | 5 |  | 71 |
| Cidofovir | 0,2 & 8,1 mg/ml |  |  | 2-8°C |  | 5 |  | 71 |
| Cidofovir | 0,2 & 8,1 mg/ml |  |  | -20°C |  | 5 |  | 71 |
| Cidofovir | 0,2 & 8,1 mg/ml |  |  | 2-8°C |  | 5 |  | 71 |
| Cidofovir | 6.25 mg/ml |  |  | 25°C |  | 150 |  | 1989 |
| Cidofovir | 6.25 mg/ml |  |  | 32°C |  | 150 |  | 1989 |
| Cidofovir | 6.25 mg/ml |  |  | 4°C |  | 150 |  | 1989 |
| Cimetidine hydrochloride | 1,2 & 5 mg/ml |  |  | 25°C |  | 7 |  | 747 |
| Ciprofloxacin lactate | 4 mg/ml |  |  | 23°C |  | 7 |  | 1614 |
| Ciprofloxacin lactate | 4 mg/ml |  |  | 4°C |  | 30 |  | 1614 |
| Cisatracurium besylate | 0,1 mg/ml |  |  | 23-27°C |  | 48 |  | 4358 |
| Cisatracurium besylate | 0,1 mg/ml |  |  | 4-6°C |  | 7 |  | 4358 |
| Cisatracurium besylate | 0,1 mg/ml |  |  | 23-27°C |  | 2 |  | 4358 |
| Cisatracurium besylate | 0,1 mg/ml |  |  | 4-6°C |  | 7 |  | 4358 |
| Cisplatin | 0,166 mg/ml |  |  | 30°C |  | 14 |  | 147 |
| Cisplatin | 0,1 mg/ml |  |  | 25°C |  | 28 |  | 3183 |
| Cisplatin | 0,166 mg/ml |  |  | 30°C |  | 14 |  | 147 |
| Cisplatin | 0,4 mg/ml |  |  | 25°C |  | 28 |  | 3183 |
| Cisplatin | 0,166 mg/ml |  |  | 30°C |  | 14 |  | 147 |
| Cisplatin | 0,166 mg/ml |  |  | 30°C |  | 14 |  | 147 |
| Cisplatin | 0,006 mg/ml |  |  | 25°C |  | 21 |  | 4137 |
| Cisplatin | 0,06 mg/ml |  |  | 25°C |  | 21 |  | 4137 |
| Cisplatin | 0,12 mg/ml |  |  | 25°C |  | 21 |  | 4137 |
| Cisplatin | 0.5 mg/ml |  |  | 2-8°C |  | 28 |  | 3670 |
| Cisplatin | 0,5 & 0,9 mg/ml |  |  | 22°C |  | 28 |  | 149 |
| Cisplatin | 0,5 & 0,9 mg/ml |  |  | 35°C |  | 28 |  | 149 |
| Cisplatin | 0,1 mg/ml |  |  | 2-8°C |  | 7 |  | 1729 |
| Cisplatin | 0,1 mg/ml |  |  | 21-25°C |  | 4 |  | 1729 |

| | | | | | | | | |
|--------------------------|-------------------|---|---|-----------|---|-----|---|------|
| Cladribine | 0,016 mg/ml |  |  | 18°C |  | 30 |  | 1505 |
| Cladribine | 0,016 mg/ml |  |  | 4°C |  | 30 |  | 1505 |
| Cladribine | 0,016 mg/ml |  |  | 18°C |  | 30 |  | 1505 |
| Cladribine | 0,016 mg/ml |  |  | 4°C |  | 30 |  | 1505 |
| Cladribine | ? mg/ml |  |  | 25°C |  | 24 |  | 3579 |
| Clindamycin phosphate | 6 & 12 mg/ml |  |  | 23°C |  | 7 |  | 1815 |
| Clindamycin phosphate | 6 & 12 mg/ml |  |  | 4°C |  | 30 |  | 1815 |
| Clindamycin phosphate | 150 mg/ml |  |  | 22°C-23°C |  | 48 |  | 639 |
| Clindamycin phosphate | 60 mg/ml |  |  | 25°C |  | 48 |  | 644 |
| Clindamycin phosphate | 2 & 12 mg/ml |  |  | 25°C |  | 24 |  | 604 |
| Clindamycin phosphate | 2 & 12 mg/ml |  |  | 4°C |  | 10 |  | 604 |
| Clindamycin phosphate | 9,5 mg/ml |  |  | 2-8°C |  | 49 |  | 4622 |
| Clindamycin phosphate | 9,5 mg/ml |  |  | 25°C |  | 24 |  | 4622 |
| Clofarabine | 0,1 >> 0,3 mg/ml |  |  | 2-8°C |  | 2 |  | 3313 |
| Clofarabine | 0,2 >> 0,65 mg/ml |  |  | 2-8°C |  | 3 |  | 2272 |
| Clofarabine | 0,2 >> 0,65 mg/ml |  |  | 25°C |  | 3 |  | 2272 |
| Clonazepam | 0,1 mg/ml |  |  | 25°C |  | 10 |  | 1246 |
| Clonazepam | 0,2 mg/ml |  |  | 25°C |  | 10 |  | 1246 |
| Clonidine hydrochloride | 0,15 mg/ml |  |  | 23°C |  | 730 |  | 650 |
| Clonidine hydrochloride | 0,15 mg/ml |  |  | 4°C |  | 730 |  | 650 |
| Clonidine hydrochloride | 0,15 & 0,5 mg/ml |  |  | 37°C |  | 90 |  | 650 |
| Clonidine hydrochloride | 0,2 mg/ml |  |  | 37°C |  | 70 |  | 1601 |
| Clonidine hydrochloride | 0,5 mg/ml |  |  | 23°C |  | 545 |  | 650 |
| Clonidine hydrochloride | 0,5 mg/ml |  |  | 4°C |  | 545 |  | 650 |
| Clonidine hydrochloride | 2 mg/ml |  |  | 40°C |  | 180 |  | 2317 |
| Cloxacillin sodium | 10 mg/ml |  |  | -20°C |  | 100 |  | 1329 |
| Cloxacillin sodium | 20 mg/ml |  |  | -27°C |  | 270 |  | 1349 |
| Cloxacillin sodium | 5 >> 50 mg/ml |  |  | 23°C |  | 1 |  | 1278 |
| Co-trimoxazole | 0,6/3,2 mg/ml |  |  | 23-25°C |  | 24 |  | 1197 |
| Co-trimoxazole | 0,8 / 4 mg/ml |  |  | 23°C-25°C |  | 14 |  | 442 |
| Co-trimoxazole | 1,07 / 5,33 mg/ml |  |  | 23°C-25°C |  | 2 |  | 442 |
| Co-trimoxazole | 1,6/8 mg/ml |  |  | 23-25°C |  | 24 |  | 1197 |
| Colistin mesilate sodium | 1,6 mg/ml |  |  | 2-8°C |  | 7 |  | 4178 |

| | | | | | | | | |
|--------------------------|-----------------|---|---|---------|---|----|---|------|
| Colistin mesilate sodium | 1,6 mg/ml |  |  | 20-24°C |  | 1 |  | 4178 |
| Colistin mesilate sodium | 0,8 & 2,4 mg/ml |  |  | 2-8°C |  | 7 |  | 4178 |
| Colistin mesilate sodium | 0,8 & 2,4 mg/ml |  |  | 20-24°C |  | 1 |  | 4178 |
| Colistin mesilate sodium | 0,8 mg/ml |  |  | 4°C |  | 3 |  | 2783 |
| Crisantaspase | 5000 & 10000 UI |  |  | <25°C |  | 8 |  | 4480 |
| Crisantaspase | 5000 & 10000 UI |  |  | <25°C |  | 8 |  | 4480 |
| Cyclophosphamide | 0,4 mg/ml |  |  | 2-8°C |  | 14 |  | 1728 |
| Cyclophosphamide | 0,4 mg/ml |  |  | 21-25°C |  | 6 |  | 1728 |
| Cyclophosphamide | 1 mg/ml |  |  | 25°C |  | 7 |  | 172 |
| Cytarabine | 0,1 mg/ml |  |  | 20-25°C |  | 28 |  | 2255 |
| Cytarabine | 1 mg/ml |  |  | 2-8°C |  | 28 |  | 4455 |
| Cytarabine | 1 mg/ml |  |  | 25°C |  | 14 |  | 4455 |
| Cytarabine | 10 mg/ml |  |  | 2-8°C |  | 28 |  | 4455 |
| Cytarabine | 10 mg/ml |  |  | 25°C |  | 5 |  | 4455 |
| Cytarabine | 5 mg/ml |  |  | 2-8°C |  | 28 |  | 4455 |
| Cytarabine | 5 mg/ml |  |  | 25°C |  | 7 |  | 739 |
| Cytarabine | 5 mg/ml |  |  | 25°C |  | 8 |  | 4455 |
| Cytarabine | 0,1 mg/ml |  |  | 20-25°C |  | 28 |  | 2255 |
| Cytarabine | 0,1 mg/ml |  |  | 20-25°C |  | 28 |  | 2255 |
| Cytarabine | 0,1 mg/ml |  |  | 20-25°C |  | 28 |  | 2255 |
| Cytarabine | 1 mg/ml |  |  | 2-8°C |  | 28 |  | 4455 |
| Cytarabine | 1 mg/ml |  |  | 25°C |  | 14 |  | 4455 |
| Cytarabine | 10 mg/ml |  |  | 2-8°C |  | 28 |  | 4455 |
| Cytarabine | 10 mg/ml |  |  | 25°C |  | 5 |  | 4455 |
| Cytarabine | 5 mg/ml |  |  | 2-8°C |  | 28 |  | 4455 |
| Cytarabine | 5 mg/ml |  |  | 25°C |  | 8 |  | 4455 |
| Dacarbazine | 0,64 mg/ml |  |  | 23°C |  | 48 |  | 1501 |
| Dacarbazine | 0,64 mg/ml |  |  | 4°C |  | 48 |  | 1501 |
| Dacarbazine | 0,64 mg/ml |  |  | 23°C |  | 48 |  | 1501 |
| Dacarbazine | 0,64 mg/ml |  |  | 4°C |  | 48 |  | 1501 |
| Dacarbazine | 0,64 mg/ml |  |  | 23°C |  | 48 |  | 1501 |
| Dacarbazine | 0,64 mg/ml |  |  | 4°C |  | 48 |  | 1501 |
| Dalteparin sodium | 1000 UI/ml |  |  | 2-8°C |  | 30 |  | 4031 |

| | | | | | | | | |
|--------------------------------|------------------|--|--|-----------|--|----|--|------|
| Dalteparin sodium | 2500 UI/ml | | | 4°C | | 28 | | 2268 |
| Daptomycin | 50 mg/ml | | | 2-8°C | | 48 | | 2271 |
| Daptomycin | 50 mg/ml | | | 2-8°C | | 7 | | 4074 |
| Daptomycin | 50 mg/ml | | | 25°C | | 12 | | 2271 |
| Daptomycin | 50 mg/ml | | | 25°C | | 2 | | 4074 |
| Daptomycin | 14 mg/ml | | | 2-8°C | | 7 | | 4074 |
| Daptomycin | 14 mg/ml | | | 25°C | | 4 | | 4074 |
| Daptomycin | 5,6 mg/ml | | | 2-8°C | | 7 | | 4074 |
| Daptomycin | 5,6 mg/ml | | | 25°C | | 2 | | 4074 |
| Daptomycin | ? mg/ml | | | 2-8°C | | 24 | | 2271 |
| Daptomycin | ? mg/ml | | | 25°C | | 12 | | 2271 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 15-25°C | | 15 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 2-8°C | | 24 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 15-25°C | | 15 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 2-8°C | | 24 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 15-25°C | | 15 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 2-8°C | | 24 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 15-25°C | | 15 | | 4190 |
| Daratumumab | 0,8 >> 3,2 mg/mL | | | 2-8°C | | 24 | | 4190 |
| Deferoxamine mesylate | ? mg/ml | | | 25°C | | 24 | | 3671 |
| Dexamethasone sodium phosphate | 0,1 & 1 mg/ml | | | 25°C | | 22 | | 1701 |
| Dexmedetomidine | 4 µg/ml | | | 20-25°C | | 14 | | 4029 |
| Dexmedetomidine | 4 µg/ml | | | 3-4°C | | 14 | | 4029 |
| Dexmedetomidine | 4 >> 20 µg/ml | | | 21-25°C | | 48 | | 3433 |
| Dexmedetomidine | 4 µg/ml | | | 20-25°C | | 14 | | 4029 |
| Dexmedetomidine | 4 µg/ml | | | 3-4°C | | 14 | | 4029 |
| Dexmedetomidine | 4 µg/ml | | | 20-25°C | | 2 | | 3299 |
| Dexmedetomidine | 4 µg/ml | | | 5°C | | 14 | | 3299 |
| Dezocine | 0,3 >> 0,6 mg/ml | | | 25°C | | 72 | | 4430 |
| Dezocine | 0,3 >> 0,6 mg/ml | | | 4°C | | 14 | | 4430 |
| Dezocine | 0,3 >> 0,6 mg/ml | | | 25°C | | 72 | | 4430 |
| Dezocine | 0,3 >> 0,6 mg/ml | | | 4°C | | 14 | | 4430 |
| Diamorphine hydrochloride | 1 mg/ml | | | 23°C-25°C | | 7 | | 339 |





































































































































| | | | | | | | | |
|---------------------------|-----------------|--|--|--------------|--|-----|--|------|
| Diamorphine hydrochloride | 20 mg/ml | | | 23-25°C | | 12 | | 339 |
| Diamorphine hydrochloride | 20 mg/ml | | | 4°C | | 15 | | 339 |
| Diamorphine hydrochloride | 1 & 20 mg/ml | | | 23-25°C | | 15 | | 339 |
| Diamorphine hydrochloride | 1 & 20 mg/ml | | | 4°C | | 15 | | 339 |
| Diamorphine hydrochloride | 1 & 20 mg/ml | | | 23-25°C | | 7 | | 339 |
| Diamorphine hydrochloride | 1 & 20 mg/ml | | | 4°C | | 15 | | 339 |
| Diazepam | 0,038 mg/ml | | | 21°C | | 24 | | 350 |
| Diazepam | 0,1 mg/ml | | | 21°C | | 24 | | 1472 |
| Diazepam | 0,038 mg/ml | | | 21°C | | 24 | | 350 |
| Diazepam | 0,1 mg/ml | | | 21°C | | 24 | | 1472 |
| Digoxin | 50 µg/ml | | | 23-27°C | | 180 | | 4690 |
| Digoxin | 50 µg/ml | | | 3-7°C | | 180 | | 4690 |
| Dobutamine hydrochloride | 10 mg/ml | | | -25 >> -15°C | | 90 | | 4584 |
| Dobutamine hydrochloride | 10 mg/ml | | | 23-27°C | | 30 | | 4584 |
| Docetaxel | 0,3 & 0,9 mg/ml | | | 25°C | | 28 | | 1660 |
| Docetaxel | 0,8 mg/ml | | | 5°C | | 7 | | 3163 |
| Docetaxel | 0.74 mg/ml | | | 23°C | | 8 | | 2175 |
| Docetaxel | 0.74 mg/ml | | | 6°C | | 48 | | 2175 |
| Docetaxel | 0,30 mg/ml | | | 25°C | | 28 | | 3804 |
| Docetaxel | 0,30 mg/ml | | | 4°C | | 28 | | 3804 |
| Docetaxel | 0.4 & 0.8 mg/ml | | | 23°C | | 35 | | 2210 |
| Doripenem | 50 mg/ml | | | 25°C | | 1 | | 2332 |
| Doripenem | 5 mg/ml | | | 25°C | | 12 | | 2316 |
| Doripenem | 5 mg/ml | | | 5°C | | 72 | | 2316 |
| Doripenem | 5 et 10 mg/ml | | | -20°C | | 28 | | 3145 |
| Doripenem | 5 et 10 mg/ml | | | 25°C | | 24 | | 3145 |
| Doripenem | 5 mg/ml | | | 25°C | | 12 | | 2316 |
| Doripenem | 5 mg/ml | | | 5°C | | 72 | | 2316 |
| Doripenem | 5 et 10 mg/ml | | | 25°C | | 24 | | 3145 |
| Doripenem | 4.5 mg/ml | | | 2-8°C | | 72 | | 2332 |
| Doripenem | 4.5 mg/ml | | | 25°C | | 12 | | 2332 |
| Doxorubicin hydrochloride | 2 mg/ml | | | 23°C | | 124 | | 681 |
| Doxorubicin hydrochloride | 2 mg/ml | | | 4°C | | 124 | | 681 |

| | | | | | | | | |
|------------------------------------|-------------|---|---|-----------|---|-----|---|------|
| Doxorubicin hydrochloride | 1 mg/ml |  |  | -20°C |  | 14 |  | 1237 |
| Doxorubicin hydrochloride | 0,02 mg/ml |  |  | 22°C |  | 24 |  | 1897 |
| Doxorubicin hydrochloride | 0,02 mg/ml |  |  | 4°C |  | 24 |  | 1897 |
| Doxorubicin hydrochloride | 0,5 mg/ml |  |  | 4°C |  | 14 |  | 142 |
| Doxorubicin hydrochloride | 1 & 2 mg/ml |  |  | 23°C |  | 124 |  | 681 |
| Doxorubicin hydrochloride | 1 & 2 mg/ml |  |  | 4°C |  | 124 |  | 681 |
| Doxorubicin hydrochloride liposome | 2 mg/ml |  |  | 2-8°C |  | 5 |  | 3143 |
| Doxorubicin hydrochloride liposome | 2 mg/ml |  |  | 25°C |  | 8 |  | 3143 |
| Droperidol | 0,18 mg/ml |  |  | 20°C-25°C |  | 14 |  | 1968 |
| Droperidol | 0.625 mg/ml |  |  | 23-27°C |  | 180 |  | 3207 |
| Eculizumab | 5 mg/ml |  |  | 2-8°C |  | 90 |  | 4782 |
| Eculizumab | 5 mg/ml |  |  | 28-32°C |  | 72 |  | 4782 |
| Eculizumab | 5 mg/ml |  |  | 2-8°C |  | 90 |  | 4782 |
| Eculizumab | 5 mg/ml |  |  | 28-32°C |  | 72 |  | 4782 |
| Enoxaparin sodium | 1,2 mg/ml |  |  | 20°C-22°C |  | 48 |  | 311 |
| Ephedrine sulfate | 5 mg/ml |  |  | 25°C |  | 60 |  | 1720 |
| Ephedrine sulfate | 5 mg/ml |  |  | 4°C |  | 60 |  | 1720 |
| Epinephrine hydrochloride | 16 µg/ml |  |  | 23-25°C |  | 45 |  | 4026 |
| Epinephrine hydrochloride | 16 µg/ml |  |  | 3-5°C |  | 60 |  | 4026 |
| Epinephrine hydrochloride | 64 µg/ml |  |  | 23-25°C |  | 45 |  | 4026 |
| Epinephrine hydrochloride | 64 µg/ml |  |  | 3-5°C |  | 60 |  | 4026 |
| Epinephrine hydrochloride | 10 µg/ml |  |  | 2-8°C |  | 90 |  | 4323 |
| Epinephrine hydrochloride | 10 µg/ml |  |  | 20-25°C |  | 12 |  | 4778 |
| Epinephrine hydrochloride | 10 µg/ml |  |  | 25°C |  | 21 |  | 4393 |
| Epinephrine hydrochloride | 10 µg/ml |  |  | 4°C |  | 56 |  | 4393 |
| Epinephrine hydrochloride | 10 µg/ml |  |  | 4°C |  | 56 |  | 4778 |
| Epirubicin hydrochloride | 0,05 mg/ml |  |  | 4°C |  | 25 |  | 525 |
| Epirubicin hydrochloride | 0.4 mg/ml |  |  | 2-8°C |  | 4 |  | 2257 |
| Epirubicin hydrochloride | 0.4 mg/ml |  |  | 25°C |  | 4 |  | 2257 |
| Epirubicin hydrochloride | 1 & 2 mg/ml |  |  | 23°C |  | 150 |  | 683 |
| Epirubicin hydrochloride | 1 & 2 mg/ml |  |  | 4°C |  | 150 |  | 683 |
| Epirubicin hydrochloride | 0,02 mg/ml |  |  | 22°C |  | 96 |  | 1897 |
| Epirubicin hydrochloride | 0,05 mg/ml |  |  | 4°C |  | 25 |  | 525 |

| | | | | | | | | |
|--------------------------|----------------------|--|--|---------|--|-----|--|------|
| Epirubicin hydrochloride | 1 mg/ml | | | -20°C | | 28 | | 1237 |
| Epirubicin hydrochloride | 1.6 mg/ml | | | 2-8°C | | 4 | | 2257 |
| Epirubicin hydrochloride | 0,02 mg/ml | | | 22°C | | 24 | | 1897 |
| Epirubicin hydrochloride | 0,05 mg/ml | | | 4°C | | 25 | | 525 |
| Epirubicin hydrochloride | 0,5 mg/ml | | | 20°C | | 28 | | 1317 |
| Epirubicin hydrochloride | 0,5 mg/ml | | | 4°C | | 28 | | 1317 |
| Epirubicin hydrochloride | 1 mg/ml | | | 8°C | | 84 | | 1823 |
| Epirubicin hydrochloride | 1 & 2 mg/ml | | | 23°C | | 150 | | 683 |
| Epirubicin hydrochloride | 1 & 2 mg/ml | | | 4°C | | 150 | | 683 |
| Epirubicin hydrochloride | 2 mg/ml | | | 25°C | | 14 | | 887 |
| Epirubicin hydrochloride | 2 mg/ml | | | 4°C | | 180 | | 887 |
| Epirubicin hydrochloride | 8.33 mg/ml | | | 4°C | | 72 | | 3473 |
| Epoetin alfa | 100 UI/ml | | | 25°C | | 3 | | 798 |
| Eravacycline | 10 mg/ml | | | 25°C | | 1 | | 4709 |
| Eravacycline | 0,2 >> 0,6 mg/ml | | | 2-8°C | | 10 | | 4709 |
| Eravacycline | 0,2 >> 0,6 mg/ml | | | 25°C | | 24 | | 4709 |
| Eribulin mesylate | 0,015 >> 0,043 mg/ml | | | 18-22°C | | 14 | | 3331 |
| Eribulin mesylate | 0,015 >> 0,043 mg/ml | | | 2-6°C | | 14 | | 3331 |
| Eribulin mesylate | 0.02 mg/ml | | | 2-8°C | | 28 | | 3707 |
| Eribulin mesylate | 0.02 mg/ml | | | 25°C | | 28 | | 3707 |
| Eribulin mesylate | 0.205 mg/ml | | | 2-8°C | | 28 | | 3707 |
| Eribulin mesylate | 0.205 mg/ml | | | 25°C | | 28 | | 3707 |
| Eribulin mesylate | 0,018 >> 0,18 mg/ml | | | 2-8°C | | 24 | | 3250 |
| Ertapenem | 100 mg/ml | | | 23°C | | 5 | | 3891 |
| Ertapenem | 100 mg/ml | | | 4°C | | 48 | | 3891 |
| Ertapenem | 10 & 20 mg/ml | | | 25°C | | 6 | | 1906 |
| Ertapenem | 10 & 20 mg/ml | | | 4°C | | 5 | | 1906 |
| Ertapenem | 100 mg/ml | | | -20°C | | 28 | | 3717 |
| Ertapenem | 100 mg/ml | | | 23°C | | 5 | | 3891 |
| Ertapenem | 100 mg/ml | | | 25°C | | 0.5 | | 3717 |
| Ertapenem | 100 mg/ml | | | 4°C | | 24 | | 3717 |
| Ertapenem | 100 mg/ml | | | 4°C | | 48 | | 3891 |
| Ertapenem | 10 mg/ml | | | 4-7°C | | 3 | | 3208 |

| | | | | | | | | |
|---------------------------|-----------------|-----|---|--------|---|-----|---|------|
| Ertapenem | 20 mg/ml | ? | ▲ | 2-8°C | ? | 24 | ☑ | 1912 |
| Ertapenem | 20 mg/ml | ? | ▲ | 25°C | ? | 6 | ☑ | 1912 |
| Erythromycin lactobionate | ? mg/ml | PVC | ▲ | 5°C | ☀ | 60 | ◐ | 1154 |
| Erythromycin lactobionate | 4,54 mg/ml | PVC | ▲ | -20°C | ☀ | 365 | ◐ | 22 |
| Esomeprazole sodium | 4 & 8 mg/ml | ☒ | ▲ | < 30°C | ? | 12 | ☑ | 2284 |
| Esomeprazole sodium | 0.4 & 0.8 mg/ml | ? | ▲ | < 30°C | ? | 12 | ☑ | 2284 |
| Ethacrynate sodium | 1 mg/ml | PP | ▲ | 25°C | ? | 14 | ◐ | 1716 |
| Ethacrynate sodium | 1 mg/ml | PP | ▲ | 5°C | ☀ | 22 | ◐ | 1716 |
| Etoposide | 0,2 mg/ml | ☒ | ▲ | 24°C | ☀ | 22 | ◐ | 1613 |
| Etoposide | 0,2 mg/ml | ☒ | ▲ | 4°C | ☀ | 14 | ◐ | 1613 |
| Etoposide | 0,3 mg/ml | ☒ | ▲ | 24°C | ☀ | 2 | ◐ | 1613 |
| Etoposide | 0,3 mg/ml | ☒ | ▲ | 4°C | ☀ | 7 | ◐ | 1613 |
| Etoposide | 0,4 mg/ml | ☒ | ▲ | 24°C | ? | 24 | ☑ | 161 |
| Etoposide | 0,4 mg/ml | ☒ | ▲ | 24°C | ☀ | 24 | ☑ | 1613 |
| Etoposide | 0,4 mg/ml | ☒ | ▲ | 4°C | ? | 24 | ☑ | 161 |
| Etoposide | 0,4 mg/ml | ☒ | ▲ | 4°C | ☀ | 2 | ◐ | 1613 |
| Etoposide | 10 mg/ml | ☒ | ▲ | 24°C | ☀ | 5 | ◐ | 1613 |
| Etoposide | 10 mg/ml | ☒ | ▲ | 4°C | ☀ | 7 | ◐ | 1613 |
| Etoposide | 12 mg/ml | ☒ | ▲ | 24°C | ☀ | 7 | ◐ | 1613 |
| Etoposide | 12 mg/ml | ☒ | ▲ | 4°C | ☀ | 14 | ◐ | 1613 |
| Etoposide | 0,4 mg/ml | PE | ▲ | 24°C | ? | 24 | ☑ | 161 |
| Etoposide | 0,4 mg/ml | PE | ▲ | 4°C | ? | 24 | ☑ | 161 |
| Etoposide | 0,4 mg/ml | POF | ▲ | 25°C | ☀ | 21 | ◐ | 4024 |
| Etoposide | 0,6 mg/ml | POF | ▲ | 25°C | ☀ | 21 | ◐ | 4024 |
| Etoposide | 0.25 mg/ml | POF | ▲ | 20°C | ☀ | 5 | ◐ | 3670 |
| Etoposide | 0,1 mg/ml | PI | ▲ | 25°C | ☀ | 24 | ☑ | 4304 |
| Etoposide | 0,1 mg/ml | PI | ▲ | 33°C | ☀ | 24 | ☑ | 4304 |
| Famotidine | 2 mg/ml | PP | ▲ | -20°C | ☀ | 56 | ◐ | 77 |
| Fentanyl citrate | 10 & 50 µg/ml | PVC | ▲ | 23°C | ? | 90 | ◐ | 4228 |
| Fentanyl citrate | 10 & 50 µg/ml | PVC | ▲ | 4°C | ? | 90 | ◐ | 4228 |
| Fentanyl citrate | 20 µg/ml | PVC | ▲ | 23°C | ? | 30 | ◐ | 222 |
| Fentanyl citrate | 20 µg/ml | PVC | ▲ | 3°C | ? | 30 | ◐ | 222 |
| Fentanyl citrate | 10 µg/ml | POF | ▲ | 22°C | ☀ | 93 | ◐ | 3916 |





































































































































| | | | | | | | | |
|-----------------------|-------------------|--|--|---------|--|-----|--|------|
| Fentanyl citrate | 10 µg/ml | | | 5°C | | 93 | | 3916 |
| Fentanyl citrate | 10 & 50 µg/ml | | | 23°C | | 90 | | 4228 |
| Fentanyl citrate | 10 & 50 µg/ml | | | 4°C | | 90 | | 4228 |
| Fentanyl citrate | 13 & 34 µg/ml | | | 22°C | | 7 | | 929 |
| Fentanyl citrate | 13 & 34 µg/ml | | | 38°C | | 7 | | 929 |
| Fentanyl citrate | 13 & 34 µg/ml | | | 5°C | | 7 | | 929 |
| Fentanyl citrate | 20 & 40 µg/ml | | | 23°C | | 90 | | 4223 |
| Fentanyl citrate | 5 µg/ml | | | 23-27°C | | 90 | | 2334 |
| Fentanyl citrate | 50 µg/ml | | | 23°C | | 90 | | 4223 |
| Ferric carboxymaltose | 1 mg/ml | | | 30°C | | 72 | | 2292 |
| Floxuridine | 1 mg/ml | | | 30°C | | 21 | | 5 |
| Floxuridine | 50 mg/ml | | | 30°C | | 21 | | 5 |
| Flucloxacillin sodium | 120 mg/ml | | | 2-8°C | | 6 | | 3189 |
| Flucloxacillin sodium | 20 mg/ml | | | -27°C | | 270 | | 1349 |
| Flucloxacillin sodium | 5 & 10 & 20 mg/ml | | | 5°C | | 21 | | 1494 |
| Flucloxacillin sodium | 10 mg/ml | | | 2-8°C | | 14 | | 1845 |
| Flucloxacillin sodium | 10 mg/ml | | | 25°C | | 4 | | 1845 |
| Flucloxacillin sodium | 50 mg/ml | | | 2-8°C | | 6 | | 3189 |
| Fluconazole | 2 mg/ml | | | 4°C | | 15 | | 604 |
| Fludarabine phosphate | 0,5 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,5 mg/ml | | | 20-25°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,1 & 1,5 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Fludarabine phosphate | 0,1 & 1,5 mg/ml | | | 20-25°C | | 35 | | 2344 |
| Fludarabine phosphate | 0,5 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,5 mg/ml | | | 20-25°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,5 mg/ml | | | 2-8°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,5 mg/ml | | | 20-25°C | | 28 | | 2344 |
| Fludarabine phosphate | 0,04 >> 1 mg/ml | | | 2-8°C | | 21 | | 3306 |
| Fludarabine phosphate | 0,04 >> 1 mg/ml | | | 25°C | | 21 | | 3306 |
| Fludarabine phosphate | 0.15 mg/ml | | | 2-8°C | | 14 | | 3670 |
| Fluorouracil | 5 mg/ml | | | 2-8°C | | 91 | | 110 |
| Fluorouracil | 5 mg/ml | | | 2-8°C | | 91 | | 110 |
| Fluorouracil | 8 mg/ml | | | -20°C | | 79 | | 2323 |





































































































































| | | | | | | | | |
|--------------------|------------------|---|---|---------|---|-----|---|------|
| Fluorouracil | 8 mg/ml |  |  | 5°C |  | 28 |  | 2323 |
| Fluorouracil | 7 mg/ml |  |  | 21-25°C |  | 17 |  | 4735 |
| Fluorouracil | 8 mg/ml |  |  | 21-25°C |  | 24 |  | 4735 |
| Fluorouracil | 15 & 45 mg/ml |  |  | 25°C |  | 3 |  | 33 |
| Fluorouracil | 0,1 mg/ml |  |  | -10°C |  | 7 |  | 1812 |
| Fluorouracil | 0,1 mg/ml |  |  | 25°C |  | 7 |  | 1812 |
| Fluorouracil | 0,1 mg/ml |  |  | 40°C |  | 7 |  | 1812 |
| Fluorouracil | 0,1 mg/ml |  |  | 5°C |  | 7 |  | 1812 |
| Fluorouracil | 35 mg/ml |  |  | 21-25°C |  | 28 |  | 4568 |
| Fluorouracil | 35 mg/ml |  |  | 30°C |  | 3 |  | 4568 |
| Fluorouracil | 44 mg/ml |  |  | 21-25°C |  | 28 |  | 4568 |
| Fluorouracil | 44 mg/ml |  |  | 30°C |  | 3 |  | 4568 |
| Foscarnet sodium | 12 mg/ml |  |  | 25°C |  | 30 |  | 2 |
| Foscarnet sodium | 12 mg/ml |  |  | 5°C |  | 30 |  | 2 |
| Furosemide | 1,2 > 3,2 mg/ml |  |  | 22°C |  | 84 |  | 1680 |
| Furosemide | 1,2 > 3,2 mg/ml |  |  | 22°C |  | 7 |  | 1680 |
| Furosemide | 1,2 > 3,2 mg/ml |  |  | 6°C |  | 84 |  | 1680 |
| Furosemide | 1,0 > 8,0 mg/ml |  |  | 22°C |  | 84 |  | 1680 |
| Furosemide | 1,0 > 8,0 mg/ml |  |  | 22°C |  | 7 |  | 1680 |
| Furosemide | 1,0 > 8,0 mg/ml |  |  | 6°C |  | 84 |  | 1680 |
| Furosemide | 5 mg/ml |  |  | 20°C |  | 24 |  | 4341 |
| Furosemide | 5 mg/ml |  |  | 4°C |  | 35 |  | 4341 |
| Fusidate sodium | 0,9 mg/ml |  |  | -20°C |  | 365 |  | 22 |
| Ganciclovir sodium | 20 mg/ml |  |  | -8°C |  | 24 |  | 3796 |
| Ganciclovir sodium | 20 mg/ml |  |  | 25°C |  | 24 |  | 3796 |
| Ganciclovir sodium | 20 mg/ml |  |  | 5°C |  | 24 |  | 3796 |
| Ganciclovir sodium | 0,28 & 1,4 mg/ml |  |  | -20°C |  | 365 |  | 245 |
| Ganciclovir sodium | 0,28 & 1,4 mg/ml |  |  | 25°C |  | 8 |  | 245 |
| Ganciclovir sodium | 0,28 & 1,4 mg/ml |  |  | 4°C |  | 80 |  | 245 |
| Ganciclovir sodium | 0,25 mg/ml |  |  | 2-8°C |  | 185 |  | 4021 |
| Ganciclovir sodium | 0,25 mg/ml |  |  | 23-27°C |  | 185 |  | 4021 |
| Ganciclovir sodium | 5 mg/ml |  |  | 2-8°C |  | 185 |  | 4021 |
| Ganciclovir sodium | 5 mg/ml |  |  | 23-27°C |  | 185 |  | 4021 |

| | | | | | | | | |
|---------------------------|---------------------------------|--|--|---------|--|-----|--|------|
| Ganciclovir sodium | 1,4 & 7 mg/ml | | | -20°C | | 365 | | 245 |
| Ganciclovir sodium | 1,4 & 7 mg/ml | | | 25°C | | 8 | | 245 |
| Ganciclovir sodium | 1,4 & 7 mg/ml | | | 4°C | | 80 | | 245 |
| Ganciclovir sodium | 5 mg/ml | | | 2-8°C | | 185 | | 4021 |
| Ganciclovir sodium | 5 mg/ml | | | 23-27°C | | 185 | | 4021 |
| Ganciclovir sodium | 5,8 mg/ml | | | 25°C | | 12 | | 74 |
| Ganciclovir sodium | 5,8 mg/ml | | | 4°C | | 10 | | 74 |
| Gemcitabine hydrochloride | 0,1 & 25 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Gemcitabine hydrochloride | 0,1 & 25 (Ebegemcit® Lyo) mg/ml | | | 20-25°C | | 14 | | 2344 |
| Gemcitabine hydrochloride | 38 mg/ml | | | 23°C | | 35 | | 1422 |
| Gemcitabine hydrochloride | 40 mg/ml | | | 25°C | | 27 | | 1663 |
| Gemcitabine hydrochloride | 5,12 mg/ml | | | 23°C | | 48 | | 1501 |
| Gemcitabine hydrochloride | 7,5 & 25 mg/ml | | | 25°C | | 27 | | 1663 |
| Gemcitabine hydrochloride | 0,1 & 25 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Gemcitabine hydrochloride | 0,1 & 25 (Ebegemcit® Lyo) mg/ml | | | 20-25°C | | 14 | | 2344 |
| Gemcitabine hydrochloride | 2 mg/ml | | | 25°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 2 mg/ml | | | 5°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 5,12 mg/ml | | | 23°C | | 48 | | 1501 |
| Gemcitabine hydrochloride | 5.2 mg/ml | | | 25°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 5.2 mg/ml | | | 5°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 7,5 & 25 mg/ml | | | 25°C | | 27 | | 1663 |
| Gemcitabine hydrochloride | 0,1 & 25 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Gemcitabine hydrochloride | 0,1 & 25 (Ebegemcit® Lyo) mg/ml | | | 20-25°C | | 14 | | 2344 |
| Gemcitabine hydrochloride | 2 mg/ml | | | 25°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 2 mg/ml | | | 5°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 5,12 mg/ml | | | 22°C | | 48 | | 1520 |
| Gemcitabine hydrochloride | 5,12 mg/ml | | | 23°C | | 48 | | 1501 |
| Gemcitabine hydrochloride | 5.2 mg/ml | | | 25°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 5.2 mg/ml | | | 5°C | | 28 | | 3496 |
| Gemcitabine hydrochloride | 0,1 & 25 mg/ml | | | 2-8°C | | 35 | | 2344 |
| Gemcitabine hydrochloride | 0,1 & 25 (Ebegemcit® Lyo) mg/ml | | | 20-25°C | | 14 | | 2344 |
| Gemcitabine hydrochloride | 5,5>>6,6 mg/ml | | | 2-8°C | | 49 | | 4736 |
| Gemcitabine hydrochloride | 5,5>>6,6 mg/ml | | | 21-25°C | | 49 | | 4736 |





































































































































| | | | | | | | | |
|---------------------------------|---------------------|--|--|-----------|--|-----|--|------|
| Gemcitabine hydrochloride | 9 mg/ml | | | 2-8°C | | 84 | | 3670 |
| Gemcitabine hydrochloride | 38 mg/ml | | | 23°C | | 35 | | 1422 |
| Gemtuzumab ozogamicin | 0,075 >>0,234 mg/ml | | | 2-8°C | | 18 | | 1913 |
| Gemtuzumab ozogamicin | 0,075 >>0,234 mg/ml | | | <30°C | | 6 | | 1913 |
| Gemtuzumab ozogamicin | 0,075 >>0,234 mg/ml | | | 2-8°C | | 18 | | 1913 |
| Gemtuzumab ozogamicin | 0,075 >>0,234 mg/ml | | | <30°C | | 6 | | 1913 |
| Gemtuzumab ozogamicin | 0,075 >>0,234 mg/ml | | | 2-8°C | | 18 | | 1913 |
| Gemtuzumab ozogamicin | 0,075 >>0,234 mg/ml | | | <30°C | | 6 | | 1913 |
| Gentamicin sulfate | 10 mg/ml | | | 4°C | | 84 | | 1486 |
| Gentamicin sulfate | 1 mg/ml | | | 25°C | | 48 | | 434 |
| Gentamicin sulfate | 0,85 mg/ml | | | 23°C | | 7 | | 1704 |
| Gentamicin sulfate | 0,85 mg/ml | | | 4°C | | 30 | | 1704 |
| Gentamicin sulfate | 30 mg/ml | | | 22°C-23°C | | 48 | | 639 |
| Gentamicin sulfate | 0,5 & 5 mg/ml | | | 25°C | | 24 | | 604 |
| Granisetron hydrochloride | 0,02 mg/ml | | | 4°C | | 7 | | 51 |
| Heparin sodium | 1 UI/ml | | | 25°C | | 365 | | 4166 |
| Heparin sodium | 1 UI/ml | | | 20°C | | 365 | | 1234 |
| Heparin sodium | 1 UI/ml | | | 37°C | | 365 | | 1234 |
| Heparin sodium | 100 UI/ml | | | 4°C | | 14 | | 895 |
| Heparin sodium | 500 UI/ml | | | 25°C | | 21 | | 1183 |
| Heparin sodium | 500 UI/ml | | | 4°C | | 21 | | 1183 |
| Heparin sodium | 5000 UI/ml | | | 4°C | | 28 | | 791 |
| Hydralazine hydrochloride | 0,2 mg/ml | | | 25°C | | 1 | | 2367 |
| Hydrocortisone sodium succinate | 1 mg/ml | | | 25°C | | 3 | | 739 |
| Hydrocortisone sodium succinate | 1 mg/ml | | | 25°C | | 2 | | 2001 |
| Hydrocortisone sodium succinate | 1 mg/ml | | | 7°C | | 15 | | 2001 |
| Hydrocortisone sodium succinate | 1 mg/ml | | | 7°C | | 15 | | 2001 |
| Hydrocortisone sodium succinate | 10 mg/ml | | | 25°C | | 3 | | 2354 |
| Hydrocortisone sodium succinate | 10 mg/ml | | | 5°C | | 21 | | 2354 |
| Hydromorphone hydrochloride | 0,2 & 10 mg/ml | | | 23°C | | 90 | | 4230 |
| Hydromorphone hydrochloride | 20 mg/ml | | | 22°C | | 7 | | 4664 |
| Hydromorphone hydrochloride | 20 mg/ml | | | 37°C | | 7 | | 4664 |
| Hydromorphone hydrochloride | 0,2 & 10 mg/ml | | | 23°C | | 90 | | 4230 |

| | | | | | | | | |
|--------------------------------|--------------------|--|--|---------|--|-----|--|------|
| Hydromorphone hydrochloride | 0,1 mg/ml | | | 25°C | | 100 | | 4303 |
| Hydromorphone hydrochloride | 0,1 mg/ml | | | 30°C | | 30 | | 5 |
| Hydromorphone hydrochloride | 1,5 & 80 mg/ml | | | 23°C | | 60 | | 1706 |
| Hydromorphone hydrochloride | 1,5 & 80 mg/ml | | | 37°C | | 48 | | 1706 |
| Hydromorphone hydrochloride | 1,5 & 80 mg/ml | | | 4°C | | 60 | | 1706 |
| Hydromorphone hydrochloride | 0,2 mg/ml | | | 20°C | | 112 | | 2659 |
| Hydromorphone hydrochloride | 0,2 mg/ml | | | 35°C | | 112 | | 2659 |
| Hydromorphone hydrochloride | 0,2 mg/ml | | | 5°C | | 112 | | 2659 |
| Hydroxocobalamin | 25 mg/ml | | | 2-8°C | | 6 | | 3932 |
| Hydroxocobalamin | 25 mg/ml | | | 25°C | | 6 | | 3932 |
| Ifosfamide | 10 mg/ml | | | 25°C | | 8 | | 489 |
| Ifosfamide | 10 mg/ml | | | 4°C | | 8 | | 489 |
| Ifosfamide | 20 & 40 & 80 mg/ml | | | 35°C | | 8 | | 489 |
| Imiglucerase | 1 UI/ml | | | 2-8°C | | 24 | | 1910 |
| Imiglucerase | 1 UI/ml | | | 28°C | | 6 | | 1910 |
| Imiglucerase | ? UI/ml | | | 2-8°C | | 24 | | 1915 |
| Imipenem - cilastatin sodium | 2.5 mg/ml | | | 4°C | | 72 | | 21 |
| Imipenem - cilastatin sodium | 2.5 & 5 mg/ml | | | 25°C | | 9 | | 21 |
| Imipenem - cilastatin sodium | 5 mg/ml | | | 4°C | | 48 | | 21 |
| Imipenem - cilastatin sodium | 2,5 & 5 mg/ml | | | 4°C | | 3 | | 1811 |
| Indomethacin sodium trihydrate | 0,1 mg/ml | | | 25°C | | 10 | | 923 |
| Infliximab | 0.4 mg/ml | | | 4°C | | 14 | | 3333 |
| Infliximab | 0,4 mg/ml | | | 2-8°C | | 30 | | 4292 |
| Infliximab | 0,4 mg/ml | | | 23-27°C | | 30 | | 4292 |
| Infliximab | 0,96 mg/ml | | | 25°C | | 7 | | 4003 |
| Infliximab | 0,96 mg/ml | | | 5°C | | 7 | | 4003 |
| Infliximab | 1,2 mg/ml | | | 25°C | | 7 | | 4003 |
| Infliximab | 1,2 mg/ml | | | 5°C | | 7 | | 4003 |
| Infliximab | 1,6 mg/ml | | | 25°C | | 7 | | 4003 |
| Infliximab | 1,6 mg/ml | | | 5°C | | 7 | | 4003 |
| Infliximab | 4 mg/ml | | | 2-8°C | | 30 | | 4292 |
| Infliximab | 4 mg/ml | | | 23-27°C | | 30 | | 4292 |
| Infliximab | 0,4 mg/ml | | | 2-8°C | | 14 | | 4279 |





































































































































| | | | | | | | | |
|--------------------|-------------------------|---|---|---------|---|-----|---|------|
| Infliximab | 0,4 mg/ml |  |  | 2-8°C |  | 14 |  | 4279 |
| Infliximab | 0,7 mg/ml |  |  | 22°C |  | 30 |  | 3317 |
| Infliximab | 0,7 mg/ml |  |  | 25°C |  | 7 |  | 3924 |
| Infliximab | 0,7 mg/ml |  |  | 4°C |  | 30 |  | 3317 |
| Infliximab | 0,7 mg/ml |  |  | 4°C |  | 7 |  | 3924 |
| Infliximab | 0.4 mg/ml |  |  | 25°C |  | 30 |  | 4049 |
| Infliximab | 0.4 mg/ml |  |  | 5°C |  | 90 |  | 4049 |
| Infliximab | 0.6 & 0.84 & 1.88 mg/ml |  |  | 2-8°C |  | 7 |  | 3825 |
| Infliximab | 0.6 & 0.84 & 1.88 mg/ml |  |  | 25°C |  | 7 |  | 3825 |
| Infliximab | 1,6 mg/ml |  |  | 22°C |  | 30 |  | 3317 |
| Infliximab | 1,6 mg/ml |  |  | 25°C |  | 7 |  | 3924 |
| Infliximab | 1,6 mg/ml |  |  | 4°C |  | 30 |  | 3317 |
| Infliximab | 1,6 mg/ml |  |  | 4°C |  | 7 |  | 3924 |
| Infliximab | 2 mg/ml |  |  | 2-8°C |  | 14 |  | 4279 |
| Infliximab | 2 mg/ml |  |  | 2-8°C |  | 14 |  | 4279 |
| Infliximab | 2 mg/ml |  |  | 25°C |  | 30 |  | 4049 |
| Infliximab | 2 mg/ml |  |  | 5°C |  | 90 |  | 4049 |
| Infliximab | < 4 mg/ml |  |  | 2-8°C |  | 28 |  | 754 |
| Insulin | 0,1 UI/ml |  |  | 2-8°C |  | 8 |  | 2091 |
| Insulin | 0,1 UI/ml |  |  | 25°C |  | 24 |  | 2091 |
| Insulin | 0,1 UI/ml |  |  | 37°C |  | 24 |  | 2091 |
| Insulin | 1 UI/ml |  |  | 2-6°C |  | 180 |  | 3224 |
| Insulin | 1 UI/ml |  |  | 2-8°C |  | 21 |  | 4635 |
| Insulin | 1 UI/ml |  |  | 20-25°C |  | 48 |  | 4635 |
| Insulin | 1 UI/ml |  |  | 23-27°C |  | 30 |  | 3224 |
| Insulin glulisine | 1 U/ml |  |  | 25°C |  | 48 |  | 3935 |
| Ipilimumab | 2 mg/ml |  |  | 22°C |  | 30 |  | 3446 |
| Ipilimumab | 2 mg/ml |  |  | 4°C |  | 30 |  | 3446 |
| Irinotecan | 0,02 mg/ml |  |  | 25°C |  | 1 |  | 1617 |
| Irinotecan | 1 mg/ml |  |  | 2-8°C |  | 84 |  | 3670 |
| Iron (polymaltose) | 2 mg/ml |  |  | 20-25°C |  | 28 |  | 3443 |
| Iron (polymaltose) | 2 mg/ml |  |  | 3-4°C |  | 28 |  | 3443 |
| Isoniazid | 0,5 mg/ml |  |  | 2-8°C |  | 72 |  | 4113 |



































































































































| | | | | | | | | |
|-------------------------------|-------------|---|---|---------|---|-----|---|------|
| Isoniazid | 0,5 mg/ml |  |  | 20-25°C |  | 72 |  | 4113 |
| Isoniazid | 6 mg/ml |  |  | 2-8°C |  | 72 |  | 4113 |
| Isoniazid | 6 mg/ml |  |  | 20-25°C |  | 72 |  | 4113 |
| Isoprenaline hydrochloride | 0,004 mg/ml |  |  | 23-25°C |  | 30 |  | 4737 |
| Isoprenaline hydrochloride | 0,004 mg/ml |  |  | 3-5°C |  | 90 |  | 4737 |
| Isosorbide dinitrate | 0,095 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Isosorbide dinitrate | 0,095 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Isosorbide dinitrate | 0,6 mg/ml |  |  | 2-8°C |  | 28 |  | 4374 |
| Ketamine hydrochloride | 1 mg/ml |  |  | 25°C |  | 28 |  | 3859 |
| Ketamine hydrochloride | 1 mg/ml |  |  | 33°C |  | 7 |  | 3859 |
| Ketamine hydrochloride | 1 mg/ml |  |  | 25°C |  | 365 |  | 2287 |
| Ketamine hydrochloride | 1 mg/ml |  |  | 40°C |  | 365 |  | 2287 |
| Ketamine hydrochloride | 1 mg/ml |  |  | 4°C |  | 365 |  | 2287 |
| Ketamine hydrochloride | 0,1 mg/ml |  |  | 21°C |  | 24 |  | 1864 |
| Ketopropene | 0,96 mg/ml |  |  | 20-24°C |  | 24 |  | 3075 |
| Ketorolac tromethamine | 0,6 mg/ml |  |  | 25°C |  | 35 |  | 451 |
| Ketorolac tromethamine | 0,6 mg/ml |  |  | 5°C |  | 50 |  | 451 |
| Lenograstim | 2,63 µg/ml |  |  | 4°C |  | 14 |  | 3760 |
| Levetiracetam | 40 mg/ml |  |  | 2-8°C |  | 14 |  | 3847 |
| Levetiracetam | 40 mg/ml |  |  | 2-8°C |  | 14 |  | 3847 |
| Levetiracetam | 40 mg/ml |  |  | 2-8°C |  | 14 |  | 3847 |
| Levobupivacaine hydrochloride | 1 mg/ml |  |  | 21°C |  | 28 |  | 1835 |
| Levobupivacaine hydrochloride | 1 mg/ml |  |  | 36°C |  | 23 |  | 1835 |
| Levobupivacaine hydrochloride | 1 mg/ml |  |  | 4°C |  | 28 |  | 1835 |
| Levothyroxine | 0,4 µg/ml |  |  | 25°C |  | 18 |  | 3166 |
| Levothyroxine | 0,4 µg/ml |  |  | 25°C |  | 16 |  | 3166 |
| Levothyroxine | 2 µg/ml |  |  | 25°C |  | 12 |  | 3166 |
| Levothyroxine | 2 µg/ml |  |  | 25°C |  | 6 |  | 3166 |
| Levothyroxine | 100 µg/ml |  |  | 5°C |  | 7 |  | 2358 |
| Lorazepam | 0,038 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Lorazepam | 0,167 mg/ml |  |  | 2-8°C |  | 1 |  | 4248 |
| Lorazepam | 0,167 mg/ml |  |  | 20-25°C |  | 1 |  | 4248 |
| Lorazepam | 0,038 mg/ml |  |  | 21°C |  | 24 |  | 350 |





































































































































| | | | | | | | | |
|--------------------|---------------|-----|---|-----------|---|-----|---|------|
| Lorazepam | 0,038 mg/ml | PE | ▲ | 21°C | | 24 | ☑ | 350 |
| Lorazepam | 0,91 mg/ml | POF | ▲ | -20°C | | 35 | ◐ | 1935 |
| Lorazepam | 0,91 mg/ml | POF | ▲ | 24°C | ? | 35 | ◐ | 1935 |
| Lorazepam | 0,91 mg/ml | POF | ▲ | 37°C | ? | 5 | ◐ | 1935 |
| Lorazepam | 0,91 mg/ml | POF | ▲ | 4°C | ? | 35 | ◐ | 1935 |
| Lorazepam | 0,167 mg/ml | PP | ▲ | 2-8°C | ? | 2 | ◐ | 4248 |
| Lorazepam | 0,167 mg/ml | PP | ▲ | 20-25°C | ? | 4 | ◐ | 4248 |
| Magnesium sulfate | 40 mg/ml | | ▲ | 19-24°C | ? | 90 | ◐ | 2356 |
| Magnesium sulfate | 40 mg/ml | PVC | ▲ | 19-24°C | ? | 90 | ◐ | 2356 |
| Melphalan | 0,06 mg/ml | | ▲ | 23°C | | 1 | ☑ | 1501 |
| Melphalan | 0,06 mg/ml | | ▲ | 4°C | | 24 | ☑ | 1501 |
| Melphalan | 0,06 mg/ml | PVC | ▲ | 23°C | | 1 | ☑ | 1501 |
| Melphalan | 0,06 mg/ml | PVC | ▲ | 4°C | | 24 | ☑ | 1501 |
| Melphalan | 0,2 mg/ml | PVC | ▲ | -20°C | | 72 | ☑ | 160 |
| Melphalan | 0,2 mg/ml | PVC | ▲ | 4°C | | 6 | ☑ | 160 |
| Melphalan | 0,5 mg/ml | PVC | ▲ | 23-27°C | | 2 | ☑ | 3977 |
| Melphalan | 1 mg/ml | PVC | ▲ | 23°C | ? | 1 | ☑ | 4189 |
| Melphalan | 1 mg/ml | PVC | ▲ | 4°C | ? | 2 | ☑ | 4189 |
| Melphalan | 1,5 & 2 mg/ml | PVC | ▲ | 23°C | ? | 2 | ☑ | 4189 |
| Melphalan | 1,5 & 2 mg/ml | PVC | ▲ | 4°C | ? | 2 | ☑ | 4189 |
| Melphalan | 2 mg/ml | PVC | ▲ | 2-8°C | | 24 | ☑ | 3977 |
| Melphalan | 2 mg/ml | PVC | ▲ | 23-27°C | | 6 | ☑ | 3977 |
| Melphalan | 4 mg/ml | PVC | ▲ | 2-8°C | | 2 | ☑ | 3977 |
| Melphalan | 4 mg/ml | PVC | ▲ | 23-27°C | | 8 | ☑ | 3977 |
| Melphalan | 0,06 mg/ml | PE | ▲ | 21°C-22°C | ? | 2 | ☑ | 1520 |
| Melphalan | 0,06 mg/ml | PE | ▲ | 23°C | | 1 | ☑ | 1501 |
| Melphalan | 0,06 mg/ml | PE | ▲ | 4°C | | 24 | ☑ | 1501 |
| Melphalan | 0,06 mg/ml | PE | ▲ | 4°C | ? | 24 | ☑ | 1520 |
| Melphalan | 0,015 mg/ml | PP | ▲ | -18°C | ? | 28 | ◐ | 3949 |
| Melphalan | 0,2 mg/ml | PP | ▲ | -18°C | ? | 28 | ◐ | 3949 |
| Melphalan | 0,3 mg/ml | ? | ▲ | -20°C | | 180 | ◐ | 3786 |
| Melphalan captisol | 5 mg/ml | | ▲ | 23°C | ? | 24 | ☑ | 4189 |
| Melphalan captisol | 5 mg/ml | | ▲ | 4°C | ? | 24 | ☑ | 4189 |





































































































































| | | | | | | | | |
|--------------------|----------------|---|---|-----------|---|----|---|------|
| Melphalan captisol | 1 mg/ml |  |  | 23°C |  | 6 |  | 4189 |
| Melphalan captisol | 1 mg/ml |  |  | 4°C |  | 8 |  | 4189 |
| Melphalan captisol | 2 mg/ml |  |  | 23°C |  | 24 |  | 4189 |
| Melphalan captisol | 2 mg/ml |  |  | 4°C |  | 24 |  | 4189 |
| Meropenem | 10 mg/ml |  |  | 2-8°C |  | 48 |  | 1639 |
| Meropenem | 10 mg/ml |  |  | 24°C |  | 6 |  | 1639 |
| Meropenem | 2,5 mg/ml |  |  | 21-26°C |  | 24 |  | 10 |
| Meropenem | 2,5 & 50 mg/ml |  |  | 4°C |  | 48 |  | 10 |
| Meropenem | 5 mg/ml |  |  | 2-8°C |  | 96 |  | 1639 |
| Meropenem | 5 mg/ml |  |  | 24°C |  | 24 |  | 1639 |
| Meropenem | 50 mg/ml |  |  | 21-26°C |  | 8 |  | 10 |
| Meropenem | 1 mg/ml |  |  | -20°C |  | 33 |  | 1275 |
| Meropenem | 1 mg/ml |  |  | 21°C-26°C |  | 24 |  | 10 |
| Meropenem | 1 mg/ml |  |  | 23°C |  | 22 |  | 1275 |
| Meropenem | 1 mg/ml |  |  | 4°C |  | 10 |  | 1275 |
| Meropenem | 1 & 20 mg/ml |  |  | 4°C |  | 48 |  | 10 |
| Meropenem | 10 mg/ml |  |  | 25°C |  | 12 |  | 4290 |
| Meropenem | 10 & 20 mg/ml |  |  | 5°C |  | 5 |  | 1942 |
| Meropenem | 14,2 mg/ml |  |  | 22°C |  | 7 |  | 4122 |
| Meropenem | 14,2 mg/ml |  |  | 33°C |  | 5 |  | 4122 |
| Meropenem | 20 mg/ml |  |  | 21-26°C |  | 10 |  | 10 |
| Meropenem | 22 mg/ml |  |  | -20°C |  | 11 |  | 1275 |
| Meropenem | 22 mg/ml |  |  | 23°C |  | 17 |  | 1275 |
| Meropenem | 22 mg/ml |  |  | 4°C |  | 4 |  | 1275 |
| Meropenem | 4 mg/ml |  |  | 5°C |  | 7 |  | 1942 |
| Meropenem | 10 mg/ml |  |  | 22-28°C |  | 4 |  | 2793 |
| Meropenem | 4 mg/ml |  |  | 22-28°C |  | 4 |  | 2793 |
| Meropenem | 10 mg/ml |  |  | 25°C |  | 12 |  | 4147 |
| Meropenem | 10 mg/ml |  |  | 25°C |  | 8 |  | 4326 |
| Meropenem | 20 mg/ml |  |  | 22°C |  | 17 |  | 4592 |
| Meropenem | 20 mg/ml |  |  | 25°C |  | 12 |  | 4147 |
| Meropenem | 20 mg/ml |  |  | 25°C |  | 8 |  | 4326 |
| Meropenem | 40 mg/ml |  |  | 25°C |  | 8 |  | 4147 |





































































































































| | | | | | | | | |
|-------------------------------------|--------------------|--|--|---------|--|-----|--|------|
| Meropenem | 40 mg/ml | | | 25°C | | 4 | | 4326 |
| Meropenem | 41,7 mg/ml | | | 20-25°C | | 8 | | 4634 |
| Meropenem | 10 mg/ml | | | 2-8°C | | 96 | | 1639 |
| Meropenem | 10 mg/ml | | | 24°C | | 6 | | 1639 |
| Meropenem | 10 & 20 mg/ml | | | 5°C | | 5 | | 1942 |
| Meropenem | 4 mg/ml | | | 5°C | | 7 | | 1942 |
| Meropenem | 5 mg/ml | | | 2-8°C | | 96 | | 1639 |
| Meropenem | 5 mg/ml | | | 24°C | | 24 | | 1639 |
| Meropenem | 20 & 30 mg/ml | | | 5°C | | 24 | | 1454 |
| Meropenem | 5 mg/ml | | | 20°C | | 8 | | 3837 |
| Meropenem | 5 mg/ml | | | 23-27°C | | 12 | | 4403 |
| Meropenem | 5 mg/ml | | | 32-37°C | | 4 | | 3837 |
| Meropenem | 5 mg/ml | | | 4°C | | 24 | | 4403 |
| Metamizol sodium | 1 & 60 mg/ml | | | 2-8°C | | 28 | | 1685 |
| Metamizol sodium | 1 & 60 mg/ml | | | 25°C | | 24 | | 1685 |
| Metamizol sodium | 1 & 60 mg/ml | | | 40°C | | 7 | | 1685 |
| Metamizol sodium | 20 & 40 mg/ml | | | 10°C | | 5 | | 2103 |
| Metamizol sodium | 20 & 40 mg/ml | | | 24°C | | 4 | | 2103 |
| Metamizol sodium | 60 mg/ml | | | 25°C | | 14 | | 1685 |
| Metaraminol | 0,5 mg/ml | | | 2-8°C | | 378 | | 3758 |
| Metaraminol | 0,5 mg/ml | | | 25°C | | 378 | | 3758 |
| Methadone hydrochloride | 5 mg/ml | | | 23-27°C | | 180 | | 4406 |
| Methadone hydrochloride | 5 mg/ml | | | 5°C | | 180 | | 4406 |
| Methadone hydrochloride | 1 & 2 & 5 mg/ml | | | 25°C | | 28 | | 224 |
| Methotrexate sodium | 1,25 & 12,5 mg/ml | | | 2-8°C | | 105 | | 110 |
| Methotrexate sodium | 2,5 mg/ml | | | 25°C | | 7 | | 739 |
| Methotrexate sodium | 0,1 & 1 & 20 mg/ml | | | -20°C | | 84 | | 1021 |
| Methotrexate sodium | 1,25 & 12,5 mg/ml | | | 2-8°C | | 105 | | 110 |
| Methotrexate sodium | 0,2 mg/ml | | | 23-27°C | | 28 | | 3980 |
| Methotrexate sodium | 20 mg/ml | | | 23-27°C | | 28 | | 3980 |
| Methylprednisolone sodium succinate | 4,6 mg/ml | | | -20°C | | 365 | | 22 |
| Methylprednisolone sodium succinate | 1 mg/ml | | | 4°C | | 7 | | 1922 |
| Methylprednisolone sodium succinate | 10 mg/ml | | | 23°C | | 2 | | 1922 |




































































































































| | | | | | | | | |
|-------------------------------------|---------------|---|---|-----------|---|-----|---|------|
| Methylprednisolone sodium succinate | 10 mg/ml |  |  | 4°C |  | 21 |  | 1922 |
| Methylprednisolone sodium succinate | 10 mg/ml |  |  | 25°C |  | 4 |  | 1627 |
| Methylprednisolone sodium succinate | 10 mg/ml |  |  | 5°C |  | 21 |  | 1627 |
| Metoclopramide hydrochloride | 0,3 & 1 mg/ml |  |  | -20°C |  | 150 |  | 1455 |
| Metoclopramide hydrochloride | 0,3 & 1 mg/ml |  |  | 4°C |  | 150 |  | 1455 |
| Metoclopramide hydrochloride | 0,5 mg/ml |  |  | 25°C |  | 21 |  | 1957 |
| Metoprolol tartrate | 1 mg/ml |  |  | 25°C |  | 230 |  | 3538 |
| Micafungin | 20 mg/ml |  |  | 25°C |  | 48 |  | 3573 |
| Micafungin | 0.5 mg/ml |  |  | 23-27°C |  | 15 |  | 1889 |
| Micafungin | 1 mg/ml |  |  | 23-27°C |  | 15 |  | 1889 |
| Midazolam hydrochloride | 0,036 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Midazolam hydrochloride | 0,036 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 20°C-25°C |  | 30 |  | 399 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 22°C-24°C |  | 10 |  | 185 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 4°C |  | 30 |  | 399 |
| Midazolam hydrochloride | 0,036 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Midazolam hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 3989 |
| Midazolam hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 2-8°C |  | 365 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 23-25°C |  | 90 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 5°C |  | 365 |  | 3989 |
| Midazolam hydrochloride | 2 mg/ml |  |  | 30°C |  | 10 |  | 5 |
| Midazolam hydrochloride | 2 mg/ml |  |  | 5°C |  | 10 |  | 5 |
| Midazolam hydrochloride | 3 mg/ml |  |  | 20°C |  | 7 |  | 401 |
| Midazolam hydrochloride | 3 mg/ml |  |  | 32°C |  | 7 |  | 401 |
| Midazolam hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 3989 |
| Midazolam hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 2-8°C |  | 365 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 23-25°C |  | 90 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 5°C |  | 365 |  | 3989 |
| Milrinone lactate | 0,4 mg/ml |  |  | 22°C-23°C |  | 7 |  | 813 |
| Mitomycin | 0.6 mg/ml |  |  | -30°C |  | 30 |  | 1239 |
| Mitomycin | 0,2 mg/ml |  |  | 2-8°C |  | 5 |  | 4763 |

| | | | | | | | | |
|------------------------------|--------------------|---|---|---------|---|-----|---|------|
| Mitomycin | 0,2 mg/ml |  |  | 20-25°C |  | 6 |  | 4763 |
| Mitomycin | 0,2 mg/ml |  |  | 25°C |  | 10 |  | 3897 |
| Mitomycin | 0,4 mg/ml |  |  | 2-8°C |  | 2 |  | 4763 |
| Mitomycin | 0,4 mg/ml |  |  | 20-25°C |  | 6 |  | 4763 |
| Mitomycin | 1 mg/ml |  |  | 37°C |  | 5 |  | 4282 |
| Mitomycin | 2 mg/ml |  |  | 37°C |  | 5 |  | 4282 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,12 mg/ml |  |  | 2-8°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,12 mg/ml |  |  | 20-25°C | | 7 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml |  |  | 2-8°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml |  |  | 20-25°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml |  |  | 2-8°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml |  |  | 20-25°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,12 mg/ml |  |  | 2-8°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,04 >> 0,12 mg/ml |  |  | 20-25°C | | 7 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml |  |  | 2-8°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,3 >> 0,5 mg/ml |  |  | 20-25°C |  | 28 |  | 2344 |
| Mitoxantrone dihydrochloride | 0,2 mg/ml |  |  | 20°C |  | 28 |  | 1317 |
| Mitoxantrone dihydrochloride | 0,2 mg/ml |  |  | 4°C |  | 28 |  | 1317 |
| Morphine hydrochloride | 2 mg/ml |  |  | 25°C |  | 6 |  | 515 |
| Morphine hydrochloride | 2 mg/ml |  |  | 40°C |  | 6 |  | 515 |
| Morphine hydrochloride | 0,5 >> 2,5 mg/ml |  |  | 32°C |  | 60 |  | 679 |
| Morphine hydrochloride | 25 mg/ml |  |  | 22°C |  | 7 |  | 4664 |
| Morphine hydrochloride | 25 mg/ml |  |  | 37°C |  | 7 |  | 4664 |
| Morphine hydrochloride | 1 mg/ml |  |  | -20°C |  | 90 |  | 3572 |
| Morphine hydrochloride | 1 mg/ml |  |  | 2-8°C |  | 58 |  | 3572 |
| Morphine hydrochloride | 0.33 mg/ml |  |  | 2-8°C |  | 730 |  | 3415 |
| Morphine hydrochloride | 0.33 mg/ml |  |  | 22°C |  | 730 |  | 3415 |
| Morphine hydrochloride | 1 mg/ml |  |  | 2-8°C |  | 58 |  | 3572 |
| Morphine hydrochloride | 2 mg/ml |  |  | 25°C |  | 6 |  | 515 |
| Morphine hydrochloride | 2 mg/ml |  |  | 40°C |  | 6 |  | 515 |
| Morphine hydrochloride | 2,5 & 5 mg/ml |  |  | 25°C |  | 30 |  | 219 |
| Morphine sulfate | 0,2 mg/ml |  |  | 14-22°C |  | 336 |  | 1341 |
| Morphine sulfate | 1 & 10 mg/ml |  |  | 32°C |  | 16 |  | 932 |



































































































































| | | | | | | | | |
|---------------------------|--------------|---|---|-----------|---|------|---|------|
| Morphine sulfate | 1>> 25 mg/ml |  |  | 25°C |  | 14 |  | 116 |
| Morphine sulfate | 1>> 25 mg/ml |  |  | 37°C |  | 3 |  | 116 |
| Morphine sulfate | 1>> 25 mg/ml |  |  | 5°C |  | 30 |  | 116 |
| Morphine sulfate | 10 mg/ml |  |  | 23°C |  | 31 |  | 121 |
| Morphine sulfate | 10 mg/ml |  |  | 4°C |  | 31 |  | 121 |
| Morphine sulfate | 1 mg/ml |  |  | 25°C |  | 1095 |  | 2064 |
| Morphine sulfate | 0,1 mg/ml |  |  | 25°C |  | 91 |  | 4395 |
| Morphine sulfate | 0,2 mg/ml |  |  | 25°C |  | 91 |  | 4395 |
| Morphine sulfate | 1,0 mg/ml |  |  | 25°C |  | 91 |  | 4395 |
| Morphine sulfate | 1,76 mg/ml |  |  | 20°C-25°C |  | 14 |  | 1968 |
| Morphine sulfate | 2 mg/ml |  |  | 25°C |  | 42 |  | 122 |
| Morphine sulfate | 5 mg/ml |  |  | 4°C |  | 60 |  | 1709 |
| Morphine sulfate | 5 & 50 mg/ml |  |  | 23°C |  | 60 |  | 1709 |
| Morphine sulfate | 5 & 50 mg/ml |  |  | 37°C |  | 48 |  | 1709 |
| Morphine sulfate | 2 & 3 mg/ml |  |  | 25°C |  | 60 |  | 2123 |
| Morphine sulfate | 2 & 3 mg/ml |  |  | 4°C |  | 60 |  | 2123 |
| Morphine tartrate | 4 mg/ml |  |  | 21°C-23°C |  | 21 |  | 920 |
| Morphine tartrate | 4 mg/ml |  |  | 4°C - 8°C |  | 21 |  | 920 |
| Moxalactam | 20 mg/ml |  |  | 25°C |  | 24 |  | 626 |
| Moxalactam | 20 mg/ml |  |  | 5°C |  | 96 |  | 626 |
| N-acetylcysteine | 60 mg/ml |  |  | 23-27°C |  | 72 |  | 4639 |
| Nafcillin sodium | 10 mg/ml |  |  | 23°C |  | 5 |  | 1705 |
| Nafcillin sodium | 10 mg/ml |  |  | 4°C |  | 14 |  | 1705 |
| Nafcillin sodium | 10 mg/ml |  |  | 25°C |  | 7 |  | 2352 |
| Nafcillin sodium | 10 mg/ml |  |  | 5°C |  | 44 |  | 2352 |
| Nalbuphine hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 3264 |
| Nalbuphine hydrochloride | 1 mg/ml |  |  | 5°C |  | 365 |  | 3264 |
| Natalizumab | 2,6 mg/mL |  |  | 2-8°C |  | 8 |  | 4068 |
| Necitumumab | 16 mg/ml |  |  | 2-8°C |  | 24 |  | 3938 |
| Necitumumab | 16 mg/ml |  |  | 9-25°C |  | 4 |  | 3938 |
| Nefopam | 0,19 mg/ml |  |  | 20-24°C |  | 24 |  | 3075 |
| Nefopam | 2,5 mg/ml |  |  | 20-25°C |  | 48 |  | 4267 |
| Nicardipine hydrochloride | 0,1 mg/ml |  |  | 25°C |  | 24 |  | 3614 |

| | | | | | | | | |
|---------------------------|-----------------|---|---|---------|---|-----|---|------|
| Nicardipine hydrochloride | 0,1 mg/ml |  |  | 25°C |  | 24 |  | 3614 |
| Nimustine | 2 mg/ml |  |  | 25°C |  | 5 |  | 525 |
| Nitroglycerin | 0,1 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Nitroglycerin | 0,1 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Nivolumab | 1 >> 10 mg/ml |  |  | 2-8°C |  | 30 |  | 4652 |
| Nivolumab | 1 >> 10 mg/ml |  |  | 25°C |  | 24 |  | 4652 |
| Nivolumab | 1 >> 10 mg/ml |  |  | 2-8°C |  | 30 |  | 4652 |
| Nivolumab | 1 >> 10 mg/ml |  |  | 25°C |  | 24 |  | 4652 |
| Nivolumab | 1 >> 10 mg/ml |  |  | 2-8°C |  | 30 |  | 4652 |
| Nivolumab | 1 >> 10 mg/ml |  |  | 25°C |  | 24 |  | 4652 |
| Nivolumab | 2 mg/ml |  |  | 2-8°C |  | 28 |  | 4505 |
| Nivolumab | 2 mg/ml |  |  | 2-8°C |  | 28 |  | 4025 |
| Norepinephrine bitartrate | 0.01 mg/ml |  |  | 2-8°C |  | 90 |  | 4323 |
| Norepinephrine bitartrate | 0.1 mg/ml |  |  | 2-8°C |  | 7 |  | 3346 |
| Norepinephrine bitartrate | 0.1 mg/ml |  |  | 2-8°C |  | 90 |  | 4323 |
| Norepinephrine bitartrate | 0.2 mg/ml |  |  | -20°C |  | 365 |  | 3989 |
| Norepinephrine bitartrate | 0.2 mg/ml |  |  | 5°C |  | 365 |  | 3989 |
| Norepinephrine bitartrate | 0.2 mg/ml |  |  | -20°C |  | 365 |  | 3989 |
| Norepinephrine bitartrate | 0.2 mg/ml |  |  | 5°C |  | 365 |  | 3989 |
| Norepinephrine bitartrate | 0,064 mg/ml |  |  | 22-23°C |  | 24 |  | 4758 |
| Obinutuzumab | 0,4 >> 20 mg/ml |  |  | 2-8°C |  | 24 |  | 3768 |
| Obinutuzumab | 0,4 >> 20 mg/ml |  |  | <30°C |  | 48 |  | 3768 |
| Obinutuzumab | 0,4 >> 20 mg/ml |  |  | 2-8°C |  | 24 |  | 3768 |
| Obinutuzumab | 0,4 >> 20 mg/ml |  |  | <30°C |  | 48 |  | 3768 |
| Ofatumumab | 0,3 mg/ml |  |  | <25°C |  | 48 |  | 3138 |
| Ofatumumab | 2 mg/ml |  |  | <25°C |  | 48 |  | 3138 |
| Omacetaxine mepesuccinate | 3,5 mg/ml |  |  | 2-8°C |  | 24 |  | 3776 |
| Omacetaxine mepesuccinate | 3,5 mg/ml |  |  | 2-8°C |  | 14 |  | 4123 |
| Omacetaxine mepesuccinate | 3,5 mg/ml |  |  | 25°C |  | 12 |  | 3776 |
| Omacetaxine mepesuccinate | 3,5 mg/ml |  |  | 25°C |  | 24 |  | 4123 |
| Omacetaxine mepesuccinate | 3,5 mg/ml |  |  | 2-8°C |  | 14 |  | 4123 |
| Omeprazole sodium | 8 mg/ml |  |  | ? |  | 12 |  | 3658 |
| Ondansetron hydrochloride | 0,08 mg/ml |  |  | -20°C |  | 120 |  | 917 |

| | | | | | | | | |
|---------------------------|------------------|---|---|-----------|---|-----|---|------|
| Ondansetron hydrochloride | 0,08 mg/ml |  |  | 4°C |  | 120 |  | 917 |
| Ondansetron hydrochloride | 0,24 mg/ml |  |  | 30°C |  | 24 |  | 179 |
| Ondansetron hydrochloride | 0,24 mg/ml |  |  | 3°C |  | 30 |  | 179 |
| Ornidazole | 10 mg/ml |  |  | 25°C |  | 15 |  | 918 |
| Ornidazole | 4 mg/ml |  |  | 25°C |  | 30 |  | 918 |
| Oxacillin sodium | 10 mg/ml |  |  | 23°C |  | 7 |  | 1705 |
| Oxacillin sodium | 10 mg/ml |  |  | 4°C |  | 30 |  | 1705 |
| Oxacillin sodium | 10 & 100 mg/ml |  |  | 25°C |  | 4 |  | 3589 |
| Oxacillin sodium | 10 & 100 mg/ml |  |  | 4°C |  | 7 |  | 3589 |
| Oxacillin sodium | 100 mg/ml |  |  | -15°C |  | 30 |  | 3589 |
| Oxytocin | 0.02 UI/ml |  |  | -20°C |  | 30 |  | 3347 |
| Oxytocin | 0.02 UI/ml |  |  | 2-6°C |  | 30 |  | 3347 |
| Oxytocin | 0.02 UI/ml |  |  | 22-25°C |  | 21 |  | 3347 |
| Paclitaxel | 0.3 mg/ml |  |  | 2-8°C |  | 13 |  | 2172 |
| Paclitaxel | 0.3 mg/ml |  |  | 25°C |  | 3 |  | 2172 |
| Paclitaxel | 1.2 mg/ml |  |  | 2-8°C |  | 8 |  | 2172 |
| Paclitaxel | 1.2 mg/ml |  |  | 25°C |  | 5 |  | 2172 |
| Paclitaxel | 0.3 mg/ml |  |  | 2-8°C |  | 13 |  | 2172 |
| Paclitaxel | 0.3 & 1.2 mg/ml |  |  | 25°C |  | 3 |  | 2172 |
| Paclitaxel | 1.2 mg/ml |  |  | 2-8°C |  | 9 |  | 2172 |
| Paclitaxel | 0,3 & 0,75 mg/ml |  |  | 25°C |  | 6 |  | 2174 |
| Paclitaxel | 0.3 > 1.2 mg/ml |  |  | 25°C |  | 72 |  | 1956 |
| Paclitaxel | 0.3 > 1.2 mg/ml |  |  | 5°C |  | 28 |  | 1956 |
| Paclitaxel | 1,2 mg/ml |  |  | 20°C-23°C |  | 25 |  | 412 |
| Paclitaxel albumin | 5 mg/ml |  |  | 2-8°C |  | 24 |  | 3157 |
| Paclitaxel albumin | 5 mg/ml |  |  | 2-8°C |  | 24 |  | 3157 |
| Paclitaxel albumin | 5 mg/ml |  |  | 25°C |  | 4 |  | 3157 |
| Paclitaxel albumin | 5 mg/ml |  |  | 2-8°C |  | 24 |  | 3157 |
| Paclitaxel albumin | 5 mg/ml |  |  | 25°C |  | 4 |  | 3157 |
| Panitumumab | <10 mg/ml |  |  | 2-8°C |  | 24 |  | 4807 |
| Panitumumab | 2,5 mg/ml |  |  | 4°C |  | 14 |  | 3135 |
| Panitumumab | <10 mg/ml |  |  | 2-8°C |  | 24 |  | 4807 |
| Pantoprazole sodium | 4 mg/ml |  |  | 20-25°C |  | 3 |  | 3220 |

| | | | | | | | | |
|---------------------|---------------------|---|---|-----------|---|----|---|------|
| Pantoprazole sodium | 0,16 mg/ml |  |  | 4°C |  | 20 |  | 2337 |
| Pantoprazole sodium | 0,4 & 0,8 mg/ml |  |  | 2-8°C |  | 28 |  | 3220 |
| Pantoprazole sodium | 0,4 & 0,8 mg/ml |  |  | 20-25°C |  | 3 |  | 3220 |
| Pantoprazole sodium | 0,8 mg/ml |  |  | 4°C |  | 20 |  | 2337 |
| Pantoprazole sodium | 4 mg/ml |  |  | 2-8°C |  | 28 |  | 3220 |
| Pantoprazole sodium | 4 mg/ml |  |  | 23°C-25°C |  | 48 |  | 2030 |
| Pantoprazole sodium | 4 mg/ml |  |  | 3°C-5°C |  | 96 |  | 2030 |
| Parecoxib sodium | 16 & 20 mg/ml |  |  | 25°C |  | 48 |  | 1824 |
| Parecoxib sodium | 16 & 20 mg/ml |  |  | 5°C |  | 48 |  | 1824 |
| Parecoxib sodium | 13,3 & 20 mg/ml |  |  | 25°C |  | 48 |  | 1824 |
| Parecoxib sodium | 13,3 & 20 mg/ml |  |  | 5°C |  | 48 |  | 1824 |
| Pembrolizumab | 1 mg/ml |  |  | 17-23°C |  | 7 |  | 4334 |
| Pembrolizumab | 1 mg/ml |  |  | 2-8°C |  | 7 |  | 4334 |
| Pembrolizumab | 1 mg/ml |  |  | 4°C |  | 14 |  | 4786 |
| Pembrolizumab | 4 mg/ml |  |  | 25°C |  | 7 |  | 4786 |
| Pembrolizumab | 4 mg/ml |  |  | 4°C |  | 30 |  | 4786 |
| Pemetrexed disodium | 25 mg/ml |  |  | 2-8°C |  | 24 |  | 1914 |
| Pemetrexed disodium | 25 mg/ml |  |  | 2-8°C |  | 14 |  | 4578 |
| Pemetrexed disodium | 25 mg/ml |  |  | 22°C |  | 14 |  | 4578 |
| Pemetrexed disodium | 2 & 13,5 mg/ml |  |  | 2-8°C |  | 21 |  | 4624 |
| Pemetrexed disodium | 25 mg/ml |  |  | 23°C |  | 2 |  | 2036 |
| Pemetrexed disodium | 25 mg/ml |  |  | 4°C |  | 31 |  | 2036 |
| Penicillin G sodium | ?? MUI/ml |  |  | 5°C |  | 2 |  | 1263 |
| Penicillin G sodium | 0,13 MUI/ml |  |  | 21°C-22°C |  | 13 |  | 2056 |
| Penicillin G sodium | 0,13 MUI/ml |  |  | 26°C |  | 12 |  | 2056 |
| Penicillin G sodium | 0,13 MUI/ml |  |  | 3-5°C |  | 6 |  | 2056 |
| Penicillin G sodium | 0,13 MUI/ml |  |  | 36°C |  | 5 |  | 2056 |
| Pentostatin | 0.002 >> 0.02 mg/ml |  |  | 22°C-23°C |  | 48 |  | 154 |
| Pentostatin | 2 mg/ml |  |  | 22°C-23°C |  | 72 |  | 154 |
| Pentostatin | 0.002 >> 0.02 mg/ml |  |  | 22°C-23°C |  | 48 |  | 154 |
| Pertuzumab | 1.6 & 3 mg/ml |  |  | 2-8°C |  | 30 |  | 4686 |
| Pertuzumab | 1.6 & 3 mg/ml |  |  | 30°C |  | 24 |  | 4686 |
| Pertuzumab | 3 mg/ml |  |  | 30°C | | 24 |  | 3366 |

| | | | | | | | | |
|----------------------------------|------------------|--|--|---------|--|-----|--|------|
| Pertuzumab | 3 mg/ml | | | 5°C | | 24 | | 3366 |
| Pertuzumab | 1.6 & 3 mg/ml | | | 2-8°C | | 30 | | 4686 |
| Pertuzumab | 1.6 & 3 mg/ml | | | 30°C | | 24 | | 4686 |
| Pertuzumab | 3 mg/ml | | | 30°C | | 24 | | 3366 |
| Pertuzumab | 3 mg/ml | | | 5°C | | 24 | | 3366 |
| Pethidine hydrochloride | 2,5 mg/ml | | | 25°C | | 24 | | 1292 |
| Pethidine hydrochloride | 10 mg/ml | | | 37°C | | 90 | | 1735 |
| Phenobarbital sodium | 10 mg/ml | | | 4°C | | 28 | | 349 |
| Phenylephrine hydrochloride | 0,1 & 0,2 mg/ml | | | 25°C | | 14 | | 1891 |
| Phenylephrine hydrochloride | 0,1 mg/ml | | | -20°C | | 30 | | 2194 |
| Phenylephrine hydrochloride | 0,1 mg/ml | | | 23-25°C | | 30 | | 2194 |
| Phenylephrine hydrochloride | 0,1 mg/ml | | | 3-5°C | | 30 | | 2194 |
| Phenytoin sodium | 9,2 & 18,4 mg/ml | | | 25°C | | 2 | | 310 |
| Piperacillin sodium | 80 mg/ml | | | -20°C | | 100 | | 1329 |
| Piperacillin sodium | 20 mg/ml | | | 2-8°C | | 28 | | 1845 |
| Piperacillin sodium | 20 mg/ml | | | 25°C | | 7 | | 1845 |
| Piperacillin sodium | 30 & 40 mg/ml | | | 23°C | | 5 | | 1826 |
| Piperacillin sodium | 30 & 40 mg/ml | | | 4°C | | 21 | | 1826 |
| Piperacillin sodium | 125 mg/ml | | | 20-25°C | | 24 | | 4634 |
| Piperacillin sodium | 40 mg/ml | | | 25°C | | 5 | | 1718 |
| Piperacillin sodium | 40 mg/ml | | | 5°C | | 28 | | 1718 |
| Piperacillin sodium / tazobactam | 20 / 2.5 mg/ml | | | 23°C | | 72 | | 2345 |
| Piperacillin sodium / tazobactam | 20 / 2.5 mg/ml | | | 5°C | | 28 | | 2345 |
| Piperacillin sodium / tazobactam | 40 / 5 mg/ml | | | 25°C | | 4 | | 2026 |
| Piperacillin sodium / tazobactam | 40 / 5 mg/ml | | | 7°C | | 5 | | 2026 |
| Piperacillin sodium / tazobactam | 40 / 5 mg/ml | | | 25°C | | 3 | | 2026 |
| Piperacillin sodium / tazobactam | 40 / 5 mg/ml | | | 7°C | | 17 | | 2026 |
| Piperacillin sodium / tazobactam | 50.6 / 6.3 mg/ml | | | 2-8°C | | 17 | | 4620 |
| Piperacillin sodium / tazobactam | 50.6 / 6.3 mg/ml | | | 25°C | | 3 | | 4620 |
| Piperacillin sodium / tazobactam | 80 / 10 mg/ml | | | 25°C | | 12 | | 4326 |
| Piperacillin sodium / tazobactam | 66,7/8,3 mg/ml | | | 37°C | | 8 | | 4634 |
| Piperacillin sodium / tazobactam | 40 / 5 mg/ml | | | 22-23°C | | 24 | | 4758 |
| Piritramide | 1 mg/ml | | | 2-8°C | | 28 | | 1697 |

| | | | | | | | | |
|----------------------------|-----------------|---|---|---------|---|-----|---|------|
| Pirtramide | 1 mg/ml |  |  | 25°C |  | 28 |  | 1697 |
| Pixantrone dimaleate | 5,8 mg/ml |  |  | 15-25°C | | 24 |  | 3320 |
| Pixantrone dimaleate | <0,58 mg/ml |  |  | 15-25°C | | 24 |  | 3320 |
| Plazomicin sulfate | 2.5 >> 45 mg/ml |  |  | 2-8°C |  | 7 |  | 4482 |
| Plazomicin sulfate | 2.5 >> 45 mg/ml |  |  | 25°C |  | 24 |  | 4482 |
| Polymyxine B | 0,1 mg/ml |  |  | 25°C |  | 24 |  | 3121 |
| Polymyxine B | 0,1 mg/ml |  |  | 4°C |  | 24 |  | 3121 |
| Procainamide hydrochloride | 3 mg/ml |  |  | 2-8 °C |  | 193 |  | 4028 |
| Promethazine hydrochloride | 0,095 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Promethazine hydrochloride | 0,095 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Promethazine hydrochloride | 0,095 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Ramucirumab | mg/ml |  |  | 2-8°C |  | 24 |  | 3773 |
| Ramucirumab | mg/ml |  |  | 25°C |  | 4 |  | 3773 |
| Ranitidine hydrochloride | 5 mg/ml |  |  | 25°C |  | 91 |  | 4131 |
| Ranitidine hydrochloride | 5 mg/ml |  |  | 5°C |  | 91 |  | 4131 |
| Rasburicase | ? mg/ml |  |  | 2-8°C |  | 24 |  | 1517 |
| Remifentanil hydrochloride | 10 >> 50 µg/ml |  |  | 20-22°C |  | 24 |  | 4501 |
| Remifentanil hydrochloride | 10 µg/ml |  |  | 2-8°C |  | 21 |  | 4192 |
| Remifentanil hydrochloride | 10 µg/ml |  |  | 23-27°C |  | 90 |  | 4183 |
| Remifentanil hydrochloride | 20 µg/ml |  |  | 2-8°C |  | 21 |  | 4192 |
| Remifentanil hydrochloride | 4 µg/ml |  |  | 23-27°C |  | 90 |  | 4183 |
| Remifentanil hydrochloride | 4 & 10 µg/ml |  |  | 23°C |  | 90 |  | 4231 |
| Remifentanil hydrochloride | 50 µg/ml |  |  | 2-8°C |  | 21 |  | 4192 |
| Rituximab | 1 mg/ml |  |  | 2-8°C |  | 31 |  | 4040 |
| Rituximab | 1 mg/ml |  |  | 2-8°C |  | 31 |  | 4040 |
| Rituximab | 1 mg/ml |  |  | 2-4°C |  | 28 |  | 4016 |
| Rituximab | 1 mg/ml |  |  | 2-8°C |  | 180 |  | 3323 |
| Rituximab | 1 mg/ml |  |  | 25°C |  | 15 |  | 4016 |
| Rituximab | 1 mg/ml |  |  | 4°C |  | 90 |  | 2881 |
| Rituximab | 4 mg/ml |  |  | 2-4°C |  | 28 |  | 4016 |
| Rituximab | 4 mg/ml |  |  | 25°C |  | 15 |  | 4016 |
| Rituximab | 4 mg/ml |  |  | 4°C |  | 90 |  | 2881 |
| Rituximab | 1 >> 4 mg/ml |  |  | 2-8°C |  | 30 |  | 4740 |





























| | | | | | | | | |
|--|--------------|--------|---|---------|---|----|---|------|
| Rituximab | 1 >> 4 mg/ml | ? | ▲ | <30°C | ? | 24 | ☑ | 4740 |
| Romidepsin | 0.05 mg/ml | ☐ | ▲ | 25°C | ? | 24 | ☑ | 3432 |
| Romidepsin | 0.05 mg/ml | PVC | ▲ | 25°C | ? | 24 | ☑ | 3432 |
| Romidepsin | 0.05 mg/ml | PE | ▲ | 25°C | ? | 24 | ☑ | 3432 |
| Romidepsin | 0.05 mg/ml | EVA | ▲ | 25°C | ? | 24 | ☑ | 3432 |
| Salbutamol sulfate | 0,06 mg/ml | PP | ▲ | 2-8°C | ☀ | 30 | ◐ | 4342 |
| Sodium bicarbonate | 0,336 mg/ml | POF | ▲ | 25°C | ? | 48 | ☑ | 4383 |
| Sodium ferric gluconate complex with sucrose | 0,055 mg/ml | ? | ▲ | 18-25°C | ? | 24 | ☑ | 3456 |
| Sodium ferric gluconate complex with sucrose | 0,055 mg/ml | ? | ▲ | 2-8°C | ? | 7 | ◐ | 3456 |
| Sodium ferric gluconate complex with sucrose | 0,055 mg/ml | ? | ▲ | 18-25°C | ? | 24 | ☑ | 3456 |
| Sodium ferric gluconate complex with sucrose | 0,055 mg/ml | ? | ▲ | 2-8°C | ? | 7 | ◐ | 3456 |
| Sodium thiosulfate | 16 mg/ml | POF | ▲ | 25°C | ☀ | 24 | ☑ | 4126 |
| Sodium thiosulfate | 72 mg/ml | POF | ▲ | 25°C | ☀ | 24 | ☑ | 4126 |
| Streptokinase | 360000 UI/ml | ☐ | ▲ | 2-8°C | ? | 24 | ☑ | 3625 |
| Sufentanil citrate | 0,005 mg/ml | ☐ | ▲ | -20°C | ☀ | 5 | ◐ | 675 |
| Sufentanil citrate | 0,005 mg/ml | ☐ | ▲ | 32°C | ? | 5 | ◐ | 675 |
| Sufentanil citrate | 0,005 mg/ml | ☐ | ▲ | 4°C | ☀ | 5 | ◐ | 675 |
| Sufentanil citrate | 0,005 mg/ml | PVC | ▲ | 4°C | ☀ | 5 | ◐ | 675 |
| Sufentanil citrate | 0,02 mg/ml | PVC | ▲ | 4°C | ☀ | 10 | ◐ | 1491 |
| Sufentanil citrate | 0,005 mg/ml | PE | ▲ | -20°C | ☀ | 5 | ◐ | 675 |
| Sufentanil citrate | 0,005 mg/ml | PE | ▲ | 32°C | ? | 5 | ◐ | 675 |
| Sufentanil citrate | 0,005 mg/ml | PE | ▲ | 4°C | ☀ | 5 | ◐ | 675 |
| Sufentanil citrate | 0,001 mg/ml | PP | ▲ | 21°C | ☀ | 3 | ◐ | 1835 |
| Sufentanil citrate | 0,001 mg/ml | PP | ▲ | 36°C | ☀ | 1 | ◐ | 1835 |
| Sufentanil citrate | 0,001 mg/ml | PP | ▲ | 4°C | ☀ | 23 | ◐ | 1835 |
| Sufentanil citrate | 0,002 mg/ml | PP | ▲ | 21°C | ☀ | 24 | ☑ | 1752 |
| Sugammadex | 10 mg/ml | ? | ▲ | 2-8°C | ? | 48 | ☑ | 2328 |
| Sugammadex | 10 mg/ml | ? | ▲ | 25°C | ? | 48 | ☑ | 2328 |
| Tacrolimus | 1 µg/ml | POF | ▲ | 20-25°C | ? | 24 | ☑ | 3842 |
| Tacrolimus | 2 >> 8 µg/ml | Excel® | ▲ | 23°C | ☀ | 9 | ◐ | 3915 |
| Tacrolimus | 2 >> 8 µg/ml | Excel® | ▲ | 4°C | ☀ | 9 | ◐ | 3915 |
| Tedizolid phosphate | 0,8 mg/ml | ? | ▲ | 2-8°C | ? | 24 | ☑ | 3753 |
| Tedizolid phosphate | 0,8 mg/ml | ? | ▲ | 25°C | ? | 24 | ☑ | 3753 |

| | | | | | | | | |
|------------------------|-----------------|--|--|-----------|--|-----|--|------|
| Temocilline | 125 mg/ml | | | 25°C | | 24 | | 2296 |
| Temocilline | 25 mg/ml | | | 37°C | | 24 | | 4634 |
| Temsirolimus | 0,1 mg/ml | | | 25°C | | 6 | | 2226 |
| Temsirolimus | 0,1 mg/ml | | | 25°C | | 6 | | 2226 |
| Temsirolimus | 0,1 mg/ml | | | 20°C | | 3 | | 3318 |
| Temsirolimus | 0,1 mg/ml | | | 4°C | | 4 | | 3318 |
| Temsirolimus | 0,1 mg/ml | | | 25°C | | 6 | | 2226 |
| Teniposide | 0,05 mg/ml | | | 25°C | | 4 | | 1520 |
| Terbutaline sulfate | 0,1 mg/ml | | | 25°C | | 23 | | 1933 |
| Thiamazole | 0,48 mg/ml | | | 25°C | | 24 | | 4518 |
| Thiamazole | 0,96 mg/ml | | | 25°C | | 24 | | 4518 |
| Thiopental sodium | 1,8 mg/ml | | | 21°C | | 24 | | 350 |
| Thiopental sodium | 1,8 mg/ml | | | 21°C | | 24 | | 350 |
| Thiopental sodium | 1,8 mg/ml | | | 21°C | | 24 | | 350 |
| Thiotepa | 1 & 3 mg/ml | | | 25°C | | 24 | | 302 |
| Thiotepa | 1 & 3 mg/ml | | | 8°C | | 48 | | 302 |
| Thiotepa | 1 & 2 & 3 mg/ml | | | 25°C | | 1 | | 4748 |
| Thiotepa | 0.5 & 1 mg/ml | | | 2-8°C | | 24 | | 3603 |
| Thiotepa | 0.5 & 1 mg/ml | | | 25°C | | 4 | | 3603 |
| Tirofiban | 50 µg/ml | | | 20-25°C | | 30 | | 1600 |
| Tirofiban | 50 µg/ml | | | 20-25°C | | 30 | | 1600 |
| Tobramycin sulfate | 1 & 10 mg/ml | | | 25°C | | 3 | | 13 |
| Tobramycin sulfate | 1 & 10 mg/ml | | | 5°C | | 14 | | 13 |
| Tobramycin sulfate | 0,95 mg/ml | | | 23°C | | 7 | | 1704 |
| Tobramycin sulfate | 0,95 mg/ml | | | 4°C | | 30 | | 1704 |
| Tobramycin sulfate | 30 mg/ml | | | 22°C-23°C | | 48 | | 639 |
| Tocilizumab | 4 mg/mL | | | 4°C | | 24 | | 4611 |
| Tocilizumab | 6 mg/mL | | | 4°C | | 24 | | 4611 |
| Topotecan | 0,01 mg/ml | | | 25°C | | 7 | | 1274 |
| Tramadol hydrochloride | 0,89 mg/ml | | | 20-24°C | | 24 | | 3075 |
| Tranexamic acid | 20 mg/ml | | | 20-25°C | | 180 | | 3756 |
| Tranexamic acid | 15 mg/ml | | | 2-8°C | | 90 | | 3756 |
| Tranexamic acid | 15 mg/ml | | | 20-25°C | | 90 | | 3756 |

| | | | | | | | | |
|-------------|---------------|-----|---|---------|---|-----|---|------|
| Trastuzumab | mg/ml | PVC | ▲ | <30°C | ? | 24 | ☑ | 3077 |
| Trastuzumab | ? mg/ml | PVC | ▲ | 2-8°C | ? | 30 | ◐ | 3077 |
| Trastuzumab | 0,2 & 4 mg/ml | PVC | ▲ | 2-8°C | ? | 42 | ◐ | 4754 |
| Trastuzumab | 0,24 mg/ml | PVC | ▲ | 2-8°C | ☀ | 7 | ◐ | 4163 |
| Trastuzumab | 0,24 mg/ml | PVC | ▲ | 30°C | ☀ | 24 | ☑ | 4163 |
| Trastuzumab | 0,4 mg/ml | PVC | ▲ | 2-8°C | ? | 28 | ◐ | 4194 |
| Trastuzumab | 1 mg/ml | PVC | ▲ | 2-8°C | ? | 28 | ◐ | 4194 |
| Trastuzumab | 3,84 mg/ml | PVC | ▲ | 2-8°C | ☀ | 7 | ◐ | 4163 |
| Trastuzumab | 3,84 mg/ml | PVC | ▲ | 30°C | ☀ | 24 | ☑ | 4163 |
| Trastuzumab | 4 mg/ml | PVC | ▲ | 2-8°C | ? | 28 | ◐ | 4194 |
| Trastuzumab | mg/ml | PE | ▲ | <30°C | ? | 24 | ☑ | 3077 |
| Trastuzumab | ? mg/ml | PE | ▲ | 2-8°C | ? | 30 | ◐ | 3077 |
| Trastuzumab | 0,32 mg/ml | PE | ▲ | 2-8°C | ☀ | 28 | ◐ | 4271 |
| Trastuzumab | 0,32 mg/ml | PE | ▲ | 23-27°C | ☀ | 28 | ◐ | 4271 |
| Trastuzumab | 0,56 mg/ml | PE | ▲ | 2-8°C | ☀ | 28 | ◐ | 4271 |
| Trastuzumab | 0,56 mg/ml | PE | ▲ | 23-27°C | ☀ | 28 | ◐ | 4271 |
| Trastuzumab | 4 mg/ml | PE | ▲ | 2-8°C | ☀ | 28 | ◐ | 4271 |
| Trastuzumab | 4 mg/ml | PE | ▲ | 23-27°C | ☀ | 28 | ◐ | 4271 |
| Trastuzumab | mg/ml | PP | ▲ | <30°C | ? | 24 | ☑ | 3077 |
| Trastuzumab | ? mg/ml | PP | ▲ | 2-8°C | ? | 30 | ◐ | 3077 |
| Trastuzumab | 0,4 mg/ml | PP | ▲ | 2-8°C | ☀ | 28 | ◐ | 3258 |
| Trastuzumab | 0,4 mg/ml | PP | ▲ | 2-8°C | ? | 28 | ◐ | 4194 |
| Trastuzumab | 0,4 mg/ml | PP | ▲ | 25°C | ☀ | 28 | ◐ | 3258 |
| Trastuzumab | 0,8 mg/ml | PP | ▲ | 4°C | ☀ | 180 | ◐ | 3343 |
| Trastuzumab | 1 mg/ml | PP | ▲ | 2-8°C | ? | 28 | ◐ | 4194 |
| Trastuzumab | 2,4 mg/ml | PP | ▲ | 4°C | ☀ | 180 | ◐ | 3343 |
| Trastuzumab | 4 mg/ml | PP | ▲ | 2-8°C | ☀ | 28 | ◐ | 3258 |
| Trastuzumab | 4 mg/ml | PP | ▲ | 2-8°C | ? | 28 | ◐ | 4194 |
| Trastuzumab | 4 mg/ml | PP | ▲ | 25°C | ☀ | 28 | ◐ | 3258 |
| Trastuzumab | 0,2 & 4 mg/ml | POF | ▲ | 2-8°C | ? | 42 | ◐ | 4754 |
| Trastuzumab | 0,24 mg/ml | POF | ▲ | 2-8°C | ☀ | 7 | ◐ | 4163 |
| Trastuzumab | 0,24 mg/ml | POF | ▲ | 30°C | ☀ | 24 | ☑ | 4163 |
| Trastuzumab | 0,3 mg/ml | POF | ▲ | 2-8°C | ☀ | 21 | ◐ | 4649 |

| | | | | | | | | |
|--------------------------|------------------|--|--|---------|--|-----|--|------|
| Trastuzumab | 0,3 mg/ml | | | 30°C | | 48 | | 4477 |
| Trastuzumab | 0,8 mg/ml | | | 18-22°C | | 180 | | 3386 |
| Trastuzumab | 0,8 mg/ml | | | 2-8°C | | 180 | | 3386 |
| Trastuzumab | 0,8 & 2,4 mg/ml | | | 2-5°C | | 90 | | 4191 |
| Trastuzumab | 0,8 > 4 mg/ml | | | 2-8°C | | 76 | | 4649 |
| Trastuzumab | 0.3 mg/ml | | | 2-8°C | | 28 | | 4396 |
| Trastuzumab | 0.3 mg/ml | | | 30°C | | 28 | | 4396 |
| Trastuzumab | 0.8 & 2.4 mg/ml | | | 25°C | | 3 | | 4493 |
| Trastuzumab | 0.8 & 2.4 mg/ml | | | 4°C | | 90 | | 4493 |
| Trastuzumab | 2,4 mg/ml | | | 18-22°C | | 180 | | 3386 |
| Trastuzumab | 2,4 mg/ml | | | 2-8°C | | 180 | | 3386 |
| Trastuzumab | 3,8 mg/ml | | | 2-8°C | | 35 | | 4477 |
| Trastuzumab | 3,84 mg/ml | | | 2-8°C | | 7 | | 4163 |
| Trastuzumab | 3,84 mg/ml | | | 30°C | | 24 | | 4163 |
| Trastuzumab | 3.8 mg/ml | | | 2-8°C | | 28 | | 4396 |
| Trastuzumab | 3.8 mg/ml | | | 30°C | | 28 | | 4396 |
| Trastuzumab | 0,2 & 4 mg/ml | | | 2-8°C | | 42 | | 4754 |
| Trastuzumab | 0,3 mg/ml | | | 2-8°C | | 21 | | 4649 |
| Trastuzumab | 0,8 > 4 mg/ml | | | 2-8°C | | 76 | | 4649 |
| Trastuzumab | 0.4 >> 4 mg/ml | | | 2-8°C | | 28 | | 3849 |
| Trastuzumab emtansine | ? mg/ml | | | 2-8°C | | 24 | | 2990 |
| Trastuzumab emtansine | ? mg/ml | | | 2-8°C | | 24 | | 2990 |
| Treosulfan | 50 mg/ml | | | 25°C | | 46 | | 1990 |
| Treprostinil | 0,004 mg/ml | | | 40°C | | 48 | | 1904 |
| Turoctocog alfa | 125 >> 750 UI/ml | | | 28-32°C | | 24 | | 4502 |
| Urapidil | 1,6 mg/ml | | | 25°C | | 10 | | 3881 |
| Urapidil | 3,3 mg/ml | | | 25°C | | 10 | | 3881 |
| Urokinase | 0,005 MUI/ml | | | -20°C | | 56 | | 2050 |
| Urokinase | 0,005 MUI/ml | | | 37°C | | 56 | | 2050 |
| Urokinase | 0,005 MUI/ml | | | 7°C | | 56 | | 2050 |
| Vancomycin hydrochloride | 0,025 mg/ml | | | 4°C | | 63 | | 1414 |
| Vancomycin hydrochloride | 10 mg/ml | | | -20°C | | 90 | | 3120 |
| Vancomycin hydrochloride | 10 mg/ml | | | 25°C | | 48 | | 3120 |

| | | | | | | | | |
|--------------------------|----------------------|--|--|---------|--|-----|--|------|
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 8 | | 3120 |
| Vancomycin hydrochloride | 4 & 5 mg/ml | | | 23°C | | 24 | | 694 |
| Vancomycin hydrochloride | 4 & 5 mg/ml | | | 4°C | | 30 | | 694 |
| Vancomycin hydrochloride | 10 mg/ml | | | 23°C | | 7 | | 1614 |
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 30 | | 1614 |
| Vancomycin hydrochloride | 0,025 mg/ml | | | 4°C | | 14 | | 895 |
| Vancomycin hydrochloride | 10 mg/ml | | | -20°C | | 168 | | 2530 |
| Vancomycin hydrochloride | 10 mg/ml | | | 25°C | | 62 | | 913 |
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 98 | | 2530 |
| Vancomycin hydrochloride | 25 mg/ml | | | 23-27°C | | 24 | | 4373 |
| Vancomycin hydrochloride | 40 mg/ml | | | 20-25°C | | 24 | | 4007 |
| Vancomycin hydrochloride | 40 mg/ml | | | 23-27°C | | 24 | | 4373 |
| Vedolizumab | 1.2 mg/ml | | | 2-8°C | | 24 | | 3711 |
| Vedolizumab | 1.2 mg/ml | | | 20-25°C | | 12 | | 3711 |
| Vinblastine sulfate | 0,05 mg/ml | | | 2-8°C | | 21 | | 1727 |
| Vinblastine sulfate | 0,05 mg/ml | | | 21-25°C | | 21 | | 1727 |
| Vincristine sulfate | 0,01 >> 0,12 mg/ml | | | 4°C | | 7 | | 1602 |
| Vincristine sulfate | 0,033 >> 0,121 mg/ml | | | 25°C | | 7 | | 3119 |
| Vincristine sulfate | 0,033 >> 0,121 mg/ml | | | 4°C | | 7 | | 3119 |
| Vincristine sulfate | 0,05 mg/ml | | | 2-8°C | | 84 | | 3214 |
| Vincristine sulfate | 0,05 mg/ml | | | 25°C | | 84 | | 3214 |
| Vincristine sulfate | 0,025 mg/ml | | | 2-8°C | | 84 | | 3214 |
| Vincristine sulfate | 0,025 mg/ml | | | 25°C | | 84 | | 3214 |
| Vincristine sulfate | 0,025 >> 0,15 mg/ml | | | 4°C | | 7 | | 1602 |
| Vincristine sulfate | 0,1 mg/ml | | | 2-8°C | | 84 | | 3214 |
| Vincristine sulfate | 0,1 mg/ml | | | 25°C | | 84 | | 3214 |
| Vinorelbine tartrate | 0,385 mg/ml | | | 23°C | | 7 | | 1501 |
| Vinorelbine tartrate | 0,385 mg/ml | | | 23°C | | 7 | | 1501 |
| Vinorelbine tartrate | 0,5 mg/ml | | | 4°C | | 3 | | 144 |
| Vinorelbine tartrate | 0,385 mg/ml | | | 21°C | | 7 | | 1520 |
| Vinorelbine tartrate | 0,385 mg/ml | | | 23°C | | 7 | | 1501 |
| Voriconazole | 0,5 mg/ml | | | 4-7°C | | 11 | | 3087 |
| Voriconazole | 2 mg/ml | | | 25°C | | 8 | | 2131 |

| | | | | | | | | |
|--------------------|-----------------|---|---|---------|---|----|---|------|
| Voriconazole | 2 mg/ml |  |  | 4°C |  | 8 |  | 2131 |
| Warfarin sodium | 0,010 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Warfarin sodium | 0,025 mg/ml |  |  | 21°C |  | 5 |  | 1472 |
| Warfarin sodium | 0,010 mg/ml |  |  | 21°C |  | 24 |  | 350 |
| Warfarin sodium | 0,025 mg/ml |  |  | 21°C |  | 5 |  | 1472 |
| Ziconotide acetate | 0.4 & 0.6 µg/ml |  |  | 23-27°C |  | 48 |  | 4473 |
| Ziconotide acetate | >25 µg/ml |  |  | 37°C |  | 60 |  | 4503 |



Dictionnaire

| | | | |
|--|----------------------------|--|-------------------------------|
| | Listes récapitulatives | | Stabilité des solutions |
| | Solvant | | Chlorure de sodium 0,9% |
| | Molécule | | Concentration |
| | Contenant | | Température |
| | Conservation | | Durée de stabilité |
| | Bibliographie | | Polyvinyl chlorure |
| | A l'abri de la lumière | | Jour |
| | Polypropylène | | Non précisée |
| | Polyolefine | | Seringue polypropylène |
| | Elastomère en polyisoprène | | Elastomère en silicone |
| | Heure | | Non précisé |
| | Lumière | | Verre |
| | Ethylène vinyl acétate | | Polyéthylène |
| | Seringue polycarbonate | | AT-Closed vial® |
| | Avec ou sans lumière | | Polypropylène et polyéthylène |
| | Poche Excel® | | Synchromed® |
| | Dictionnaire | | |