

























































































































































































































































































































































































Stabilis



|  |  |  |  |  |  |  |  |
|---|---|---|---|--|---|---|---|
| Aciclovir sodium | 10 mg/ml |  |  | 25°C |  | 30  | 1717 |
| Adalimumab | 50 mg/ml |  |  | 23-27°C |  | 28  | 4627 |
| Adenosin | 0,75 mg/ml |  |  | -15°C |  | 16  | 816 |
| Adenosin | 0,75 mg/ml |  |  | 25°C |  | 16  | 816 |
| Adenosin | 0,75 mg/ml |  |  | 5°C |  | 16  | 816 |
| Adenosin | 0,75 mg/ml |  | RL | -15°C |  | 14  | 816 |
| Adenosin | 0,75 mg/ml |  | RL | 25°C |  | 14  | 816 |
| Adenosin | 0,75 mg/ml |  | RL | 5°C |  | 14  | 816 |
| Adenosin | 3 mg/ml |  |  | -15°C |  | 14  | 816 |
| Adenosin | 3 mg/ml |  |  | 25°C |  | 7  | 816 |
| Adenosin | 3 mg/ml |  |  | 5°C |  | 14  | 816 |
| Aflibercept | 40 mg/ml |  |  | 4°C |  | 30  | 4798 |
| Alprostadil | 1,5 µg/ml |  |  | 28-32°C |  | 48  | 3761 |
| Alprostadil | 15 µg/ml |  |  | 28-32°C |  | 48  | 3761 |
| Alteplase | 1 mg/ml |  |  | -20°C |  | 8  | 3862 |
| Amikacin sulfate | 190 mg/ml |  |  | 22°C-23°C |  | 48  | 639 |
| Aminophylline | 5 mg/ml |  |  | 22°C |  | 91  | 478 |
| Aminophylline | 5 mg/ml |  |  | 4°C |  | 91  | 478 |
| Amiodarone hydrochloride | 25 mg/ml |  |  | 2-8°C |  | 28  | 4252 |
| Atracurium besylate | 0,5 >> 5 mg/ml |  |  | < 30°C |  | 24  | 3676 |
| Atracurium besylate | 10 mg/ml |  |  | 25°C |  | 42  | 657 |
| Atracurium besylate | 10 mg/ml |  |  | 40°C |  | 7  | 657 |
| Atracurium besylate | 10 mg/ml |  |  | 5°C |  | 42  | 657 |
| Atropine sulfate | 2 mg/ml |  |  | 23°C |  | 364  | 2297 |
| Atropine sulfate | 2 mg/ml |  |  | 35°C |  | 28  | 2297 |
| Atropine sulfate | 2 mg/ml |  |  | 5°C |  | 364  | 2297 |
| Azacitidine | 0.5 mg/ml |  | RL | -20°C |  | 30  | 414 |

| | | | | | | | | |
|-------------|---------------|--|----|---------|---|-----|--|------|
| Azacitidine | 0.5 & 2 mg/ml | | RL | 20°C | ? | 2 | | 414 |
| Azacitidine | 2 mg/ml | | RL | -20°C | | 18 | | 414 |
| Azacitidine | 25 mg/ml | | | -20°C | | 8 | | 3204 |
| Azacitidine | 25 mg/ml | | | -20°C | ? | 23 | | 3351 |
| Azacitidine | 25 mg/ml | | | -20°C | | 30 | | 3818 |
| Azacitidine | 25 mg/ml | | | -20°C | | 28 | | 4697 |
| Azacitidine | 25 mg/ml | | | 2-8°C | | 48 | | 3534 |
| Azacitidine | 25 mg/ml | | | 2-8°C | | 3 | | 3818 |
| Azacitidine | 25 mg/ml | | | 2-8°C | | 48 | | 4628 |
| Azacitidine | 25 mg/ml | | | 2-8°C | | 4 | | 4697 |
| Azacitidine | 25 mg/ml | | | 20-25°C | | 2 | | 4697 |
| Azacitidine | 25 mg/ml | | | 4°C | | 5 | | 3246 |
| Aztreonam | 125 mg/ml | | | 20-25°C | | 48 | | 4634 |
| Aztreonam | 120 mg/ml | | | 25°C | | 12 | | 4326 |
| Aztreonam | 20 mg/ml | | | 25°C | | 48 | | 644 |
| Aztreonam | 40 mg/ml | | | 25°C | | 12 | | 4326 |
| Bevacizumab | 25 mg/ml | | ∅ | 2-8°C | ? | 180 | | 2661 |
| Bevacizumab | 25 mg/ml | | ∅ | 4°C | | 90 | | 3265 |
| Bevacizumab | 25 mg/ml | | ∅ | 4°C | | 90 | | 3312 |
| Bevacizumab | 25 mg/ml | | ∅ | 4°C | | 30 | | 4798 |
| Bortezomib | 1 mg/ml | | | 2-6°C | | 10 | | 3337 |
| Bortezomib | 1 mg/ml | | | 2-8°C | | 35 | | 3240 |
| Bortezomib | 1 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 1 mg/ml | | | 22°C | | 3 | | 2010 |
| Bortezomib | 1 mg/ml | | | 25°C | | 14 | | 3240 |
| Bortezomib | 1 mg/ml | | | 25°C | | 7 | | 4137 |
| Bortezomib | 1 mg/ml | | | 5°C | | 5 | | 2010 |
| Bortezomib | 1 & 2.5 mg/ml | | | 25°C | | 25 | | 4485 |
| Bortezomib | 1 & 2.5 mg/ml | | | 4°C | | 35 | | 4485 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 2-8°C | | 28 | | 4137 |
| Bortezomib | 2,5 mg/ml | | | 23°C | | 21 | | 3688 |
| Bortezomib | 2,5 mg/ml | | | 25°C | | 7 | | 4137 |

| | | | | | | | | |
|---------------------------|-----------------|---|---|-----------|---|-----|---|------|
| Bortezomib | 2,5 mg/ml |  |  | 4°C |  | 23 |  | 3418 |
| Bortezomib | 2.5 mg/ml |  |  | 2-8°C |  | 14 |  | 3537 |
| Bortezomib | 2.5 mg/ml |  |  | 2-8°C |  | 30 |  | 3447 |
| Bupivacaine hydrochloride | 1,25 mg/ml |  |  | 23°C |  | 32 |  | 293 |
| Bupivacaine hydrochloride | 1,25 mg/ml |  |  | 3°C |  | 32 |  | 293 |
| Busulfan | 0,54 mg/ml |  |  | 2-8°C |  | 30 |  | 4033 |
| Busulfan | 6 mg/ml |  |  | 18°C-20°C |  | 28 |  | 2128 |
| Busulfan | 6 mg/ml |  |  | 2-8°C |  | 28 |  | 2128 |
| Busulfan | 6 mg/ml |  |  | 4°C |  | 4 |  | 3285 |
| Caffeine | 10 mg/ml |  |  | 25°C |  | 60 |  | 990 |
| Caffeine | 10 mg/ml |  |  | 4°C |  | 60 |  | 990 |
| Caffeine citrate | 10 mg/ml |  |  | 22°C |  | 180 |  | 43 |
| Calcitriol | 0,5 µg/ml |  |  | 25°C |  | 8 |  | 305 |
| Calcitriol | 0,5 µg/ml |  |  | 25°C |  | 8 |  | 305 |
| Calcitriol | 1 & 2 µg/ml |  |  | 25°C |  | 8 |  | 305 |
| Carboplatin | 10 mg/ml |  |  | 37°C |  | 24 |  | 645 |
| Carboplatin | 10 mg/ml |  |  | 4°C |  | 120 |  | 645 |
| Carboplatin | 10 mg/ml |  |  | 25°C |  | 8 |  | 1667 |
| Carfilzomib | 2 mg/ml |  |  | 15-30°C |  | 4 |  | 3348 |
| Carfilzomib | 2 mg/ml |  |  | 2-8°C |  | 24 |  | 3348 |
| Carfilzomib | 2 mg/ml |  |  | 25°C |  | 14 |  | 3986 |
| Carfilzomib | 0,8 mg/ml |  |  | 2-8°C |  | 28 |  | 3986 |
| Carfilzomib | 0,8 mg/ml |  |  | 25°C |  | 10 |  | 3986 |
| Cefalotin sodium | 200 mg/ml |  |  | -20°C |  | 270 |  | 574 |
| Cefamandole nafate | 286 mg/ml |  |  | -20°C |  | 270 |  | 574 |
| Cefazolin sodium | 100 mg/ml |  |  | 5°C |  | 30 |  | 3230 |
| Cefazolin sodium | 200 mg/ml |  |  | 5°C |  | 30 |  | 3230 |
| Cefazolin sodium | 333 mg/ml |  |  | -20°C |  | 270 |  | 574 |
| Cefazolin sodium | 125 mg/ml |  |  | 20-25°C |  | 24 |  | 4634 |
| Cefazolin sodium | 50 mg/ml |  |  | 25°C |  | 7 |  | 1814 |
| Cefazolin sodium | 50 mg/ml |  |  | 5°C |  | 22 |  | 1814 |
| Cefepime dihydrochloride | 100 & 200 mg/ml |  |  | -20°C |  | 90 |  | 1068 |
| Cefepime dihydrochloride | 100 & 200 mg/ml |  |  | 22-24°C |  | 2 |  | 1046 |

| | | | | | | | | |
|------------------------------|------------------|---|---|-----------|---|-----|---|------|
| Cefepime dihydrochloride | 100 & 200 mg/ml |  |  | 4°C |  | 7 |  | 1068 |
| Cefepime dihydrochloride | 100 & 200 mg/ml |  |  | 4°C |  | 14 |  | 1046 |
| Cefepime dihydrochloride | 100 & 200 mg/ml |  |  | -20°C |  | 90 |  | 1068 |
| Cefepime dihydrochloride | 100 & 200 mg/ml |  |  | 4°C |  | 7 |  | 1068 |
| Cefepime dihydrochloride | 125 mg/ml |  |  | 20-25°C |  | 24 |  | 4634 |
| Cefepime dihydrochloride | 200 mg/ml |  |  | 22-24°C |  | 2 |  | 1046 |
| Cefepime dihydrochloride | 200 mg/ml |  |  | 4°C |  | 14 |  | 1046 |
| Cefepime dihydrochloride | 100 mg/ml |  |  | 22°C-24°C |  | 2 |  | 1046 |
| Cefepime dihydrochloride | 120 mg/ml |  |  | 25°C |  | 10 |  | 4326 |
| Cefepime dihydrochloride | 20 mg/ml |  |  | 25°C |  | 2 |  | 1626 |
| Cefepime dihydrochloride | 20 mg/ml |  |  | 25°C |  | 12 |  | 4326 |
| Cefepime dihydrochloride | 20 mg/ml |  |  | 5°C |  | 21 |  | 1626 |
| Cefepime dihydrochloride | 40 mg/ml |  |  | 25°C |  | 10 |  | 4326 |
| Cefepime dihydrochloride | 100 mg/ml |  |  | 22°C-24°C |  | 1 |  | 1046 |
| Cefiderocol sulfate tosylate | 62,5 mg/mL |  |  | 20-25°C |  | 24 |  | 4634 |
| Cefotaxime sodium | 125 mg/ml |  |  | 20-25°C |  | 6 |  | 4268 |
| Cefotaxime sodium | 83,3 mg/ml |  |  | 20-25°C |  | 6 |  | 4268 |
| Cefotaxime sodium | 50 mg/ml |  |  | 25°C |  | 24 |  | 1711 |
| Cefotaxime sodium | 50 mg/ml |  |  | 5°C |  | 18 |  | 1711 |
| Cefoxitin sodium | 125 mg/ml |  |  | 20-25°C |  | 12 |  | 4634 |
| Ceftazidime | 100 mg/ml |  |  | -20°C |  | 91 |  | 477 |
| Ceftazidime | 100 mg/ml |  |  | 22°C |  | 24 |  | 477 |
| Ceftazidime | 100 mg/ml |  |  | 4°C |  | 10 |  | 477 |
| Ceftazidime | 100 & 200 mg/ml |  |  | -20°C |  | 91 |  | 445 |
| Ceftazidime | 100 & 200 mg/ml |  |  | 21°C-23°C |  | 8 |  | 445 |
| Ceftazidime | 100 & 200 mg/ml |  |  | 4°C |  | 96 |  | 445 |
| Ceftazidime | 125 mg/ml |  |  | 20-25°C |  | 24 |  | 4634 |
| Ceftazidime | 20 mg/ml |  |  | -20°C |  | 90 |  | 4032 |
| Ceftazidime | 20 mg/ml |  |  | 2-8°C |  | 7 |  | 4032 |
| Ceftazidime | 125 mg/ml |  |  | 20-25°C |  | 8 |  | 4634 |
| Ceftazidime Avibactam | 125/31,25 mg/ml |  |  | 20-25°C |  | 24 |  | 4634 |
| Ceftolozane / tazobactam | 62,5/31,25 mg/ml |  |  | 20-25°C |  | 48 |  | 4634 |
| Ceftriaxone disodium | 100 mg/ml |  |  | -20°C |  | 180 |  | 100 |




































































































































| | | | | | | | | |
|------------------------|-----------------|--|--|---------|--|-----|--|------|
| Ceftriaxone disodium | 100 mg/ml | | | 20°C | | 5 | | 100 |
| Ceftriaxone disodium | 100 mg/ml | | | 4°C | | 40 | | 100 |
| Ceftriaxone disodium | 100 mg/ml | | | 8°C | | 13 | | 1638 |
| Ceftriaxone disodium | 10 & 40 mg/ml | | | -15°C | | 10 | | 259 |
| Ceftriaxone disodium | 250 & 450 mg/ml | | | -15°C | | 56 | | 279 |
| Ceftriaxone disodium | 250 & 450 mg/ml | | | 20°C | | 24 | | 279 |
| Ceftriaxone disodium | 250 & 450 mg/ml | | | 4°C | | 10 | | 279 |
| Ceftriaxone disodium | 250 mg/ml | | | -15°C | | 56 | | 279 |
| Ceftriaxone disodium | 250 & 450 mg/ml | | | 20°C | | 24 | | 279 |
| Ceftriaxone disodium | 250 & 450 mg/ml | | | 4°C | | 10 | | 279 |
| Cefuroxime sodium | 10 mg/ml | | | -18°C | | 120 | | 3569 |
| Cefuroxime sodium | 10 mg/ml | | | -20°C | | 365 | | 1972 |
| Cefuroxime sodium | 10 mg/ml | | | 25°C | | 16 | | 1972 |
| Cefuroxime sodium | 10 mg/ml | | | 5°C | | 21 | | 1972 |
| Cefuroxime sodium | 50 mg/ml | | | 25°C | | 2 | | 1813 |
| Cefuroxime sodium | 50 mg/ml | | | 5°C | | 21 | | 1813 |
| Cefuroxime sodium | 90 mg/ml | | | 25°C | | 48 | | 4284 |
| Cefuroxime sodium | 90 mg/ml | | | 4°C | | 14 | | 4284 |
| Chlorothiazide sodium | 25 mg/ml | | | 2-8°C | | 6 | | 2206 |
| Chlorothiazide sodium | 10 mg/ml | | | 25°C | | 96 | | 3821 |
| Ciclosporin | mg/ml | | | 25°C | | 28 | | 453 |
| Cidofovir | 6.25 mg/ml | | | 25°C | | 150 | | 1989 |
| Cidofovir | 6.25 mg/ml | | | 32°C | | 150 | | 1989 |
| Cidofovir | 6.25 mg/ml | | | 4°C | | 150 | | 1989 |
| Cisatracurium besylate | 0,1 mg/ml | | | 23-27°C | | 2 | | 4358 |
| Cisatracurium besylate | 0,1 mg/ml | | | 4-6°C | | 7 | | 4358 |
| Cisatracurium besylate | 0,1 mg/ml | | | 23-27°C | | 2 | | 4358 |
| Cisatracurium besylate | 0,1 mg/ml | | | 4-6°C | | 2 | | 4358 |
| Cisatracurium besylate | 2 mg/ml | | | 23-27°C | | 7 | | 4358 |
| Cisatracurium besylate | 2 mg/ml | | | 23°C | | 30 | | 533 |
| Cisatracurium besylate | 2 mg/ml | | | 4-6°C | | 7 | | 4358 |
| Cisatracurium besylate | 2 mg/ml | | | 4°C | | 30 | | 533 |
| Cisatracurium besylate | 5 mg/ml | | | 23-27°C | | 7 | | 4358 |



































































































































| | | | | | | | | |
|------------------------|-----------------|--|------|-----------|---|----|--|------|
| Cisatracurium besylate | 5 mg/ml | | ∅ | 4-6°C | ? | 7 | | 4358 |
| Clindamycin phosphate | 150 mg/ml | | ▲ | 22°C-23°C | | 48 | | 639 |
| Clindamycin phosphate | 60 mg/ml | | ▲ | 25°C | | 48 | | 644 |
| Clonazepam | 0,5 mg/ml | | 💧 | 25°C | | 48 | | 2217 |
| Cloxacillin sodium | 100 mg/ml | | 💧 | 25°C | ? | 1 | | 4244 |
| Cloxacillin sodium | 100 mg/ml | | 💧 | 4°C | ? | 14 | | 4244 |
| Cloxacillin sodium | 250 mg/ml | | 💧 | 20-25°C | | 24 | | 4634 |
| Cloxacillin sodium | 50 mg/ml | | 💧 | 25°C | ? | 1 | | 4244 |
| Cloxacillin sodium | 50 mg/ml | | 💧 | 4°C | ? | 14 | | 4244 |
| Cloxacillin sodium | 125 mg/ml | | ▲♦ | 20-25°C | | 24 | | 4634 |
| Co-trimoxazole | 16/80 mg/ml | | ∅ | 18°C-24°C | | 60 | | 446 |
| Crisantaspase | 5000 & 10000 UI | | ▲ | <25°C | ? | 8 | | 4480 |
| Cytarabine | 20 & 50 mg/ml | | 💧 | 21°C | | 30 | | 1229 |
| Cytarabine | 20 & 50 mg/ml | | 💧 | 6°C-9°C | | 30 | | 1229 |
| Cytarabine | 0,1 & 20 mg/ml | | ▲♦ | 2-8°C | | 28 | | 2255 |
| Cytarabine | 20 mg/ml | | ▲♦ | 20-25°C | | 28 | | 2255 |
| Cytarabine | 0,1 mg/ml | | ▲ | 20-25°C | | 28 | | 2255 |
| Cytarabine | 1 mg/ml | | ▲ | 2-8°C | | 28 | | 4455 |
| Cytarabine | 1 mg/ml | | ▲ | 25°C | | 14 | | 4455 |
| Cytarabine | 10 mg/ml | | ▲ | 2-8°C | | 28 | | 4455 |
| Cytarabine | 10 mg/ml | | ▲ | 25°C | | 5 | | 4455 |
| Cytarabine | 5 mg/ml | | ▲ | 2-8°C | | 28 | | 4455 |
| Cytarabine | 5 mg/ml | | ▲ | 25°C | | 8 | | 4455 |
| Cytarabine | 0,1 mg/ml | | ♦ | 20-25°C | | 14 | | 2255 |
| Cytarabine | 3 mg/ml | | EI B | 23°C | ? | 48 | | 31 |
| Cytarabine | 3 mg/ml | | EI B | 4°C | | 48 | | 31 |
| Cytarabine | 20 & 50 mg/ml | | ∅ | -10°C | | 14 | | 850 |
| Cytarabine | 20 & 50 mg/ml | | ∅ | 22°C | ? | 14 | | 850 |
| Cytarabine | 20 & 50 mg/ml | | ∅ | 8°C | | 14 | | 850 |
| Dalteparin sodium | 1000 UI/ml | | ▲ | 2-8°C | | 30 | | 4031 |
| Dalteparin sodium | 2500 UI/ml | | ▲ | 4°C | ? | 28 | | 2268 |
| Dalteparin sodium | 10000 UI/ml | | ∅ | 25°C | ? | 30 | | 1873 |
| Dalteparin sodium | 25000 UI/ml | | ∅ | 4°C | ? | 30 | | 1873 |

| | | | | | | | | |
|--------------------------------|----------------------|--|--|--------------|--|-----|--|------|
| Daratumumab | 120 mg/mL | | | 15-25°C | | 24 | | 4785 |
| Daratumumab | 120 mg/mL | | | 2-8°C | | 28 | | 4784 |
| Daratumumab | 120 mg/mL | | | 2-8°C | | 24 | | 4785 |
| Daratumumab | 120 mg/mL | | | 20-24°C | | 28 | | 4784 |
| Daunorubicin hydrochloride | 2 mg/ml | | | 4°C | | 43 | | 686 |
| Deferoxamine mesylate | 250 mg/ml | | | 30°C | | 14 | | 5 |
| Dexamethasone sodium phosphate | 0,1 & 1 mg/ml | | | 25°C | | 22 | | 1701 |
| Dexamethasone sodium phosphate | 10 mg/ml | | | 23°C | | 55 | | 28 |
| Dexamethasone sodium phosphate | 10 mg/ml | | | 4°C | | 55 | | 28 |
| Dexmedetomidine | 4 µg/ml | | | 20-25°C | | 2 | | 3299 |
| Dexmedetomidine | 4 µg/ml | | | 5°C | | 14 | | 3299 |
| Diamorphine hydrochloride | 2 & 20 mg/ml | | | 18-22°C | | 18 | | 1886 |
| Diatrizoate meglumine | ? mg/ml | | | -20°C | | 30 | | 554 |
| Diatrizoate meglumine | ? mg/ml | | | 25°C | | 1 | | 554 |
| Diatrizoate meglumine | ? mg/ml | | | 4°C | | 7 | | 554 |
| Dimenhydrinate | 2,5 >> 10 mg/ml | | | 22°C | | 60 | | 1806 |
| Dimenhydrinate | 2,5 >> 10 mg/ml | | | 4°C | | 60 | | 1806 |
| Diphenhydramine hydrochloride | 1,25 & 2,5 & 5 mg/ml | | | 22°C | | 28 | | 1277 |
| Diphenhydramine hydrochloride | 1,25 & 2,5 & 5 mg/ml | | | 4°C | | 28 | | 1277 |
| Dobutamine hydrochloride | 10 mg/ml | | | 2-8°C | | 365 | | 4584 |
| Dobutamine hydrochloride | 10 mg/ml | | | -25 >> -15°C | | 90 | | 4584 |
| Dobutamine hydrochloride | 10 mg/ml | | | 23-27°C | | 30 | | 4584 |
| Dobutamine hydrochloride | 10 mg/ml | | | -25 >> -15°C | | 21 | | 4584 |
| Dobutamine hydrochloride | 10 mg/ml | | | 20°C | | 35 | | 3293 |
| Dobutamine hydrochloride | 10 mg/ml | | | 4°C | | 42 | | 3293 |
| Dobutamine hydrochloride | 5 mg/ml | | | 23-25°C | | 48 | | 206 |
| Dobutamine hydrochloride | 5 mg/ml | | | 25°C | | 24 | | 196 |
| Dobutamine hydrochloride | 5 mg/ml | | | 4°C | | 48 | | 206 |
| Dolasetron mesylate | 10 mg/ml | | | 23°C | | 31 | | 1807 |
| Dolasetron mesylate | 10 mg/ml | | | 4°C | | 31 | | 1807 |
| Dolasetron mesylate | 20 mg/ml | | | 25°C | | 240 | | 1986 |
| Dopamine hydrochloride | 10 mg/ml | | | 23°C | | 84 | | 3712 |
| Dopamine hydrochloride | 2 mg/ml | | | 23°C | | 84 | | 3712 |

| | | | | | | | | |
|---------------------------|---------------|--|--|-----------|--|-----|--|------|
| Dopamine hydrochloride | 30 mg/ml | | | 23°C | | 84 | | 3712 |
| Dopamine hydrochloride | 0,5 mg/ml | | | 25°C | | 7 | | 1820 |
| Dopamine hydrochloride | 0,5 mg/ml | | | 4°C | | 120 | | 1820 |
| Dopamine hydrochloride | 4 mg/ml | | | 23-25°C | | 48 | | 206 |
| Dopamine hydrochloride | 4 mg/ml | | | 25°C | | 24 | | 196 |
| Dopamine hydrochloride | 4 mg/ml | | | 4°C | | 48 | | 206 |
| Dopamine hydrochloride | 10 mg/ml | | | 23°C | | 84 | | 3712 |
| Dopamine hydrochloride | 2 mg/ml | | | 23°C | | 84 | | 3712 |
| Dopamine hydrochloride | 30 mg/ml | | | 23°C | | 84 | | 3712 |
| Doxapram hydrochloride | 2.5 mg/ml | | | 25°C | | 36 | | 3723 |
| Doxapram hydrochloride | 8 mg/ml | | | 25°C | | 24 | | 3723 |
| Doxorubicin hydrochloride | 2 mg/ml | | | 4°C | | 43 | | 686 |
| Doxorubicin hydrochloride | 0,1 mg/ml | | | 20-25°C | | 4 | | 2256 |
| Doxorubicin hydrochloride | 0,1 & 1 mg/ml | | | 2-8°C | | 28 | | 2256 |
| Doxorubicin hydrochloride | 1 mg/ml | | | 20-25°C | | 28 | | 2256 |
| Doxorubicin hydrochloride | 1 & 2 mg/ml | | | 23°C | | 124 | | 681 |
| Doxorubicin hydrochloride | 1 & 2 mg/ml | | | 4°C | | 124 | | 681 |
| Doxorubicin hydrochloride | 2 mg/ml | | | 2-8°C | | 84 | | 3670 |
| Droperidol | 0,18 mg/ml | | | 20°C-25°C | | 14 | | 1968 |
| Droperidol | 0.625 mg/ml | | | 23-27°C | | 180 | | 3207 |
| Enoxaparin sodium | 20 mg/ml | | | 2-6°C | | 14 | | 1893 |
| Enoxaparin sodium | 20 mg/ml | | | 22°C-26°C | | 14 | | 1893 |
| Enoxaparin sodium | 8 mg/ml | | | 2-6°C | | 14 | | 4413 |
| Enoxaparin sodium | 100 mg/ml | | | 3°C | | 10 | | 811 |
| Ephedrine hydrochloride | 10 mg/ml | | | 25°C | | 365 | | 2035 |
| Ephedrine hydrochloride | 10 mg/ml | | | 40°C | | 365 | | 2035 |
| Ephedrine sulfate | 5 mg/ml | | | 25°C | | 60 | | 1720 |
| Ephedrine sulfate | 5 mg/ml | | | 4°C | | 60 | | 1720 |
| Epinephrine hydrochloride | 100 µg/ml | | | 25°C | | 7 | | 659 |
| Epinephrine hydrochloride | 700 µg/ml | | | 25°C | | 56 | | 659 |
| Epinephrine hydrochloride | 20 µg/ml | | | 23°C | | 84 | | 3712 |
| Epinephrine hydrochloride | 300 µg/ml | | | 23°C | | 84 | | 3712 |
| Epinephrine hydrochloride | 900 µg/ml | | | 23°C | | 84 | | 3712 |





































































































































| | | | | | | | | |
|---------------------------|-------------|--|--|---------|--|-----|--|------|
| Epinephrine hydrochloride | 10 µg/ml | | | 2-8°C | | 90 | | 4323 |
| Epinephrine hydrochloride | 10 µg/ml | | | 20-25°C | | 12 | | 4778 |
| Epinephrine hydrochloride | 10 µg/ml | | | 25°C | | 21 | | 4393 |
| Epinephrine hydrochloride | 10 µg/ml | | | 4°C | | 56 | | 4393 |
| Epinephrine hydrochloride | 10 µg/ml | | | 4°C | | 56 | | 4778 |
| Epinephrine hydrochloride | 20 µg/ml | | | 2-8°C | | 183 | | 3445 |
| Epinephrine hydrochloride | 20 µg/ml | | | 2-8°C | | 180 | | 3397 |
| Epinephrine hydrochloride | 20 µg/ml | | | 23°C | | 84 | | 3712 |
| Epinephrine hydrochloride | 300 µg/ml | | | 23°C | | 84 | | 3712 |
| Epinephrine hydrochloride | 900 µg/ml | | | 23°C | | 84 | | 3712 |
| Epirubicin hydrochloride | 2 mg/ml | | | 4°C | | 43 | | 686 |
| Epirubicin hydrochloride | 0,5 mg/ml | | | 20°C | | 28 | | 1317 |
| Epirubicin hydrochloride | 0,5 mg/ml | | | 4°C | | 28 | | 1317 |
| Epirubicin hydrochloride | 1 mg/ml | | | 8°C | | 84 | | 1823 |
| Epirubicin hydrochloride | 1 & 2 mg/ml | | | 23°C | | 150 | | 683 |
| Epirubicin hydrochloride | 1 & 2 mg/ml | | | 4°C | | 150 | | 683 |
| Epirubicin hydrochloride | 2 mg/ml | | | 25°C | | 14 | | 887 |
| Epirubicin hydrochloride | 2 mg/ml | | | 4°C | | 180 | | 887 |
| Epirubicin hydrochloride | 8.33 mg/ml | | | 4°C | | 72 | | 3473 |
| Epirubicin hydrochloride | 2 mg/ml | | | 2-8°C | | 84 | | 3670 |
| Eribulin mesylate | 0.205 mg/ml | | | 2-8°C | | 28 | | 3707 |
| Eribulin mesylate | 0.205 mg/ml | | | 25°C | | 28 | | 3707 |
| Eribulin mesylate | 0,44 mg/ml | | | 18-22°C | | 14 | | 3331 |
| Eribulin mesylate | 0,44 mg/ml | | | 2-6°C | | 14 | | 3331 |
| Ertapenem | 100 mg/ml | | | -20°C | | 28 | | 3717 |
| Ertapenem | 100 mg/ml | | | 23°C | | 5 | | 3891 |
| Ertapenem | 100 mg/ml | | | 25°C | | 0.5 | | 3717 |
| Ertapenem | 100 mg/ml | | | 4°C | | 24 | | 3717 |
| Ertapenem | 100 mg/ml | | | 4°C | | 48 | | 3891 |
| Ethacrynate sodium | 1 mg/ml | | | 25°C | | 14 | | 1716 |
| Ethacrynate sodium | 1 mg/ml | | | 5°C | | 22 | | 1716 |
| Ethanol | 70 % | | | 23-25°C | | 14 | | 2221 |
| Ethanol | 70 % | | | 23-25°C | | 14 | | 2221 |

| | | | | | | | | |
|-----------------------|-----------------|---|---|---------|---|-----|---|------|
| Etoposide phosphate | 10 & 20 mg/ml |  |  | 23°C |  | 31 |  | 1411 |
| Etoposide phosphate | 10 & 20 mg/ml |  |  | 32°C |  | 7 |  | 1411 |
| Etoposide phosphate | 10 & 20 mg/ml |  |  | 4°C |  | 31 |  | 1411 |
| Famotidine | 2 mg/ml |  |  | -20°C |  | 56 |  | 77 |
| Famotidine | 0,2 mg/ml |  |  | 22°C |  | 15 |  | 215 |
| Famotidine | 2 mg/ml |  |  | -20°C |  | 56 |  | 77 |
| Famotidine | 2 mg/ml |  |  | -20°C |  | 21 |  | 77 |
| Faricimab | 120 mg/ml |  |  | 4°C |  | 37 |  | 4790 |
| Fentanyl citrate | 10 µg/ml |  |  | 25°C |  | 100 |  | 4303 |
| Fentanyl citrate | 13 & 34 µg/ml |  |  | 22°C |  | 7 |  | 929 |
| Fentanyl citrate | 13 & 34 µg/ml |  |  | 38°C |  | 7 |  | 929 |
| Fentanyl citrate | 13 & 34 µg/ml |  |  | 5°C |  | 7 |  | 929 |
| Fentanyl citrate | 20 & 40 µg/ml |  |  | 23°C |  | 90 |  | 4223 |
| Fentanyl citrate | 5 µg/ml |  |  | 23-27°C |  | 90 |  | 2334 |
| Fentanyl citrate | 50 µg/ml |  |  | 23°C |  | 90 |  | 4223 |
| Fentanyl citrate | 50 µg/ml |  |  | 22°C |  | 28 |  | 2031 |
| Fentanyl citrate | 50 µg/ml |  |  | 25°C |  | 100 |  | 4303 |
| Fentanyl citrate | 50 µg/ml |  |  | 5°C |  | 28 |  | 2031 |
| Floxuridine | 1 mg/ml |  |  | 30°C |  | 21 |  | 5 |
| Floxuridine | 50 mg/ml |  |  | 30°C |  | 21 |  | 5 |
| Flucloxacillin sodium | 140 mg/ml |  |  | 4°C-8°C |  | 9 |  | 1300 |
| Fluorouracil | 12 & 40 mg/ml |  |  | 25°C |  | 3 |  | 33 |
| Fluorouracil | 0,1 mg/ml |  |  | -10°C |  | 7 |  | 1812 |
| Fluorouracil | 0,1 mg/ml |  |  | 25°C |  | 7 |  | 1812 |
| Fluorouracil | 0,1 mg/ml |  |  | 40°C |  | 7 |  | 1812 |
| Fluorouracil | 0,1 mg/ml |  |  | 5°C |  | 7 |  | 1812 |
| Fluorouracil | 25 mg/ml |  |  | 2-8°C |  | 84 |  | 3670 |
| Fluorouracil | 50 mg/ml |  |  | 30°C |  | 21 |  | 5 |
| Fluoxetine | mg |  | | 20-25°C |  | 180 |  | 3667 |
| Fosphenytoin sodium | 50 mg/ml |  |  | -20°C |  | 30 |  | 800 |
| Fosphenytoin sodium | 50 mg/ml |  |  | 25°C |  | 30 |  | 800 |
| Fosphenytoin sodium | 50 mg/ml |  |  | 4°C |  | 30 |  | 800 |
| Furosemide | 1,0 > 8,0 mg/ml |  |  | 22°C |  | 84 |  | 1680 |



































































































































| | | | | | | | | |
|----------------------------|--------------------|---|---|-----------|---|-----|---|------|
| Furosemide | 1,0 > 8,0 mg/ml |  |  | 22°C |  | 7 |  | 1680 |
| Furosemide | 1,0 > 8,0 mg/ml |  |  | 6°C |  | 84 |  | 1680 |
| Furosemide | 5 mg/ml |  |  | 20°C |  | 24 |  | 4341 |
| Furosemide | 5 mg/ml |  |  | 4°C |  | 35 |  | 4341 |
| Furosemide | 1 mg/ml |  |  | 25°C |  | 96 |  | 3821 |
| Gadoterate meglumine | 0,5 mmol/ml |  |  | 25°C |  | 90 |  | 1679 |
| Gadoterate meglumine | 0,5 mmol/ml |  |  | 4°C |  | 90 |  | 1679 |
| Ganciclovir sodium | 1,4 & 7 mg/ml |  |  | -20°C |  | 365 |  | 245 |
| Ganciclovir sodium | 1,4 & 7 mg/ml |  |  | 25°C |  | 8 |  | 245 |
| Ganciclovir sodium | 1,4 & 7 mg/ml |  |  | 4°C |  | 80 |  | 245 |
| Ganciclovir sodium | 5 mg/ml |  |  | 2-8°C |  | 185 |  | 4021 |
| Ganciclovir sodium | 5 mg/ml |  |  | 23-27°C |  | 185 |  | 4021 |
| Ganciclovir sodium | 5,8 mg/ml |  |  | 25°C |  | 12 |  | 74 |
| Ganciclovir sodium | 5,8 mg/ml |  |  | 4°C |  | 10 |  | 74 |
| Gemcitabine hydrochloride | 38 mg/ml |  |  | 23°C |  | 35 |  | 1422 |
| Gentamicin sulfate | 30 mg/ml |  |  | 22°C-23°C |  | 48 |  | 639 |
| Glycopyrronium bromide | 0,2 mg/ml |  |  | 25°C |  | 90 |  | 1756 |
| Glycopyrronium bromide | 0,2 mg/ml |  |  | 4°C |  | 90 |  | 1756 |
| Granisetron hydrochloride | 0,05 & 0,1 mg/ml |  |  | 24°C |  | 14 |  | 48 |
| Granisetron hydrochloride | 0,05 & 0,1 mg/ml |  |  | 5°C |  | 14 |  | 48 |
| Granisetron hydrochloride | 0,15 mg/ml |  |  | -20°C |  | 30 |  | 29 |
| Granisetron hydrochloride | 0,15 mg/ml |  |  | 20°C |  | 3 |  | 29 |
| Granisetron hydrochloride | 0,15 mg/ml |  |  | 4°C |  | 7 |  | 29 |
| Granisetron hydrochloride | 1 mg/ml |  |  | 25°C |  | 15 |  | 1676 |
| Granisetron hydrochloride | 1 mg/ml |  |  | 4°C |  | 15 |  | 1676 |
| Heparin sodium | 1 UI/ml |  |  | 20°C |  | 365 |  | 1234 |
| Heparin sodium | 1 UI/ml |  |  | 37°C |  | 365 |  | 1234 |
| Heparin sodium | 100 UI/ml |  |  | 4°C |  | 14 |  | 895 |
| Heparin sodium | 500 UI/ml |  |  | 25°C |  | 21 |  | 1183 |
| Heparin sodium | 500 UI/ml |  |  | 4°C |  | 21 |  | 1183 |
| Heparin sodium | 1000 & 40000 UI/ml |  |  | 30°C |  | 30 |  | 874 |
| Hydrocortisone 17 valerate | mg |  | | 23-27°C |  | 365 |  | 3892 |
| Hydrocortisone 17 valerate | mg |  | | 23-27°C |  | 60 |  | 3892 |

| | | | | | | | | |
|---------------------------------|----------------|--|------|-----------|--|-----|--|------|
| Hydrocortisone sodium succinate | 50 mg/ml | | | 25°C | | 15 | | 2001 |
| Hydrocortisone sodium succinate | 50 mg/ml | | | 5°C | | 120 | | 2001 |
| Hydrocortisone sodium succinate | 10 mg/ml | | | 25°C | | 3 | | 2354 |
| Hydrocortisone sodium succinate | 10 mg/ml | | | 5°C | | 21 | | 2354 |
| Hydrocortisone sodium succinate | 2 mg/ml | | EI B | 23°C | | 24 | | 31 |
| Hydrocortisone sodium succinate | 2 mg/ml | | EI B | 4°C | | 48 | | 31 |
| Hydromorphone hydrochloride | 0,1 mg/ml | | | 25°C | | 100 | | 4303 |
| Hydromorphone hydrochloride | 0,1 mg/ml | | | 30°C | | 30 | | 5 |
| Hydromorphone hydrochloride | 1,5 & 80 mg/ml | | | 23°C | | 60 | | 1706 |
| Hydromorphone hydrochloride | 1,5 & 80 mg/ml | | | 37°C | | 48 | | 1706 |
| Hydromorphone hydrochloride | 1,5 & 80 mg/ml | | | 4°C | | 60 | | 1706 |
| Hydromorphone hydrochloride | 10 mg/ml | | ∅ | 30°C | | 30 | | 5 |
| Idarubicin hydrochloride | 4 mg/ml | | | 2-8°C | | 7 | | 4661 |
| Indocyanine green | 2,5 mg/ml | | | -20°C | | 28 | | 4246 |
| Indocyanine green | 2,5 mg/ml | | | 25°C | | 30 | | 4246 |
| Indocyanine green | 2,5 mg/ml | | | 4°C | | 32 | | 4246 |
| Indomethacin sodium trihydrate | 0,5 mg/ml | | | 2-6°C | | 14 | | 303 |
| Indomethacin sodium trihydrate | 0,5 mg/ml | | | 21°C-25°C | | 14 | | 303 |
| Insulin | 1 UI/ml | | | 2-6°C | | 180 | | 3224 |
| Insulin | 1 UI/ml | | | 2-8°C | | 21 | | 4635 |
| Insulin | 1 UI/ml | | | 20-25°C | | 48 | | 4635 |
| Insulin | 1 UI/ml | | | 23-27°C | | 30 | | 3224 |
| Insulin | 100 UI/ml | | ∅ | 3-5°C | | 28 | | 468 |
| Insulin | 500 UI/ml | | ∅ | 4°C | | 28 | | 4309 |
| Interferon alfa 2b | 2 MUI/ml | | | 4°C | | 21 | | 35 |
| Interferon alfa 2b | 2 & 6 MUI/ml | | | 4°C | | 42 | | 824 |
| Isosorbide dinitrate | 0,6 mg/ml | | | 2-8°C | | 28 | | 4374 |
| Ketamine hydrochloride | 10 mg/ml | | | 25°C | | 30 | | 1714 |
| Ketamine hydrochloride | 1 mg/ml | | | 25°C | | 365 | | 2287 |
| Ketamine hydrochloride | 1 mg/ml | | | 40°C | | 365 | | 2287 |
| Ketamine hydrochloride | 1 mg/ml | | | 4°C | | 365 | | 2287 |
| Ketamine hydrochloride | 10 mg/ml | | ∅ | 25°C | | 100 | | 4303 |
| Ketamine hydrochloride | 50 mg/ml | | ∅ | 25°C | | 180 | | 3874 |

| | | | | | | | | |
|-------------------------------|-------------|--|------|-----------|--|-----|--|------|
| Ketamine hydrochloride | 50 mg/ml | | | 25°C | | 50 | | 3911 |
| Levetiracetam | 40 mg/ml | | | 2-8°C | | 14 | | 3847 |
| Levobupivacaine hydrochloride | 1 mg/ml | | | 21°C | | 28 | | 1835 |
| Levobupivacaine hydrochloride | 1 mg/ml | | | 36°C | | 23 | | 1835 |
| Levobupivacaine hydrochloride | 1 mg/ml | | | 4°C | | 28 | | 1835 |
| Levofolinate calcium | 10 mg/ml | | | 2-8°C | | 14 | | 2531 |
| Levosimendan | 2,5 mg/ml | | | 8°C | | 60 | | 3417 |
| Levothyroxine | 100 µg/ml | | | 5°C | | 7 | | 2358 |
| Lidocaine hydrochloride | 20 mg/ml | | | 25°C | | 90 | | 1715 |
| Lidocaine hydrochloride | 20 mg/ml | | | 25°C | | 90 | | 1715 |
| Lidocaine hydrochloride | 20 mg/ml | | | 4°C | | 90 | | 1715 |
| Lidocaine hydrochloride | mg/mL | | | 21°C | | 21 | | 3978 |
| Lidocaine hydrochloride | mg/mL | | | 21°C | | 21 | | 3978 |
| Lorazepam | 1 mg/ml | | | 22°C | | 28 | | 765 |
| Lorazepam | 0,167 mg/ml | | | 2-8°C | | 2 | | 4248 |
| Lorazepam | 0,167 mg/ml | | | 20-25°C | | 4 | | 4248 |
| Melphalan | 0,015 mg/ml | | | -18°C | | 28 | | 3949 |
| Melphalan | 0,2 mg/ml | | | -18°C | | 28 | | 3949 |
| Meropenem | 10 mg/ml | | | 25°C | | 12 | | 4147 |
| Meropenem | 10 mg/ml | | | 25°C | | 8 | | 4326 |
| Meropenem | 20 mg/ml | | | 22°C | | 17 | | 4592 |
| Meropenem | 20 mg/ml | | | 25°C | | 12 | | 4147 |
| Meropenem | 20 mg/ml | | | 25°C | | 8 | | 4326 |
| Meropenem | 40 mg/ml | | | 25°C | | 8 | | 4147 |
| Meropenem | 40 mg/ml | | | 25°C | | 4 | | 4326 |
| Meropenem | 41,7 mg/ml | | | 20-25°C | | 8 | | 4634 |
| Meropenem | 41,7 mg/ml | | | 20-25°C | | 4 | | 4634 |
| Metamizol sodium | 400 mg/ml | | | 10 & 24°C | | 10 | | 2103 |
| Metaraminol | 0,5 mg/ml | | | 2-8°C | | 378 | | 3758 |
| Metaraminol | 0,5 mg/ml | | | 25°C | | 378 | | 3758 |
| Methotrexate sodium | 50 mg/ml | | | 25°C | | 70 | | 1155 |
| Methotrexate sodium | 2 mg/ml | | EI B | 23°C | | 48 | | 31 |
| Methotrexate sodium | 2 mg/ml | | EI B | 4°C | | 48 | | 31 |



































































































































| | | | | | | | | |
|-------------------------------------|-------------------|---|---|---------|---|-----|---|------|
| Methotrexate sodium | 2,5 mg/ml |  |  | 25°C |  | 7 |  | 1469 |
| Methotrexate sodium | 2,5 mg/ml |  |  | 4°C |  | 7 |  | 1469 |
| Methotrexate sodium | 25 mg/ml |  |  | 2-8°C |  | 84 |  | 3670 |
| Methotrexate sodium | 25 & 100 mg/ml |  |  | 2-8°C |  | 14 |  | 4578 |
| Methotrexate sodium | 25 & 100 mg/ml |  |  | 21°C |  | 14 |  | 4578 |
| Methylprednisolone sodium succinate | 10 mg/ml |  |  | 25°C |  | 4 |  | 1627 |
| Methylprednisolone sodium succinate | 10 mg/ml |  |  | 5°C |  | 21 |  | 1627 |
| Metoclopramide hydrochloride | 0,5 mg/ml |  |  | 25°C |  | 21 |  | 1957 |
| Metoclopramide hydrochloride | 5 mg/ml |  |  | 23°C |  | 60 |  | 180 |
| Metoclopramide hydrochloride | 5 mg/ml |  |  | 32°C |  | 7 |  | 180 |
| Metoclopramide hydrochloride | 5 mg/ml |  |  | 4°C |  | 90 |  | 180 |
| Micafungin | 0.5 mg/ml |  |  | 23-27°C |  | 15 |  | 1889 |
| Micafungin | 1 mg/ml |  |  | 23-27°C |  | 15 |  | 1889 |
| Midazolam hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 3989 |
| Midazolam hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 2-8°C |  | 365 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 23-25°C |  | 90 |  | 4201 |
| Midazolam hydrochloride | 1 mg/ml |  |  | 5°C |  | 365 |  | 3989 |
| Midazolam hydrochloride | 2 mg/ml |  |  | 30°C |  | 10 |  | 5 |
| Midazolam hydrochloride | 2 mg/ml |  |  | 5°C |  | 10 |  | 5 |
| Midazolam hydrochloride | 3 mg/ml |  |  | 20°C |  | 7 |  | 401 |
| Midazolam hydrochloride | 3 mg/ml |  |  | 32°C |  | 7 |  | 401 |
| Midazolam hydrochloride | 0,4 mg/ml |  |  | 25°C |  | 100 |  | 4303 |
| Midazolam hydrochloride | 5 mg/ml |  |  | 24-26°C |  | 36 |  | 41 |
| Midazolam hydrochloride | 5 mg/ml |  |  | 25°C |  | 100 |  | 4303 |
| Milrinone lactate | 0,2 & 0,025 mg/ml |  |  | 25°C |  | 90 |  | 4216 |
| Milrinone lactate | 0,2 & 0,025 mg/ml |  |  | 4°C |  | 90 |  | 4216 |
| Milrinone lactate | 0,2 & 0,025 mg/ml |  |  | 25°C |  | 90 |  | 4216 |
| Milrinone lactate | 0,2 & 0,025 mg/ml |  |  | 4°C |  | 90 |  | 4216 |
| Milrinone lactate | 1 mg/ml |  |  | 25°C |  | 90 |  | 4216 |
| Milrinone lactate | 1 mg/ml |  |  | 4°C |  | 90 |  | 4216 |
| Mitomycin | 0,5 mg/ml |  |  | 25°C |  | 7 |  | 648 |
| Mitomycin | 0,5 mg/ml |  |  | 4°C |  | 28 |  | 648 |

| | | | | | | | | |
|------------------------------|--------------|--|--|-----------|--|------|--|------|
| Mitomycin | 1 mg/ml | | | 25°C | | 8 | | 3897 |
| Mitomycin | 2 mg/ml | | | 2-8°C | | 8 | | 4763 |
| Mitomycin | 2 mg/ml | | | 20-25°C | | 8 | | 4763 |
| Mitomycin | 0,2 mg/ml | | | 2-8°C | | 5 | | 4763 |
| Mitomycin | 0,2 mg/ml | | | 20-25°C | | 6 | | 4763 |
| Mitomycin | 0,2 mg/ml | | | 25°C | | 10 | | 3897 |
| Mitomycin | 0,4 mg/ml | | | 2-8°C | | 2 | | 4763 |
| Mitomycin | 0,4 mg/ml | | | 20-25°C | | 6 | | 4763 |
| Mitomycin | 1 mg/ml | | | 37°C | | 5 | | 4282 |
| Mitomycin | 2 mg/ml | | | 37°C | | 5 | | 4282 |
| Mitoxantrone dihydrochloride | 0,2 mg/ml | | | 20°C | | 28 | | 1317 |
| Mitoxantrone dihydrochloride | 0,2 mg/ml | | | 4°C | | 28 | | 1317 |
| Morphine hydrochloride | 30 mg/ml | | | 22°C | | 90 | | 1062 |
| Morphine hydrochloride | 1 mg/ml | | | 37°C | | 2 | | 1264 |
| Morphine hydrochloride | 30 mg/ml | | | 22°C | | 90 | | 1062 |
| Morphine hydrochloride | 0.33 mg/ml | | | 2-8°C | | 730 | | 3415 |
| Morphine hydrochloride | 0.33 mg/ml | | | 22°C | | 730 | | 3415 |
| Morphine hydrochloride | 1 mg/ml | | | 2-8°C | | 58 | | 3572 |
| Morphine hydrochloride | 2 mg/ml | | | 25°C | | 6 | | 515 |
| Morphine hydrochloride | 2 mg/ml | | | 40°C | | 6 | | 515 |
| Morphine hydrochloride | 20 mg/ml | | | 37°C | | 2 | | 1264 |
| Morphine hydrochloride | mg/g | | | 15-25°C | | 1095 | | 4653 |
| Morphine sulfate | 50 mg/ml | | | 23°C | | 60 | | 1709 |
| Morphine sulfate | 50 mg/ml | | | 37°C | | 48 | | 1709 |
| Morphine sulfate | 1 mg/ml | | | 25°C | | 100 | | 4303 |
| Morphine sulfate | 0,1 mg/ml | | | 25°C | | 91 | | 4395 |
| Morphine sulfate | 0,2 mg/ml | | | 25°C | | 91 | | 4395 |
| Morphine sulfate | 1,0 mg/ml | | | 25°C | | 91 | | 4395 |
| Morphine sulfate | 1,76 mg/ml | | | 20°C-25°C | | 14 | | 1968 |
| Morphine sulfate | 2 mg/ml | | | 25°C | | 42 | | 122 |
| Morphine sulfate | 5 mg/ml | | | 4°C | | 60 | | 1709 |
| Morphine sulfate | 5 & 50 mg/ml | | | 23°C | | 60 | | 1709 |
| Morphine sulfate | 5 & 50 mg/ml | | | 37°C | | 48 | | 1709 |

| | | | | | | | | |
|---------------------------|------------------|---|---|-----------|---|-----|---|------|
| Morphine sulfate | 0,02 mg/ml |  |  | 25°C |  | 91 |  | 4395 |
| Morphine sulfate | 0,04 mg/ml |  |  | 25°C |  | 91 |  | 4395 |
| Morphine tartrate | 4 mg/ml |  |  | 21°C-23°C |  | 21 |  | 920 |
| Morphine tartrate | 4 mg/ml |  |  | 4°C - 8°C |  | 21 |  | 920 |
| Morphine tartrate | 80 mg/ml |  |  | 21°C-23°C |  | 21 |  | 920 |
| Morphine tartrate | 80 mg/ml |  |  | 4°C - 8°C |  | 21 |  | 920 |
| Nadroparin | 950 UI/ml |  |  | 2-8°C |  | 28 |  | 2310 |
| Nadroparin | 950 UI/ml |  |  | 22°C |  | 28 |  | 2310 |
| Nafcillin sodium | 250 mg/ml |  |  | -20°C |  | 270 |  | 574 |
| Nafcillin sodium | 10 mg/ml |  |  | 25°C |  | 7 |  | 2352 |
| Nafcillin sodium | 10 mg/ml |  |  | 5°C |  | 44 |  | 2352 |
| Nalbuphine hydrochloride | 1 mg/ml |  |  | -20°C |  | 365 |  | 3264 |
| Nalbuphine hydrochloride | 1 mg/ml |  |  | 5°C |  | 365 |  | 3264 |
| Nefopam | 2,5 mg/ml |  |  | 20-25°C |  | 48 |  | 4267 |
| Neostigmine methylsulfate | 1 mg/ml |  |  | 25°C |  | 90 |  | 1682 |
| Neostigmine methylsulfate | 1 mg/ml |  |  | 4°C |  | 90 |  | 1682 |
| Netilmicin sulfate | 10 mg/ml |  |  | 25°C |  | 9 |  | 1929 |
| Netilmicin sulfate | 10 & 100 mg/ml |  |  | 7°C |  | 90 |  | 1929 |
| Netilmicin sulfate | 100 mg/ml |  |  | 25°C |  | 30 |  | 1929 |
| Nicardipine hydrochloride | 0,1-0,2 mg/ml |  |  | 25°C |  | 24 |  | 3941 |
| Nifedipine | mg/g |  | | 23-27°C |  | 365 |  | 3892 |
| Nitroglycerin | 0.11 mg/ml |  |  | 23-27°C |  | 24 |  | 3536 |
| Nitroglycerin | 1 mg/ml |  |  | 25°C |  | 24 |  | 196 |
| Nitroglycerin | ? mg/ml |  |  | -20°C |  | 30 |  | 554 |
| Nitroglycerin | ? mg/ml |  |  | 25°C |  | 6 |  | 554 |
| Nitroglycerin | ? mg/ml |  |  | 4°C |  | 7 |  | 554 |
| Nitroglycerin | 5 mg/ml |  |  | 25°C |  | 23 |  | 90 |
| Nitroglycerin | mg/g |  | | 23-27°C |  | 365 |  | 3892 |
| Nitroprusside sodium | 0,001 mg/ml |  |  | 20°C |  | 264 |  | 2028 |
| Nitroprusside sodium | 0,001 mg/ml |  |  | 4°C |  | 264 |  | 2028 |
| Nitroprusside sodium | 0,5 & 1,67 mg/ml |  |  | 25°C |  | 12 |  | 633 |
| Nitroprusside sodium | 1 mg/ml |  |  | 25°C |  | 24 |  | 196 |
| Nitroprusside sodium | 1 mg/ml |  |  | 4°C |  | 9 |  | 3903 |

| | | | | | | | | |
|---------------------------|----------------------|--|--|-----------|--|-----|--|------|
| Norepinephrine bitartrate | 0.01 mg/ml | | | 2-8°C | | 90 | | 4323 |
| Norepinephrine bitartrate | 0.1 mg/ml | | | 2-8°C | | 7 | | 3346 |
| Norepinephrine bitartrate | 0.1 mg/ml | | | 2-8°C | | 90 | | 4323 |
| Norepinephrine bitartrate | 0.2 mg/ml | | | -20°C | | 365 | | 3989 |
| Norepinephrine bitartrate | 0.2 mg/ml | | | 5°C | | 365 | | 3989 |
| Norepinephrine bitartrate | 0,5 mg/ml | | | 20-25°C | | 48 | | 4250 |
| Norepinephrine bitartrate | 1,16 mg/ml | | | 20-25°C | | 48 | | 4250 |
| Octreotide acetate | 0,2 mg/ml | | | -20°C | | 60 | | 127 |
| Octreotide acetate | 0,2 mg/ml | | | 23°C | | 7 | | 294 |
| Octreotide acetate | 0,2 mg/ml | | | 3°C | | 29 | | 294 |
| Octreotide acetate | 0,2 mg/ml | | | 5°C | | 60 | | 127 |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml | | | -20°C | | 90 | | 915 |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml | | | 22-25°C | | 48 | | 915 |
| Ondansetron hydrochloride | 0,25 & 0,5 & 1 mg/ml | | | 4°C | | 14 | | 915 |
| Ondansetron hydrochloride | 2 mg/ml | | | -20°C | | 90 | | 915 |
| Ondansetron hydrochloride | 2 mg/ml | | | 22-25°C | | 48 | | 915 |
| Ondansetron hydrochloride | 2 mg/ml | | | 4°C | | 14 | | 915 |
| Oxycodone hydrochloride | 1 mg/ml | | | 25°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 1 mg/ml | | | 37°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 100 mg/ml | | | 24°C | | 35 | | 1726 |
| Oxycodone hydrochloride | 100 mg/ml | | | 4°C | | 35 | | 1726 |
| Oxycodone hydrochloride | 1 mg/ml | | | 25°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 1 mg/ml | | | 37°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 10 mg/ml | | | 25°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 10 mg/ml | | | 37°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 50 mg/ml | | | 25°C | | 7 | | 2199 |
| Oxycodone hydrochloride | 50 mg/ml | | | 37°C | | 7 | | 2199 |
| Pantoprazole sodium | 4 mg/ml | | | 2-8°C | | 28 | | 3220 |
| Pantoprazole sodium | 4 mg/ml | | | 23°C-25°C | | 48 | | 2030 |
| Pantoprazole sodium | 4 mg/ml | | | 3°C-5°C | | 96 | | 2030 |
| Paracetamol | 10 mg/ml | | | 23-25°C | | 84 | | 3350 |
| Parecoxib sodium | 13,3 & 20 mg/ml | | | 25°C | | 48 | | 1824 |
| Parecoxib sodium | 13,3 & 20 mg/ml | | | 5°C | | 48 | | 1824 |

| | | | | | | | | |
|----------------------------------|-------------------|--|--|---------|--|-----|--|------|
| Parecoxib sodium | 13,3 & 20 mg/ml | | | 25°C | | 48 | | 1824 |
| Parecoxib sodium | 13,3 & 20 mg/ml | | | 5°C | | 48 | | 1824 |
| Parecoxib sodium | 13,3 & 20 mg/ml | | | 25°C | | 48 | | 1824 |
| Parecoxib sodium | 13,3 & 20 mg/ml | | | 5°C | | 48 | | 1824 |
| Pemetrexed disodium | 25 mg/ml | | | 23°C | | 2 | | 2036 |
| Pemetrexed disodium | 25 mg/ml | | | 4°C | | 31 | | 2036 |
| Pentobarbital sodium | 50 mg/ml | | | 25°C | | 31 | | 1628 |
| Pentobarbital sodium | 50 mg/ml | | | 25°C | | 100 | | 4303 |
| Pethidine hydrochloride | 0,25 & 30 mg/ml | | | 22°C | | 28 | | 1750 |
| Pethidine hydrochloride | 0,25 & 30 mg/ml | | | 4°C | | 28 | | 1750 |
| Pethidine hydrochloride | 10 mg/ml | | | -20°C | | 84 | | 119 |
| Pethidine hydrochloride | 10 mg/ml | | | 23°C | | 84 | | 119 |
| Pethidine hydrochloride | 10 mg/ml | | | 4°C | | 84 | | 119 |
| Phenylephrine hydrochloride | 0,1 mg/ml | | | -20°C | | 30 | | 2194 |
| Phenylephrine hydrochloride | 0,1 mg/ml | | | 23-25°C | | 30 | | 2194 |
| Phenylephrine hydrochloride | 0,1 mg/ml | | | 3-5°C | | 30 | | 2194 |
| Piperacillin sodium | 125 mg/ml | | | 20-25°C | | 24 | | 4634 |
| Piperacillin sodium | 40 mg/ml | | | 25°C | | 5 | | 1718 |
| Piperacillin sodium | 40 mg/ml | | | 5°C | | 28 | | 1718 |
| Piperacillin sodium | 125 mg/ml | | | 20-25°C | | 48 | | 4634 |
| Piperacillin sodium / tazobactam | 125/15,6 mg/ml | | | 20-25°C | | 48 | | 4634 |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml | | | 4°C | | 7 | | 274 |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml | | | -15°C | | 30 | | 274 |
| Piperacillin sodium / tazobactam | 150 / 18,75 mg/ml | | | 25°C | | 24 | | 274 |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml | | | -15°C | | 30 | | 274 |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml | | | 25°C | | 24 | | 274 |
| Piperacillin sodium / tazobactam | 200 / 25 mg/ml | | | 4°C | | 7 | | 274 |
| Piperacillin sodium / tazobactam | 80 / 10 mg/ml | | | 25°C | | 12 | | 4326 |
| Plerixafor | 20 mg/ml | | | 2-8°C | | 84 | | 3896 |
| Plerixafor | 20 mg/ml | | | 25°C | | 84 | | 3896 |
| Polymyxine B | 2 mg/ml | | | 25-30°C | | 24 | | 3895 |
| Polymyxine B | 2 mg/ml | | | 4°C | | 168 | | 3895 |
| Polymyxine B | 2 mg/ml | | | 25-30°C | | 24 | | 3895 |

| | | | | | | | | |
|----------------------------|---------------|---|---|-----------|---|-----|---|------|
| Polymyxine B | 2 mg/ml |  |  | 4°C |  | 168 |  | 3895 |
| Propafenone hydrochloride | 0,5 & 2 mg/ml |  |  | 20°C-22°C |  | 48 |  | 193 |
| Propofol | < 2 mg/ml |  |  | 25°C |  | 6 |  | 3659 |
| Ranibizumab | 10 mg/ml |  |  | 4°C |  | 30 |  | 4798 |
| Ranitidine hydrochloride | 5 mg/ml |  |  | 25°C |  | 91 |  | 4131 |
| Ranitidine hydrochloride | 5 mg/ml |  |  | 5°C |  | 91 |  | 4131 |
| Ranitidine hydrochloride | 2,5 mg/ml |  |  | 22°C |  | 72 |  | 46 |
| Ranitidine hydrochloride | 2,5 mg/ml |  |  | 4°C |  | 91 |  | 46 |
| Remifentanil hydrochloride | 10 µg/ml |  |  | 2-8°C |  | 21 |  | 4192 |
| Remifentanil hydrochloride | 10 µg/ml |  |  | 23-27°C |  | 90 |  | 4183 |
| Remifentanil hydrochloride | 20 µg/ml |  |  | 2-8°C |  | 21 |  | 4192 |
| Remifentanil hydrochloride | 4 µg/ml |  |  | 23-27°C |  | 90 |  | 4183 |
| Remifentanil hydrochloride | 4 & 10 µg/ml |  |  | 23°C |  | 90 |  | 4231 |
| Remifentanil hydrochloride | 50 µg/ml |  |  | 2-8°C |  | 21 |  | 4192 |
| Rituximab | 120 mg/ml |  |  | 2-8°C |  | 28 |  | 2825 |
| Rituximab | 120 mg/ml |  |  | 30°C |  | 24 |  | 2825 |
| Salbutamol sulfate | 0,06 mg/ml |  |  | 2-8°C |  | 30 |  | 4342 |
| Salbutamol sulfate | mg/ml |  | | 22-26°C |  | 7 |  | 2670 |
| Salbutamol sulfate | mg/ml |  | | 4°C |  | 7 |  | 2670 |
| Sildenafil citrate | 0,067 mg/ml |  |  | 25°C |  | 7 |  | 3274 |
| Sildenafil citrate | 0,067 mg/ml |  |  | 37°C |  | 7 |  | 3274 |
| Sildenafil citrate | 0,667 mg/ml |  |  | 25°C |  | 7 |  | 3274 |
| Sildenafil citrate | 0,667 mg/ml |  |  | 37°C |  | 7 |  | 3274 |
| Sufentanil citrate | 0,001 mg/ml |  |  | 21°C |  | 3 |  | 1835 |
| Sufentanil citrate | 0,001 mg/ml |  |  | 36°C |  | 1 |  | 1835 |
| Sufentanil citrate | 0,001 mg/ml |  |  | 4°C |  | 23 |  | 1835 |
| Sufentanil citrate | 0,002 mg/ml |  |  | 21°C |  | 24 |  | 1752 |
| Sumatriptan succinate | 12 mg/ml |  |  | 2-5°C |  | 72 |  | 1029 |
| Sumatriptan succinate | 12 mg/ml |  |  | 25°C |  | 24 |  | 1029 |
| Suxamethonium chloride | 20 mg/ml |  |  | 25°C |  | 100 |  | 667 |
| Suxamethonium chloride | 20 mg/ml |  |  | 40°C |  | 22 |  | 667 |
| Suxamethonium chloride | 20 mg/ml |  |  | 5°C |  | 107 |  | 667 |
| Suxamethonium chloride | 20 mg/ml |  |  | 25°C |  | 45 |  | 1755 |

| | | | | | | | | |
|---------------------------|-----------------------|--|----|-----------|--|-----|--|------|
| Suxamethonium chloride | 20 mg/ml | | | 4°C | | 90 | | 1755 |
| Teduglutide | 10 mg/ml | | | -20°C | | 45 | | 4725 |
| Teduglutide | 10 mg/ml | | | 4-8°C | | 28 | | 4725 |
| Temocilline | 125 mg/ml | | | 25°C | | 24 | | 2296 |
| Temocilline | 125 mg/ml | | | 25°C | | 24 | | 2296 |
| Temocilline | 125 mg/ml | | | 25°C | | 24 | | 2296 |
| Temocilline | 125 mg/ml | | RL | 25°C | | 24 | | 2296 |
| Terbutaline sulfate | 1 mg/ml | | | 25°C | | 60 | | 449 |
| Terbutaline sulfate | 1 mg/ml | | | 25°C | | 7 | | 449 |
| Terbutaline sulfate | 1 mg/ml | | | 4°C | | 60 | | 449 |
| Thiopental sodium | 25 mg/ml | | | 22°C | | 6 | | 871 |
| Thiopental sodium | 25 mg/ml | | | 25°C | | 5 | | 527 |
| Thiopental sodium | 25 mg/ml | | | 3°C | | 6 | | 871 |
| Thiopental sodium | 25 mg/ml | | | 5°C | | 45 | | 527 |
| Tobramycin sulfate | 40 mg/ml | | | 25°C | | 60 | | 709 |
| Tobramycin sulfate | 40 mg/ml | | | 4°C | | 60 | | 709 |
| Tobramycin sulfate | 30 mg/ml | | | 22°C-23°C | | 48 | | 639 |
| Trastuzumab | 120 mg/ml | | | 2-8°C | | 48 | | 3647 |
| Trastuzumab | 120 mg/ml | | | 2-8°C | | 28 | | 2975 |
| Trastuzumab | 120 mg/ml | | | <30°C | | 6 | | 3647 |
| Tropisetron hydrochloride | 1 mg/ml | | | 20-25°C | | 14 | | 924 |
| Tropisetron hydrochloride | 1 mg/ml | | | 4°C | | 14 | | 924 |
| Turoctocog alfa | 125 >> 750 UI/ml | | | 28-32°C | | 24 | | 4502 |
| Urokinase | 0,0025 > 0,025 MUI/ml | | | -30°C | | 30 | | 1941 |
| Urokinase | 0,005 MUI/ml | | | -20°C | | 182 | | 1061 |
| Urokinase | 0,005 MUI/ml | | | 22-25°C | | 24 | | 375 |
| Urokinase | 0,005 MUI/ml | | | -20°C | | 56 | | 2050 |
| Urokinase | 0,005 MUI/ml | | | 37°C | | 56 | | 2050 |
| Urokinase | 0,005 MUI/ml | | | 7°C | | 56 | | 2050 |
| Vancomycin hydrochloride | 10 mg/ml | | | 25°C | | 47 | | 913 |
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 84 | | 913 |
| Vancomycin hydrochloride | 40 mg/ml | | | 20-25°C | | 24 | | 4007 |
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 84 | | 913 |

| | | | | | | | | |
|--------------------------|--------------------|--|--|---------|--|-----|--|------|
| Vancomycin hydrochloride | 41.67 mg/ml | | | 18-25°C | | 48 | | 4089 |
| Vancomycin hydrochloride | 5 mg/ml | | | 25°C | | 48 | | 2173 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 180 | | 2173 |
| Vancomycin hydrochloride | 0,025 mg/ml | | | 4°C | | 14 | | 895 |
| Vancomycin hydrochloride | 10 mg/ml | | | -20°C | | 168 | | 2530 |
| Vancomycin hydrochloride | 10 mg/ml | | | 25°C | | 62 | | 913 |
| Vancomycin hydrochloride | 10 mg/ml | | | 4°C | | 98 | | 2530 |
| Vancomycin hydrochloride | 25 mg/ml | | | 23-27°C | | 24 | | 4373 |
| Vancomycin hydrochloride | 40 mg/ml | | | 20-25°C | | 24 | | 4007 |
| Vancomycin hydrochloride | 40 mg/ml | | | 23-27°C | | 24 | | 4373 |
| Vancomycin hydrochloride | 10 mg/ml | | | 25°C | | 55 | | 913 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 24 | | 428 |
| Vancomycin hydrochloride | 62,5 mg/ml | | | 20-25°C | | 48 | | 4348 |
| Vancomycin hydrochloride | 62,5 >> 83,3 mg/ml | | | 20-25°C | | 48 | | 4634 |
| Vancomycin hydrochloride | 83,3 mg/ml | | | 20-25°C | | 48 | | 4348 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 24 | | 428 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 24 | | 428 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 24 | | 428 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 24 | | 428 |
| Vancomycin hydrochloride | 5 mg/ml | | | 4°C | | 24 | | 428 |
| Vecuronium bromide | 1 mg/ml | | | 23-25°C | | 21 | | 2209 |
| Vecuronium bromide | 1 mg/ml | | | 3-5°C | | 21 | | 2209 |
| Vinblastine sulfate | 1 mg/ml | | | 21°C | | 30 | | 1229 |
| Vinblastine sulfate | 1 mg/ml | | | 6°C-9°C | | 30 | | 1229 |
| Vincristine sulfate | 0,025 mg/ml | | | 2-8°C | | 84 | | 3214 |
| Vincristine sulfate | 0,025 mg/ml | | | 25°C | | 84 | | 3214 |
| Vincristine sulfate | 0,025>>0,15 mg/ml | | | 4°C | | 7 | | 1602 |
| Vincristine sulfate | 0,1 mg/ml | | | 2-8°C | | 84 | | 3214 |
| Vincristine sulfate | 0,1 mg/ml | | | 25°C | | 84 | | 3214 |



Dictionnaire

| | | | |
|------|----------------------------|--|---------------------------------|
| | Listes récapitulatives | | Stabilité des solutions |
| | Contenant | | Seringue polypropylène |
| | Molécule | | Concentration |
| | Solvant | | Température |
| | Conservation | | Durée de stabilité |
| | Bibliographie | | Chlorure de sodium 0,9% |
| | Non précisée | | Jour |
| | Aucun | | Lumière |
| | NaCl 0,9% ou glucose 5% | | A l'abri de la lumière |
| RL | Ringer lactate | | Glucose 10% |
| | Heure | | Eau pour préparation injectable |
| | Eau ppi + bactériostatique | | Glucose 5% |
| | Eau ppi réfrigérée (4°C) | | Avec ou sans lumière |
| EI B | Solution d'Elliott B | | NaCl 0.6% |
| | Chlorure de sodium 0,45% | | NaCl 0,9% + bactériostatique |
| | NaCl 0,45% Glucose 5% | | Glucose 15% |
| | Glucose 20% | | Glucose 25% |
| | Glucose 30% | | Dictionnaire |