


Stabilis



Amiodarone hydrochloride



Noms commerciaux

Acrodarona	Equateur
Amidovin	Turquie
Amiocar	Argentine, Pérou
Amiodar	Italie
Amiodaron	Allemagne, Norvège, Suède
Amiodarona	Argentine, Chili, Colombie, Equateur, Mexique, Pérou
Amiodarone	Australie, Canada, Etats Unis d'Amérique, Grande Bretagne, Iran, Italie, Luxembourg, Nouvelle Zélande
Amiohexal	Allemagne
Amiokordin	Hongrie, Pologne, Roumanie
Amiorit	Vénézuela
Ancoron	Brésil
Angoron	Grèce
Asulblan	Argentine
Atlansil	Argentine, Brésil, Chili, Equateur, Pérou
Cardasol	Inde
Cardichek	Inde
Cardio	Egypte
Cirtrent	Mexique
Cordalin	Turquie
Cordarex	Allemagne
Cordarone	Arabie Saoudite, Australie, Belgique, Chili, Colombie, Danemark, Emirats Arabes Unis, Equateur, Etats Unis d'Amérique, Finlande, France, Grande Bretagne, Hongrie, Irlande, Islande, Italie, Luxembourg, Malaisie, Maroc, Mexique, Norvège, Nouvelle Zélande, Pays bas, Pologne, Portugal, Suède, Suisse, Tunisie, Turquie
Duron	Inde
Eudarona	Vénézuela
Eurythmic	Inde
Farcodarone	Egypte
Ronecard	Egypte
Sedacoron	Arabie Saoudite, Autriche, Pologne, Roumanie, Tunisie
Sedacorone	Iran
Trangorex	Espagne, Vénézuela



Stabilité des solutions

		2 mg/ml	25°C		32			647
		2 mg/ml	5°C		32			647
		0,84 mg/ml	25°C		6			1733
		0,6 mg/ml	22°C-24°C		5			379
		1,8 mg/ml	24°C		24			242
		0,9 mg/ml	25°C		24			2146
		25 mg/ml	2-8°C		28			4252



Stabilité en mélange

		12,5 mg/ml	22°C		Dobutamine hydrochloride : 5 mg/ml Norepinephrine bitartrate : 0,06 mg/ml	24		3381
		12,5 mg/ml	22°C		Dobutamine hydrochloride : 5 mg/ml Norepinephrine bitartrate : 0,06 mg/ml	24		3381



























































































Facteur influençant la stabilité

					1733
					379
					3524
					3379
					200 205 1611 3464 3823
					379
	[< 0,6 mg/ml]				3524



Compatibilités

			
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 1,8 mg/ml	Normo Sol® 4655
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 3 mg/ml	NaH CO3 200
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Alprostadil : 20 µg/ml	 4491
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Alprostadil : 20 µg/ml	 4651
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 12.5 mg/ml Amoxicillin sodium / clavulanic acid : 10 mg/ml	2139
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Amphotericin B : 0,5 mg/ml	 1611
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 1.8 mg/ml Argatroban : 1 mg/ml	1963
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 1,8 mg/ml	RL 4411
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 50 mg/ml	RL 4603
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 4 mg/ml Amikacin sulfate : 5 mg/ml	 385
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 4 mg/ml Aminophylline : 5 mg/ml	 1036
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Ampicillin sodium - sulbactam sodium : 30 mg/ml	 1611
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 3.6 & 4.8 mg/ml	 4371
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 50 mg/ml Amoxicillin sodium / clavulanic acid : 100/10 mg/ml	3824
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 16 mg/ml	 3379
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 3 mg/ml	NaH CO3 205
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Atracurium besylate : 5 mg/ml	 1611
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Atropine sulfate : 0,4 mg/ml	 1611
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride Bivalirudin	3539
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 4 mg/ml Bivalirudin : 5 mg/ml	 1713
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 4 mg/ml Bretylum tosilate : 3 mg/ml	 1036
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 3 mg/ml Bumetanide : 0,2 mg/ml	 4698
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 50 mg/ml Caffeine : 10 mg/ml	 3964
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 6 mg/ml Calcium gluconate : 10 mg/ml	 1611
	<input checked="" type="checkbox"/>	Amiodarone hydrochloride : 4 mg/ml Caspofungin acetate : 0,7 mg/ml	 2247

		Amiodarone hydrochloride : 4 mg/ml Cefamandole nafate : 20 & 40 mg/ml		385
		Amiodarone hydrochloride : 3 mg/ml Cefazolin sodium : 40 mg/ml		4698
		Amiodarone hydrochloride : 4 mg/ml Cefazolin sodium : 20 mg/ml		385
		Amiodarone hydrochloride : 4 mg/ml Cefazolin sodium : 20 mg/ml		385
		Amiodarone hydrochloride : 4 mg/ml Cefiderocol sulfate tosylate : 20 mg/mL		4528
		Amiodarone hydrochloride : 9 mg/ml Cefotaxime sodium : 40 mg/ml		4698
		Amiodarone hydrochloride : 4 mg/ml Ceftaroline fosamil : 2,22 mg/ml		3249
		Amiodarone hydrochloride : 4 mg/ml Ceftaroline fosamil : 2,22 mg/ml	RL	3249
		Amiodarone hydrochloride : 6 mg/ml Ceftazidime : 40 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Ceftizoxime sodium : 40 mg/ml		1611
		Amiodarone hydrochloride : 4 mg/ml Ceftobiprole medocaril sodium : 2 mg/ml		2269
		Amiodarone hydrochloride : 4 mg/ml Ceftobiprole medocaril sodium : 2 mg/ml	RL	2269
		Amiodarone hydrochloride Ceftobiprole medocaril sodium		4650
		Amiodarone hydrochloride : 2 mg/ml Ceftolozane / tazobactam : 10/5 mg/ml		3828
		Amiodarone hydrochloride : 6 mg/ml Ceftriaxone disodium : 20 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Cefuroxime sodium : 30 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Ciprofloxacin lactate : 2 mg/ml		1611
		Amiodarone hydrochloride Cisatracurium besylate		3464
		Amiodarone hydrochloride : 15 mg/ml Cisatracurium besylate : 5 mg/ml		3823
		Amiodarone hydrochloride : 4 mg/ml Clindamycin phosphate : 6 mg/ml		385
		Amiodarone hydrochloride : 6 & 24 mg/ml Clonidine hydrochloride : 0.009 & 0.03 mg/ml		4130
		Amiodarone hydrochloride : 50 mg/ml Cloxacillin sodium : 100 mg/ml		3012
		Amiodarone hydrochloride Daunorubicin/cytarabine liposomale		4354
		Amiodarone hydrochloride : 4 mg/ml Dexmedetomidine : 4 µg/ml		1712
		Amiodarone hydrochloride : 6 mg/ml Digoxin : 250 µg/ml		1611
		Amiodarone hydrochloride : 15 mg/ml Dobutamine hydrochloride : 10 mg/ml		3823

		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Dobutamine hydrochloride : 10 mg/ml		4119
		Amiodarone hydrochloride : 12,5 mg/ml Dobutamine hydrochloride : 10 mg/ml		4119
		Amiodarone hydrochloride : 25 mg/ml Dobutamine hydrochloride : 10 mg/ml		4119
		Amiodarone hydrochloride : 5 mg/ml Dobutamine hydrochloride : 2 mg/ml		1041
		Amiodarone hydrochloride : 4 mg/ml Dobutamine hydrochloride : 2 mg/ml		1036
		Amiodarone hydrochloride : 4 mg/ml Dopamine hydrochloride : 1.6 mg/ml		1036
		Amiodarone hydrochloride : 15 mg/ml Dopamine hydrochloride : 20 mg/ml		3823
		Amiodarone hydrochloride : 4 mg/ml Doripenem : 5 mg/ml		2262
		Amiodarone hydrochloride : 4 mg/ml Doxycycline hyclate : 0.25 mg/ml		385
		Amiodarone hydrochloride : 6 mg/ml Epinephrine hydrochloride : 1000 µg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Eptifibatide : 0,75 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Eptifibatide : 2 mg/ml		1611
		Amiodarone hydrochloride : 2 mg/ml Eravacycline : 0,6 mg/ml		4434
		Amiodarone hydrochloride : 4 mg/ml Erythromycin lactobionate : 2 mg/ml		385
		Amiodarone hydrochloride : 4.8 mg/ml Esmolol hydrochloride : 40 mg/ml		295
		Amiodarone hydrochloride : 15 mg/ml Esmolol hydrochloride : 10 mg/ml		3823
		Amiodarone hydrochloride : 6 mg/ml Famotidine : 10 mg/ml		1611
		Amiodarone hydrochloride : 4 mg/ml Fenoldopam mesylate : 80 µg/ml		1803
		Amiodarone hydrochloride : 12,5 mg/ml Fentanyl citrate : 10 µg/ml		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Fentanyl citrate : 10 µg/ml		4119
		Amiodarone hydrochloride : 6 mg/ml Fentanyl citrate : 50 µg/ml		1611
		Amiodarone hydrochloride : 25 mg/ml Fentanyl citrate : 10 µg/ml		4119
		Amiodarone hydrochloride : 4 mg/ml Flucloxacillin sodium : 20 mg/ml		1232
		Amiodarone hydrochloride : 6 mg/ml Fluconazole : 2 mg/ml		1611
		Amiodarone hydrochloride : 2 mg/ml Fosfomycin : 30 mg/ml		4055
		Amiodarone hydrochloride : 4 mg/ml Furosemide : 1 mg/ml		1232
















		Amiodarone hydrochloride : 6 mg/ml Furosemide : 10 mg/ml		1611
		Amiodarone hydrochloride : 1.8 mg/ml Furosemide : 0.2 mg/ml		242
		Amiodarone hydrochloride : 18 mg/ml Furosemide : 5 mg/ml		4698
		Amiodarone hydrochloride : 15 mg/ml Furosemide : 10 mg/ml		3823
		Amiodarone hydrochloride : 6 mg/ml Furosemide : 10 mg/ml		3210
		Amiodarone hydrochloride : 15 mg/ml Furosemide : 10 mg/ml		3134
		Amiodarone hydrochloride Furosemide		3465
		Amiodarone hydrochloride : 15 mg/ml Furosemide : 10 mg/ml		3463
		Amiodarone hydrochloride Furosemide		3464
		Amiodarone hydrochloride : 6 mg/ml Gemcitabine hydrochloride : 5 mg/ml		1611
		Amiodarone hydrochloride : 4 mg/ml Gentamicin sulfate : 0.8 mg/ml		385
		Amiodarone hydrochloride Haloperidol lactate		3464
		Amiodarone hydrochloride : 15 mg/ml Haloperidol lactate : 0.5 mg/ml		3823
		Amiodarone hydrochloride : 15 mg/ml Heparin sodium : 500 UI/ml		3463
		Amiodarone hydrochloride Heparin sodium		3464
		Amiodarone hydrochloride Heparin sodium		3540
		Amiodarone hydrochloride : 15 mg/ml Heparin sodium : 500 UI/ml		3823
		Amiodarone hydrochloride : 4 mg/ml Hetastarch : 60 mg/ml		1721
		Amiodarone hydrochloride : 9 mg/ml Hydrocortisone sodium succinate : 2 mg/ml		4698
		Amiodarone hydrochloride Hydroxocobalamin		3932
		Amiodarone hydrochloride : 6 mg/ml Imipenem - cilastatin sodium : 5 mg/ml		1611
		Amiodarone hydrochloride Insulin		3464
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Insulin : 1 UI/ml		4119
		Amiodarone hydrochloride : 4.8 mg/ml Insulin : 1 UI/ml		295
		Amiodarone hydrochloride : 15 mg/ml Insulin : 2 UI/ml		3823
		Amiodarone hydrochloride : 25 mg/ml Insulin : 1 UI/ml		4119

	Amiodarone hydrochloride : 6 mg/ml Insulin : 1 UI/ml		4698
	Amiodarone hydrochloride : 12,5 mg/ml Insulin : 1 UI/ml		4119
	Amiodarone hydrochloride : 6 & 12 mg/ml Insulin aspart : 1 UI/ml		1508
	Amiodarone hydrochloride : 2 mg/ml Isavuconazonium sulfate : 1.5 mg/ml		3829
	Amiodarone hydrochloride : 4 mg/ml Isoprenaline hydrochloride : 0.004 mg/ml		1036
	Amiodarone hydrochloride : 50 mg/ml Ketamine hydrochloride : 50 mg/ml		2109
	Amiodarone hydrochloride : 6 mg/ml Labetalol hydrochloride : 5 mg/ml		1611
	Amiodarone hydrochloride : 4.8 mg/ml Labetalol hydrochloride : 5 mg/ml		295
	Amiodarone hydrochloride : 15 mg/ml Labetalol hydrochloride : 4 mg/ml		3823
	Amiodarone hydrochloride : 1.8 mg/ml Lidocaine hydrochloride : 4 mg/ml		242
	Amiodarone hydrochloride : 4 mg/ml Lidocaine hydrochloride : 8 mg/ml		1036
	Amiodarone hydrochloride : 6 mg/ml Lorazepam : 1 mg/ml		1611
	Amiodarone hydrochloride : 9 mg/ml Magnesium sulfate : 1,5 mg/ml		4698
	Amiodarone hydrochloride		3464
	Amiodarone hydrochloride : 15 mg/ml		3823
	Amiodarone hydrochloride : 6 mg/ml		1611
	Amiodarone hydrochloride : 3 mg/ml Levofloxacin : 5 mg/ml		4698
	Amiodarone hydrochloride : 6 mg/ml Magnesium sulfate : 500 mg/ml		1611
	Amiodarone hydrochloride : 50 mg/ml Meropenem : 50 mg/ml		4319
	Amiodarone hydrochloride : 4 mg/ml Metaraminol : 0.2 mg/ml		1036
	Amiodarone hydrochloride : 4 mg/ml Metronidazole : 5 mg/ml		385
	Amiodarone hydrochloride : 4.8 mg/ml Midazolam hydrochloride : 1 mg/ml		295
	Amiodarone hydrochloride : 15 mg/ml Midazolam hydrochloride : 2.1 mg/ml		3823
	Amiodarone hydrochloride Midazolam hydrochloride		3464
	Amiodarone hydrochloride : 1.8 mg/ml Milrinone lactate : 1 mg/ml		4506
	Amiodarone hydrochloride : 4.8 mg/ml Morphine sulfate : 1 mg/ml		295
	Amiodarone hydrochloride : 50 mg/ml N-acetylcysteine : 200 mg/ml		3766

	Amiodarone hydrochloride : 50 mg/ml Naloxone hydrochloride : 0.4 mg/ml	∅	3408
	Amiodarone hydrochloride : 9 mg/ml Nefopam : 0,16 mg/ml	♦	4698
	Amiodarone hydrochloride Nimodipine		3464
	Amiodarone hydrochloride : 15 mg/ml Nimodipine : 0.2 mg/ml	▲♦	3823
	Amiodarone hydrochloride Nitroglycerin		3464
	Amiodarone hydrochloride : 15 mg/ml Nitroglycerin : 0.2 mg/ml	♦	3823
	Amiodarone hydrochloride : 4 mg/ml Nitroglycerin : 0.21 mg/ml	▲♦	1036
	Amiodarone hydrochloride : 15 mg/ml Norepinephrine bitartrate : 0.96 mg/ml	▲♦	3823
	Amiodarone hydrochloride : 4 mg/ml Norepinephrine bitartrate : 0.064 mg/ml	▲♦	1036
	Amiodarone hydrochloride : 18 mg/ml Paracetamol : 10 mg/ml	♦	4698
	Amiodarone hydrochloride : 50 mg/ml Paracetamol : 10 mg/ml		4742
	Amiodarone hydrochloride : 4 mg/ml Penicillin G potassium : 0.1 MUI/ml	▲♦	385
	Amiodarone hydrochloride : 4 mg/ml Phentolamine mesylate : 0.04 mg/ml	▲♦	1036
	Amiodarone hydrochloride : 4 mg/ml Phenylephrine hydrochloride : 0.04 mg/ml	▲♦	1036
	Amiodarone hydrochloride : 3 mg/ml Potassium chloride : 1340 mEq/l	♦	4698
	Amiodarone hydrochloride : 1.8 mg/ml Potassium chloride : 40 mEq/l	▲♦	242
	Amiodarone hydrochloride : 4 mg/ml Potassium chloride : 40 mEq/l	▲♦	1036
	Amiodarone hydrochloride : 12,5 mg/ml Potassium chloride : 1 mEq/l	♦	4119
	Amiodarone hydrochloride : 1.8 mg/ml Procainamide hydrochloride : 4 mg/ml	▲♦	242
	Amiodarone hydrochloride : 4 mg/ml Procainamide hydrochloride : 3 mg/ml	▲♦	1036
	Amiodarone hydrochloride : 50 mg/ml Salbutamol sulfate : 1 mg/ml	∅	3216
	Amiodarone hydrochloride Sodium bicarbonate		3464
	Amiodarone hydrochloride : 15 mg/ml Sodium bicarbonate : 84 mg/ml	∅	3212
	Amiodarone hydrochloride : 15 mg/ml Sodium bicarbonate : 84 mg/ml	♦	3823
	Amiodarone hydrochloride Sodium bicarbonate		3466
	Amiodarone hydrochloride : 50 mg/ml Sugammadex : 100 mg/ml	∅	3372

		Amiodarone hydrochloride : 3 mg/ml Thiamine hydrochloride : 2 mg/ml		4698
		Amiodarone hydrochloride : 15 mg/ml Thiopental sodium : 60 mg/ml		3823
		Amiodarone hydrochloride Thiopental sodium		3464
		Amiodarone hydrochloride : 15 mg/ml Tirofiban : 250 µg/ml		3823
		Amiodarone hydrochloride : 4 mg/ml Tobramycin sulfate : 0.8 mg/ml		385
		Amiodarone hydrochloride : 15 mg/ml Urapidil : 5 mg/ml		3823
		Amiodarone hydrochloride Urapidil		3464
		Amiodarone hydrochloride : 9 mg/ml Vancomycin hydrochloride : 31,3 mg/ml		4698
		Amiodarone hydrochloride : 1.8 mg/ml Verapamil hydrochloride : 0.05 mg/ml		242
		Amiodarone hydrochloride		3524
		Amiodarone hydrochloride : 4 mg/ml Vancomycin hydrochloride : 5 mg/ml		385
		Amiodarone hydrochloride : 6 mg/ml Vasopressin : 0.2 UI/ml		1611
		Amiodarone hydrochloride : 0.6 mg/ml		379
		Amiodarone hydrochloride : 6 mg/ml Methylprednisolone sodium succinate : 125 mg/ml		1611
		Amiodarone hydrochloride : 1.8 mg/ml Metoprolol tartrate : 1 mg/ml		2346
		Amiodarone hydrochloride : 6 mg/ml Metronidazole : 5 mg/ml		1611
		Amiodarone hydrochloride : 4 mg/ml Micafungin : 1.5 mg/ml		2108
		Amiodarone hydrochloride : 12,5 mg/ml Midazolam hydrochloride : 10 mg/ml		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Midazolam hydrochloride : 10 mg/ml		4119
		Amiodarone hydrochloride : 6 mg/ml Midazolam hydrochloride : 1 mg/ml		1611
		Amiodarone hydrochloride : 25 mg/ml Midazolam hydrochloride : 10 mg/ml		4119
		Amiodarone hydrochloride : 6 mg/ml Milrinone lactate : 0,4 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Morphine sulfate : 1 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Morphine sulfate : 10 mg/ml		1611
		Amiodarone hydrochloride : 25 mg/ml Nitroglycerin : 1 mg/ml		4119
		Amiodarone hydrochloride : 12,5 mg/ml Nitroglycerin : 1 mg/ml		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Nitroglycerin : 1 mg/ml		4119

		Amiodarone hydrochloride : 6 mg/ml Nitroprusside sodium : 0,4 mg/ml		1611
		Amiodarone hydrochloride : 12,5 mg/ml Norepinephrine bitartrate : 0,1 mg/ml		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Norepinephrine bitartrate : 0,1 mg/ml		4119
		Amiodarone hydrochloride : 25 mg/ml Norepinephrine bitartrate : 0,1 mg/ml		4119
		Amiodarone hydrochloride : 25 mg/ml Norepinephrine bitartrate : 0,5 mg/ml		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Norepinephrine bitartrate : 0,2 mg/ml		4119
		Amiodarone hydrochloride : 25 mg/ml Norepinephrine bitartrate : 0,2 mg/ml		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Norepinephrine bitartrate : 0,5 mg/ml		4119
		Amiodarone hydrochloride : 12,5 mg/ml Norepinephrine bitartrate : 0,5 mg/ml		4119
		Amiodarone hydrochloride : 12,5 mg/ml Norepinephrine bitartrate : 0,2 mg/ml		4119
		Amiodarone hydrochloride Pantoprazole sodium		2090
		Amiodarone hydrochloride : 6 mg/ml Piperacillin sodium : 60 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Piperacillin sodium / tazobactam : 60 mg/ml		1611
		Amiodarone hydrochloride : 2 mg/ml Plazomicin sulfate : 24 mg/ml		4145
		Amiodarone hydrochloride : 25 mg/ml Potassium chloride : 1 mEq/l		4119
		Amiodarone hydrochloride : 0,6 >> 9,75 mg/ml Potassium chloride : 1 mEq/l		4119
		Amiodarone hydrochloride : 6 mg/ml Potassium phosphate : 0.12 mmol/ml		1611
		Amiodarone hydrochloride : 3 mg/ml Propafenone hydrochloride : 1 mg/ml		925
		Amiodarone hydrochloride : 1.8 mg/ml Quinidine gluconate : 1 mg/ml		242
		Amiodarone hydrochloride : 1.8 mg/ml Quinidine gluconate : 1 mg/ml		242
		Amiodarone hydrochloride : 3 mg/ml Sodium bicarbonate : 8.4 mg/ml		200
		Amiodarone hydrochloride : 3 mg/ml Sodium bicarbonate : 3 mg/ml		205
		Amiodarone hydrochloride : 6 mg/ml Sodium bicarbonate : 84 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Sodium Phosphate : 0,12 mmol/ml		1611
		Amiodarone hydrochloride : 2 mg/ml Sulbactam/durlobactam : 15/15 mg/ml		4801
		Amiodarone hydrochloride : 2 mg/ml Tedizolid phosphate : 0.8 mg/ml		3827

		Amiodarone hydrochloride : 50 mg/ml Thiopental sodium : 25 mg/ml		3767
		Amiodarone hydrochloride : 6 mg/ml Tirofiban : 250 µg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Tobramycin sulfate : 5 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Vancomycin hydrochloride : 10 mg/ml		1611
		Amiodarone hydrochloride : 6 mg/ml Vancomycin hydrochloride : 4 mg/ml		1611
		Amiodarone hydrochloride : 1.5 mg/ml Vasopressin : 2 & 4 UI/ml		1801
		Amiodarone hydrochloride : 6 mg/ml Vecuronium bromide : 1 mg/ml		1611



Voie d'administration



Bibliographie

	Type	Source
200	Revue	Korth-Bradley JM, Ludwig S, Callaghan C. Incompatibility of amiodarone hydrochloride and sodium bicarbonate injections. Am J Health-Syst Pharm 1995 ; 52: 2340.
205	Revue	Strozyk WR, Williamson R, Thompson D. Incompatibility of amiodarone hydrochloride and evacuated glass bottles. Am J Health-Syst Pharm 1996 ; 53: 184.
242	Revue	Campbell S, Nolan PE, Bliss M, Wood R, Mayersohn M. Stability of amiodarone hydrochloride in admixtures with other injectable drugs. Am J Hosp Pharm 1986 ; 43: 917-921.
295	Revue	Yamashita SK, Walker SE, Choudhury T, Iazzetta J. Compatibility of selected critical care drugs during Y-site administration. Am J Health-Syst Pharm 1996 ; 53: 1048-1051.
379	Revue	Weir SJ, Szucs Myers VA, Bengtson KD, Ueda CT. Sorption of amiodarone to polyvinyl chloride infusion bags and administration sets. Am J Hosp Pharm 1985 ; 42: 2679-2683.
385	Revue	Benedict MK, Roche VF, Banakar UV, Hilleman DE. Visual compatibility of amiodarone hydrochloride with various antimicrobial agents during simulated Y-site injection. Am J Hosp Pharm 1988 ; 45: 1117-1118.
647	Revue	Pramar YV. Chemical stability of amiodarone hydrochloride in intravenous fluids. Int J Pharm Compound 1997 ; 1: 347-348.
925	Revue	Dupuis LL, Trope A, Giesbrecht E, Wong B. Compatibility and stability of propafenone hydrochloride with five critical-care medications. Can J Hosp Pharm 1998 ; 51: 55-57.

1036	Revue	Hasegawa GR, Eder JF. Visual compatibility of amiodarone hydrochloride injection with other injectable drugs. Am J Hosp Pharm 1984 ; 41: 1379-1380.
1041	Revue	Hasegawa GR, Eder JF. Visual compatibility of dobutamine hydrochloride with other injectable drugs. Am J Hosp Pharm 1984 ; 41: 949-951.
1232	Revue	Beatson C, Taylor A. A physical compatibility study of furosemide & flucloxacillin injections. Br J Pharm Pract 1987 ; 9: 223-226, 236.
1508	Revue	Voirol P, Berger-Gryllaki M, Pannatier A, Eggimann P, Sadeghipour F. Visual compatibility of insulin aspart with intravenous drugs frequently used in ICU. EJHP 2015 ;22:123-124.
1611	Revue	Chalmers JR, Bobek MB, Militello MA. Visual compatibility of amiodarone hydrochloride injection with various intravenous drugs. Am J Health-Syst Pharm 2001 ; 58: 504-506.
1712	Revue	Trissel LA, Saenz CA. Compatibility screening of Precedex during simulated Y-site administration with other drugs. Int J Pharm Compound 2002 ; 6: 230-233.
1713	Revue	Trissel LA, Saenz CA. Compatibility screening of bivalirudin during simulated Y-site administration with other drugs. Int J Pharm Compound 2002 ; 6: 311-315.
1721	Revue	Trissel LA, Williams KY, Baker MB. Compatibility screening of Hextend during simulated Y-site administration with other drugs. Int J Pharm Compound 2001 ; 5: 69-72.
1733	Revue	Kopelent-Frank H, Schimper A. HPTLC-based stability assay for determination of amiodarone in intravenous admixtures. Pharmazie 1999 ; 54: 542-544.
1801	Revue	Feddema S, Rusho WJ, Tyler LS, Barker B. Physical compatibility of vasopressin with medications commonly used in cardiac arrest. Am J Health-Syst Pharm 2003 ; 60: 1271-1272.
1803	Revue	Trissel, LA, Saenz CA, Ogundele OB, Ingram D, Baker MB. Compatibility of fenoldopam mesylate with other drugs during simulated Y-site administration. Am J Health-Syst Pharm 2003 ; 60: 80-85.
1963	Revue	Honisko ME, Fink JM, Militello MA, Mauro VF, Alexander KS. Compatibility of argatroban with selected cardiovascular agents. Am J Health-Syst Pharm 2004 ; 61: 2415-2418.
2090	Revue	Pere H, Chasse V, Forest JM, Hildgen P. Compatibility of injectable pantoprazole in Y-site administration. Pharmactuel 2004 ; 37: 193-196.
2108	Revue	Trusley C, Kupiec TC, Trissel LA. Compatibility of micafungin injection with other drugs during simulated Y-site co-administration. Int J Pharm Compound 2006 ; 10: 230-232.
2109	Revue	Pelletier E, Forest JM, Hildgen P. Compatibilité de la kétamine injectable lors de l'administration en dérivé avec d'autres médicaments usuels. Pharmactuel 2006 ; 39: 71-75.
2139	Revue	Serrurier C, Chenot ED, Vigneron J, May I, Demor? B. Assessment of injectable drug's administration in two intensive care units and determination of potential physico-chemical incompatibilities. EJHP Science 2006 ; 12,5: 96-99.
2146	Revue	Trissel LA, Xu QA, Baker M. Drug compatibility with new polyolefin infusion solution containers. Am J Health-Syst Pharm 2006 ; 63: 2379-2382.

2247	Revue	Chan P, Heatherly K, Kupiec T.C, Trissel L.A. Compatibility of caspofungin acetate injection with other drugs during simulated Y-site coadministration. Int J Pharm Compound 2008 ; 12, 3: 276-278.
2262	Revue	Brammer MK, Chan P, Heatherly K, Trusley C, Kupiec TC, Trissel LA, Psathas PA, Gilmor T, Schaufelberger D. Compatibility of doripenem with other drugs during simulated Y-site administration Am J Health-Syst Pharm 2008 ; 65: 1261-1265.
2269	Revue	Chan P, Bishop A, Kupiec TC, Trissel LA, Gole D, Jimidar IM, Vermeersch H. Compatibility of ceftobiprole medocaril with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2008 ; 65, 16: 1545-1551.
2346	Revue	Newland A.M, Mauro V.F, Alexander K.S. Physical compatibility of metoprolol tartrate injection with selected cardiovascular agents Am J Health-Syst Pharm 2009 ; 66: 986-987.
3012	Revue	Sullivan T, Forrest J.M, Leclair G. Compatibility of Cloxacillin Sodium with Selected Intravenous Drugs During Simulated Y-Site Administration Hosp Pharm 2015 ; 50, 3: 214-220.
3134	Revue	Perez Jua En, Maqueda Palau M, Arévalo Rubert Mt, Ribas Nicolau B, Amoros Cerdà SM. Compatibilidad visual y física de la furosemida en mezclas intravenosas para perfusión continua. Enferm Intensiva 2010 ; 21: 96-103.
3210	Revue	Jasti Bhaskara R, Saraf Poonam. Compatibility of Parenteral Furosemide with Seventeen Secondary Drugs Used in Standard Concentrations. Int J Pharm Compound 2011 ; 15, 3: 259-261.
3212	Revue	Ribas Nicolau, B.; P?rez Juan, E.; Amor?s Cerd?, S.M.; Ar?valo Rubert, M.J.; Maqueda Palau, M. Compatibilidad física del bicarbonato sódico con fármacos de uso frecuente en la unidad de cuidados intensivos. Enferm Intensiva 2011 ;22:78-82.
3216	Revue	Legris ME, Valiquette ME, Lavoie A, Forest JM, Leclair G. Compatibilité physique par évaluation visuelle du salbutamol injectable lors de son administration en Y. Pharmactuel 2011 ; 44, 1 : 14-18
3249	Revue	Singh BM, Dedhiya MG, Dinunzio J, Chan P, Kupiec TC, Trissel LA, Laudano JB. Compatibility of ceftaroline fosamil for injection with selected drugs during simulated Y-site administration. Am J Health-Syst Pharm 2011 ; 68: 2163-2169.
3372	Revue	Hanci V, Ali Kiraz H, Ömür D, Ekin S, Uyan B, Yurtlu B.S. Precipitation in Gallipoli: Sugammadex / Amiodarone & Sugammadex / Dobutamine & Sugammadex / Protamine. Rev Bras Anesthesiol 2013 ; 63, 1: 163-166.
3379	Revue	Fox L.M, Wilder A.G, Foushee J.A. Physical compatibility of various drugs with neonatal total parenteral nutrient solution during simulated Y-site administration. Am J Health-Syst Pharm 2013 ;70:520-524.
3381	Revue	Humbert-Delaloye V, Berger-Gryllaki M, Voirol P, Gattlen L, Pannatier A. In vitro compatibility of various cardioactive drugs during simulated Y-site administration. EJHP 2013 ; 20:110-116.
3408	Revue	Tollec S, Touzin K, Pelletier E, Forest J.M. Evaluation visuelle de la compatibilité physique de la naloxone avec d'autres médicaments intraveineux usuels. Pharmactuel 2013 ; 46, 1 : 16-21.
3463	Revue	Eva Perez Juan, Maria Jos? Arévalo Rubert , Silvia Monica Amoros Cerda , Palau M.M, Nicolau B.R. Fármacos en perfusión continua en la unidad de cuidados intensivos: estudio de compatibilidad. Nursing 2011 ; 29 :62-6
3464	Revue	Monica Maqueda-Palau, Eva Pérez-Juan, Maria Josep Arévalo-Rubert, Sylvia Monica Amoros-Cerda, Bàrbara Ribas-Nicolau. Compatibilidad física de la amiodarona en perfusión continua Enferm Clin 2011 21:25-29.
3465	Revue	E. P?rez Juan, M. Maqueda Palau, M. Ar?valo Rubert, B. Ribas Nicolau, S.M. Amor?s Cerd?. Compatibilidad visual y física de la furosemida en mezclas intravenosas para perfusión continua. Enferm Intensiva 2010 ;21:96-103.


3466	Revue	B. Ribas Nicolau, E. Pérez Juan, S.M. Amorós Cerdá, M.J. Arzuvaló Rubert, M. Maqueda Palau. Compatibilidad física del bicarbonato sódico con fármacos de uso frecuente en la unidad de cuidados intensivos Enferm Intensiva 2011 ;22:78-82.
3524	Laboratoire	Amiodarone hydrochloride (Cordarone®) - Summary of Product Characteristics. Sanofi 2013
3539	Laboratoire	Bivalirudin (Angiox®) - Summary of Product Characteristics. The Medecines Company 2013
3540	Laboratoire	Heparin sodium - Summary of Product Characteristics. Wockhardt 2010
3766	Revue	Forrest J.M, Hildgen P. Compatibilité de l'acétylcystéine injectable lors de son administration en Y avec d'autres médicaments usuels Pharmactuel 2014 ; 47, 3 : 161-165.
3767	Revue	Legris M.E, Lavoie A, Forrest J.M, Hildgen P. Compatibilité par évaluation visuelle du thiopental injectable lors de son administration en Y avec des médicaments usuels. Pharmactuel 2014 ; 47, 3 : 167-172.
3823	Revue	Juan E.P, Palau M.M, Cerdá S.A, Rubert M.A, Nicolau B.R. Compatibilité physique de médicaments administrés dans l'unité de soins intensifs Pharmactuel 2015 ; 48, 3 : 146-152.
3824	Revue	Boudi S, Roy H, Forest JM, Leclair G. Compatibilité physique de l'association amoxicilline-acide clavulanique en injection avec plusieurs autres médicaments lors d'une administration en Y. Pharmactuel 2023 2023;56,3:91-98
3827	Poster	Ghazi I.M, Hamada Y, Nicolau D.P. Compatibility of tedizolid phosphate with selected intravenous drugs via simulated Y-site conditions. ASHP Midyear 2015
3828	Poster	Thabit A.K, Hamada Y, Nicolau D.P. Ceftazolidime/tazobactam physical compatibility during simulated Y-site administration. ASHP Midyear 2015
3829	Poster	So W, Kim L, Thabit A.K, Nicolau D.P, Kuti J.L. Compatibility of isavanazonium sulfate during simulated Y-site administration. ASHP Midyear 2015
3932	Laboratoire	Hydroxocobalamine (Cyanokit®) - Résumé des caractéristiques du produit Serb Laboratoire 2015
3964	Revue	Audet M.A, Forest E, Friciu M, Forest J.M, Leclair G. Compatibilité du citrate de caféine injectable avec plusieurs autres médicaments. Pharmactuel 2017 ; 50,1 : 27-33.
4055	Revue	Monogue M, Almarzoky Abuhussain S, Kuti J, Nicolau D. Physical compatibility of fosfomycin for injection with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 , 75, 1:36-44
4119	Poster	Marcoz N, Ing H, Sautter AM, Saadi JF, Roulin JF, Bonnabry P. Stabilité et compatibilité de solutions injectables d'amiodarone (Cordarone®) Hôpitaux Universitaire de Genève 2004
4130	Revue	Koller AK, Krebs S, Dörje F. Untersuchungen zur Kompatibilität von Clonidin mit häufig eingesetzten Arzneimittel auf Intensivstationen. Pharmaceutics 2021 , 13, 21.
4145	Revue	Asempta T.E, Avery L.M, Kidd J.M, Kuti J.L, Nicolau D.P. Physical compatibility of plazomicin with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 ;75,14:1048-1056
4252	Revue	Lardinois B, Dimitriou A, Delcave C, Jamart J, Bihin B, Soumoy L, Hecq JD, Galanti LM. Evaluation of the Physicochemical Stability of Amiodarone Hydrochloride in Syringes for the Intensive Care Unit. Int J Pharm Compound 2019 ;23,2:163-166

4319	Revue	Lessard J-J, Caron E, Schérier H, Forest J-M, Leclair G. Compatibility of Y-site Injection of Meropenem Trihydrate With 101 Other Injectable Drugs. Hosp Pharm 2020 ; 55, 5: 332-337.
4354	Poster	Sicard G, Donnette M, Martin N, Gensollen S, Pourroy B, Fanciullino R. Compatibilité visuelle du Vyxeos lors d'administration en Y avec une sélection de médicaments injectables. GERPAC Congress 2019 2019
4371	Revue	Mediavilla MM, Molina A, Navarro L, Grau L, Pujol MD, Cardenete J, Cardona D, Riera P. Physicochemical Compatibility of Amiodarone with Parenteral Nutrition. Journal of Parenteral and Enteral Nutrition 2018
4411	Revue	Wilder A.G, Foushee J.A, Fox L.M, Navalle J, Wright A.M, Greer M.A. Physical Compatibility of Medications Used in Critically Ill Patients with Balanced Fluid Solutions. Int J Pharm Compound 2020 ;24,3:238-241.
4434	Revue	Avery L.M, Chen, I.H, Reyes, S, Nicolau, D.P, Kuti J.L. Assessment of the Physical Compatibility of Eravacycline and Common Parenteral Drugs During Simulated Y-site Administration. Clin Ther 2019 ; 41, 10: 2162-2170.
4491	Revue	De Basagoiti A, Katsumiti A, Abascal S, Bustinza A, López-Giménez L.R, Pilar P, De Miguel M, Campino A. Physical compatibility of alprostadil with selected drugs commonly used in the neonatal intensive care units. Eur J Pedia 2020
4506	Revue	Griffith S, Stapleton E, Padilla S, Mruk A, Thomas C. Physical compatibility of milrinone 1 mg/mL with select cardiovascular medications during simulated Y-site administration. Am J Health-Syst Pharm 2020 ;77,23:1938-1940.
4528	Revue	Lu J, Liu Q, Kupiec T, Vail H, Lunch L, Fam D, Vu N. Physical Compatibility of Cefiderocol with Selected Intravenous Drugs During Simulated Y-site Administration. Int J Pharm Compound 2021 ;25,1:52-61
4603	Revue	Vallée M, Barthélémy I, Friciu M, Pelletier E, Forest J.M, Benoit F, Leclair G. Compatibility of Lactated Ringer's Injection With 94 Selected Intravenous Drugs During Simulated Y-site Administration. Hosp Pharm 2021 ; 56, 4: 228-234.
4650	Laboratoire	Ceftibiprole (Zevtera 500 mg powder for concentrate for solution for infusion.) Summary of Product Characteristics, Advanz Pharma updated 4 aug 2021. Advanz Pharma 2021
4651	Revue	De Basagoiti A, Katsumiti A, Abascal S, Bustinza A, López-Giménez L.R, Pascual P, De Miguel M, Campino A. Physical compatibility of alprostadil with selected drugs commonly used in the neonatal intensive care units. Eur J Pedia 2021 ;180,1169–1176.
4655	Revue	Holyk A, Lindner A, Lindner S, Shippert B Physical compatibility of Normosol-R with critical care medications used in patients with COVID-19 during simulated Y-site administration. Am J Health-Syst Pharm 2022 ;79,1:27-33
4698	Revue	Ayari G, Huart E, Vigneron J, Demoré B. Y-site compatibility of intravenous medications commonly used in intensive care units : laboratory tests on 75 mixtures involving nine main drugs. Pharmaceutical Technology in Hospital Pharmacy 2022
4742	Revue	Macoviciuc M, Nguyen C, Forest J-M, Leclair G. Compatibilité physique de l'acétaminophène injectable avec 102 autres médicaments lors d'une administration en Y. Pharmactuel 2022 ; 55, 4: 247-255.
4801	Revue	Ruiz V, Yuwei Shen Y, Abouelhassan Y, Fouad A, Nicolau D, Kuti J. Physical compatibility of sulbactam/durlobactam with select intravenous drugs during simulated Y-site administration. Am J Health-Syst Pharm 2024 ;51,1:

Stabilis



Amiodarone hydrochloride



Stabilité des préparations

		1200 mg ® = ?	SyrSpend SF PH4® >> 60 mL	21-25°C		90			4696
		500mg Amiodarone Wyeth®	Sirop simple 50ml Methylcellulose 1% 50ml	25°C		42			2541
300 mg ® = (Wyeth-Ayerst Laboratories)			Methylcellulose 1% 30 ml Sirop simple 60 ml	25°C		42			3792
		500mg Amiodarone Wyeth®	Sirop simple 50ml Methylcellulose 1% 50ml	4°C		91			2541
		500mg Amiodarone Wyeth®	Sirop simple 50ml Methylcellulose 1% 50ml	4°C		91			2541
300 mg ® = (Wyeth-Ayerst Laboratories)			Methylcellulose 1% 30 ml Sirop simple 60 ml	4°C		91			3792
		490 mg ® = ?	SyrSpend SF PH4 Cherry® >> 100 mL	2-8°C		91			3810
		500mg Amiodarone Wyeth®	Sirop simple 50ml Methylcellulose 1% 50ml	25°C		42			2541
		490 mg ® = ?	SyrSpend SF PH4 Cherry® >> 100 mL	25°C		91			3810
300 mg ® = (Wyeth-Ayerst Laboratories)			Methylcellulose 1% 30 ml Sirop simple 60 ml	25°C		91			3792
300 mg ® = (Wyeth-Ayerst Laboratories)			Methylcellulose 1% 30 ml Sirop simple 60 ml	4°C		91			3792




Bibliographie

	Type	Source
2541	Revue	Nahata MC. Stability of amiodarone in an oral suspension stored under refrigeration and at room temperature. Ann Pharmacotherapy 1997 ;31:851-852.
3792	Revue	Nahata M.C, Morosco R.S, Hipple T.F. Stability of amiodarone in extemporaneous oral suspension prepared from commercially available vehicles. J Ped Pharm Pract 1999 ; 4: 186-189.
3810	Revue	Geiger C M, Sorenson B, Whaley P. Stability Assessment of 10 Active Pharmaceutical Ingredients Compounded in SyrSpend SF. Int J Pharm Compound 2015 ; 19, 5 : 420-427.
4696	Revue	Adoum A, Le P., Faisant S, Legendre P, Lester MA, Boivin PN. Physicochemical stability of 20 mg/mL amiodarone hydrochloride oral suspension in SyrSpend® SF PH4 (liquid) Pharmaceutical Technology in Hospital Pharmacy 2022 2022; 7(1): 20220005

Stabilis















Amiodarone hydrochloride



Stabilité des préparations

		10 mg Amiodarone	Mannitol >>	25°C		365		3300
		60 mg Amiodarone	Mannitol >>	25°C		365		3300
		100 mg Amiodarone	Mannitol >>	25°C		365		3300
		10 mg Amiodarone	Mannitol >>	25°C		365		3300
		100 mg Amiodarone	Mannitol >>	25°C		365		3300
		60 mg Amiodarone	Mannitol >>	25°C		365		3300
		100 mg Amiodarone	Mannitol >>	25°C		365		3300
		60 mg Amiodarone	Mannitol >>	25°C		365		3300

		10 mg Amiodarone	Mannitol >>	25°C		365				3300
?		5 mg Amiodarone	Cellulose microcristalline >>	25°C		30				4582
?		20 mg Amiodarone	Cellulose microcristalline >>	25°C		180				4582
?		50 mg Amiodarone	Cellulose microcristalline >>	25°C		365				4582
















Bibliographie

	Type	Source
3300	Revue	Rughoo L, Vigneron J, Zenier H, May I, Demoré B. Stability study of amiodarone hydrochloride in capsules for paediatric patients using a high-performance liquid chromatography method. Ann Pharm Fr 2012 ; 70, 2: 88-93.
4582	Revue	Brun D, Curti C, Lamy E, Jean C, Bertault-Pérez P, Broggi J, Tintori G, Vanelle P. Beyond-Use Dates Assignment for Pharmaceutical Preparations: Example of Low-Dose Amiodarone Capsules. J Pharm Technol 2021



Dictionnaire

	Antiarythmique		Injectable
	Noms commerciaux		Stabilité des solutions
	Contenant		Molécule
	Concentration		Température
	Conservation		Durée de stabilité
	Biosimilaire		Données conflictuelles
	Bibliographie		Verre
	NaCl 0,9% ou glucose 5%		A l'abri de la lumière
	Jour		Chlorure de sodium 0,9%
	Lumière		Heure
	Glucose 5%		Non précisée
	Polyolefine		Seringue polypropylène
	Stabilité en mélange		Solvant
	Molécule		Polyéthylène
	Facteur influençant la stabilité		Provoque
	Dégradation		Précipitation
	Nutrition parentérale (mélange binaire)		NaHCO3
	Polyvinyl chlorure		Relargage
	Diminution de la stabilité		Compatibilités
	Compatible		Normosol®
	Précipitation immédiate		Incompatible
	Turbidité en 1 heure		Ringer lactate
	Précipitation en 15 minutes		Nutrition parentérale (mélange ternaire)
	Changement de couleur		Turbidité immédiate
	Aucun		Incompatibilité non précisée
	Eau pour préparation injectable		Incompatibilité subvisuelle
	NaCl 0,45% Glucose 2,5%		Turbidité en 4 heures
	Précipitation en 4 heures		Solvant spécifique
	Instabilité chimique		Précipitation en 1 heure
	Turbidité en 30 minutes		Turbidité à 24 heures

 Voie d'administration	 Perfusion intraveineuse
 Bibliographie	 Solution buvable
 Stabilité des préparations	 Origine
 Excipient	 Poudre
 Comprimés	 Flacon plastique
 Gélule	 Non précisé
 Dictionnaire	