


Stabilis



Ethacrynate sodium



Noms commerciaux

Edecrin	Canada, Etats Unis d'Amérique
Ethacrynate sodium	Canada
Reomax	Italie



Stabilité des solutions

Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9
		1 mg/ml	25°C	?	14			1716
		1 mg/ml	5°C		22			1716



Compatibilités

	Ethacrynate sodium : 0.5 mg/ml Cimetidine hydrochloride : 3 mg/ml			1201
	Ethacrynate sodium : 1 mg/ml Potassium chloride : 40 mEq/l			730
	Ethacrynate sodium : 1 mg/ml Potassium chloride : 40 mEq/l		RL	730



Voie d'administration

































Bibliographie

	Type	Source
730	Revue	Allen LV, Saul Levinson R, Phisutsinthop D. Compatibility of various admixtures with secondary additives at Y-injection site of intravenous administration sets. Am J Hosp Pharm 1977 ; 34: 939-943.
1201	Revue	Yuhas EM, Lofton FT, Rosenberg HA, Mayron D, Baldinus JG. Cimetidine hydrochloride compatibility III: Room temperature stability in drug admixtures. Am J Hosp Pharm 1981 ; 38: 1919-1922.
1716	Revue	Ling J, Das Gupta V. Stability of ethacrynate sodium after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. Int J Pharm Compound 2001 ; 5: 73-75.



Dictionnaire

 Diurétique	 Injectable
 Noms commerciaux	 Stabilité des solutions
 Contenant	 Molécule
 Concentration	 Température
 Conservation	 Durée de stabilité
 Biosimilaire	 Données conflictuelles
 Bibliographie	 Seringue polypropylène
 Chlorure de sodium 0,9%	 Non précisée
 Jour	 A l'abri de la lumière
 Compatibilités	 Molécule
 Solvant	 Compatible
 Glucose 5%	 NaCl 0,9% ou glucose 5%
RL Ringer lactate	 Voie d'administration
 Intraveineuse	 Bibliographie
 Dictionnaire	