


Stabilis



Levomepromazine



Noms commerciaux

Detenler	Argentine
Levomepromazin	Allemagne
Levomepromazina	Argentine, Colombie
Neurocil	Allemagne
Nozinan	Argentine, Canada, Danemark, France, Grande Bretagne, Irlande, Maroc, Norvège, Nouvelle Zélande, Pays bas, Portugal, Suède, Tunisie
Sinogan	Equateur, Espagne, Mexique, Vénézuela
Tisercin	Grèce, Hongrie, Pologne



Stabilité en mélange

PP		0,74 mg/ml	37°C	?	Morphine sulfate : 5,9 mg/ml	4	3279



Facteur influençant la stabilité

				3279
--	--	--	--	------



Compatibilités

		Levomepromazine : 0,625 >> 2,5 mg/ml Dexamethasone sodium phosphate : 0,2 >> 0,4 mg/ml	4404
		Levomepromazine Erythromycin lactobionate	3674
		Levomepromazine : 0.625 >> 2.5 mg/ml Haloperidol lactate : 0.25 >> 0.5 mg/ml	4404
		Levomepromazine Heparin sodium	3540
		Levomepromazine : 0.625 >> 2.5 mg/ml Metoclopramide hydrochloride : 3 mg/ml	4404

	Levomepromazine : 0.625 >> 2.5 mg/ml Midazolam hydrochloride : 1.2 mg/ml		4404
	Levomepromazine : 0.625 >> 2.5 mg/ml Morphine hydrochloride : 2 >> 5 mg/ml		4404
	Levomepromazine Morphine sulfate		3279
	Levomepromazine : 5.9 & 11.11 mg/ml Oxycodone hydrochloride : 14.7 & 38.5 mg/ml		2900
	Levomepromazine : 0.25 & 7.1 mg/ml Oxycodone hydrochloride : 1 & 7.1 mg/ml		2125
	Levomepromazine : 5.9 & 11.11 mg/ml Oxycodone hydrochloride : 14.7 & 38.5 mg/ml		2900
	Levomepromazine : 0.25 & 7.1 mg/ml Oxycodone hydrochloride : 1 & 7.1 mg/ml		2125
	Levomepromazine : 25 mg/ml Ranitidine hydrochloride : 25 mg/ml		58
	Levomepromazine : 0.625 >> 2.5 mg/ml Scopolamine N-butyl bromide : 3-7 mg/ml		4404



Voie d'administration



Bibliographie

	Type	Source
58	Revue	Parker WA. Physical compatibility of ranitidine HCl with preoperative injectable medications. Can J Hosp Pharm 1985 ; 38: 160-161.
2125	Revue	Gardiner PR. Compatibility of an injectable oxycodone formulation with typical diluents, syringes, tubings, infusion bags and drugs for potential co-administration. Hospital Pharmacist 2003 ; 10: 354-361.
2900	Revue	Hines S, Pleasance S. Compatibility of an injectable high strength oxycodone formulation with typical diluents, syringes, tubings, infusion bags and drugs for potential co-administration. EJHP 2009 ; 15, 5: 32-38.
3279	Revue	Al-Tannak N.F, Cable C.G, McArthur D.A, Watson D.G A stability indicating assay for a combination of morphine sulphate with levomepromazine hydrochloride used in palliative care. J Clin Pharm Ther 2012 ; 37, 1: 71-73.
3540	Laboratoire	Heparin sodium - Summary of Product Characteristics. Wockhardt 2010
3674	Laboratoire	Erythromycin lactobionate - Summary of Product Characteristics PanPharma 2016
4404	Poster	Müller U, Haller F, Wiedemeier P, Steuer C. Compatibility studies of seven commonly used drugs for parenteral administration in palliative care. JFSPH 2019 2019



Dictionnaire

	Neuroleptique		Injectable
	Noms commerciaux		Stabilité en mélange
	Contenant		Solvant
	Concentration		Température
	Conservation		Molécule
	Durée de stabilité		Bibliographie
	Polypropylène		Eau pour préparation injectable
	Non précisée		Heure
	Facteur influençant la stabilité		Augmentation
	Provoque		Dégradation
	Compatibilités		Précipitation immédiate
	Incompatible		NaCl 0,9% ou glucose 5%
	Incompatibilité non précisée		Compatible
	Chlorure de sodium 0,9%		Turbidité immédiate
	Aucun		Voie d'administration
	Sous cutanée		Perfusion SC continue
	Bibliographie		Dictionnaire