


Stabilis



Micafungin



Kauppanimi

Mycafungina	Chile
Mycamine	Australia, Brasilia, Chile, Ecuador, Egypti, Espanja, Hollanti, Islanti, Iso-Britannia, Italia, Japani, Kanada, Kreikka, Malesia, Marokko, New Zealand, Norja, Puola, Ranska, Romania, Ruotsi, Saksa, Saudi-Arabia, Suomi, Sveitsi, Tanska, Turkki, Unkari, Yhdysvallat



Stabilus liuoksessa

		20 mg/ml	25°C	?	48			3573
		20 mg/ml	25°C	?	48			3573
		0.5 mg/ml	23-27°C		15			1889
		1 mg/ml	23-27°C		15			1889



Yhteensopivuus

	Micafungin : 1.5 mg/ml		2108
	Micafungin		3573
	Micafungin : 1.5 mg/ml Aminophylline : 2.5 mg/ml		2108
			2108
	Micafungin : 1.5 mg/ml Amiodarone hydrochloride : 4 mg/ml		2108
	Micafungin : 20 mg/ml Amoxicillin sodium / clavulanic acid : 100/10 mg/ml		3824
	Micafungin : 1.5 mg/ml Bumetanide : 0.04 mg/ml		2108

		Micafungin : 1.5 mg/ml Calcium chloride : 40 mg/ml		2108
		Micafungin : 1.5 mg/ml Calcium gluconate : 40 mg/ml		2108
		Micafungin		3573
		Micafungin : 1.5 mg/ml Carboplatin : 5 mg/ml		2108
		Micafungin : 4 mg/ml Cefiderocol sulfate tosylate : 20 mg/mL		4528
		Micafungin : 1.5 mg/ml Cisatracurium besylate : 0.5 mg/ml		2108
		Micafungin : 20 mg/ml Dexmedetomidine : 100 µg/ml		4389
		Micafungin : 1.5 mg/ml Dopamine hydrochloride : 3.2 mg/ml		2108
		Micafungin : 1.5 mg/ml Eptifibatide : 0.75 mg/ml		2108
		Micafungin : 4 mg/ml Eravacycline : 0,6 mg/ml		4434
		Micafungin : 1.5 mg/ml Esmolol hydrochloride : 10 mg/ml		2108
		Micafungin : 1.5 mg/ml Etoposide : 0.4 mg/ml		2108
		Micafungin : 0,25 mg/ml		4440
		Micafungin : 4 mg/ml Cefiderocol sulfate tosylate : 20 mg/mL		4528
		Micafungin : 2 mg/ml Ceftolozane / tazobactam : 10/5 mg/ml		3828
		Micafungin : 2 mg/ml Ceftolozane / tazobactam : 10/5 mg/ml		3828
		Micafungin : 1.5 mg/ml Ciclosporin : 5 mg/ml		2108
		Micafungin : 1.5 mg/ml Diltiazem hydrochloride : 5 mg/ml		2108
		Micafungin : 1.5 mg/ml Dobutamine hydrochloride : 4 mg/ml		2108
		Micafungin : 1,5 mg/ml Doripenem : 5 mg/ml		2262
		Micafungin : 1,5 mg/ml Doripenem : 5 mg/ml		2262
		Micafungin : 1.5 mg/ml Epinephrine hydrochloride : 50 µg/ml		2108
		Micafungin : 1.5 mg/ml Fenoldopam mesylate : 80 µg/ml		2108
		Micafungin : 4 mg/ml Fosfomycin : 30 mg/ml		4055
		Micafungin : 4 mg/ml Fosfomycin : 30 mg/ml		4055
		Micafungin : 1.5 mg/ml Furosemide : 3 mg/ml		2108
		Micafungin : 1.5 mg/ml Heparin sodium : 100 UI/ml		2108

		Micafungin : 1.5 mg/ml Human albumin : 250 mg/ml		2108
		Micafungin : 1.5 mg/ml Hydromorphone hydrochloride : 0.5 mg/ml		2108
		Micafungin : 1.5 mg/ml Insulin : 1 UI/ml		2108
		Micafungin : 2 mg/ml Isavuconazonium sulfate : 1.5 mg/ml		3829
		Micafungin : 2 mg/ml Isavuconazonium sulfate : 1.5 mg/ml		3829
		Micafungin : 1.5 mg/ml Labetalol hydrochloride : 2 mg/ml		2108
		Micafungin : 1 mg/ml Levofloxacin : 5 mg/ml		3364
		Micafungin : 1 mg/ml Levofloxacin : 5 mg/ml		3364
		Micafungin : 1.5 mg/ml Lidocaine hydrochloride : 10 mg/ml		2108
		Micafungin : 1.5 mg/ml Lorazepam : 0.5 mg/ml		2108
		Micafungin : 1.5 mg/ml Magnesium sulfate : 100 mg/ml		2108
		Micafungin : 1.5 mg/ml Mesna : 20 mg/ml		2108
		Micafungin : 1.5 mg/ml Midazolam hydrochloride : 2 mg/ml		2108
		Micafungin : 1.5 mg/ml Milrinone lactate : 0.2 mg/ml		2108
		Micafungin : 1.5 mg/ml Morphine sulfate : 15 mg/ml		2108
		Micafungin : 1.5 mg/ml Mycophenolate mofetil : 6 mg/ml		2108
		Micafungin : 1.5 mg/ml Nesiritide : 0.006 mg/ml		2108
		Micafungin : 1.5 mg/ml Nicardipine hydrochloride : 1 mg/ml		2108
		Micafungin : 1.5 mg/ml Nitroglycerin : 0.4 mg/ml		2108
		Micafungin : 1.5 mg/ml Nitroprusside sodium : 2 mg/ml		2108
		Micafungin : 1.5 mg/ml Norepinephrine bitartrate : 0.128 mg/ml		2108
		Micafungin : 1.5 mg/ml Octreotide acetate : 0.005 mg/ml		2108
		Micafungin : 1.5 mg/ml Ondansetron hydrochloride : 1 mg/ml		2108
		Micafungin : 20 mg/ml Paracetamol : 10 mg/ml		4742
		Micafungin : 1.5 mg/ml Pethidine hydrochloride : 10 mg/ml		2108
		Micafungin : 1.5 mg/ml Phenylephrine hydrochloride : 1 mg/ml		2108

		Micafungin : 1.5 mg/ml Phenytoin sodium : 50 mg/ml		2108
		Micafungin : 4 mg/ml Plazomicin sulfate : 24 mg/ml		4145
		Micafungin Posaconazole		4380
		Micafungin : 1.5 mg/ml Potassium chloride : 100 mEq/l		2108
		Micafungin : 1.5 mg/ml Potassium phosphate : 0.5 mmol/ml		2108
		Micafungin : 1.5 mg/ml Rocuronium bromide : 1 mg/ml		2108
		Micafungin : 1.5 mg/ml Sodium bicarbonate : 6.3 mg/ml		4057
		Micafungin : 5 mg/ml Sodium citrate : 40 mg/ml		3186
		Micafungin : 1.5 mg/ml Sodium Phosphate : 0.5 mmol/ml		2108
		Micafungin : 4 mg/ml Sulbactam/durlobactam : 15/15 mg/ml		4801
		Micafungin : 1.5 mg/ml Tacrolimus : 20 µg/ml		2108
		Micafungin : 2 mg/ml Tedizolid phosphate : 0.8 mg/ml		3827
		Micafungin : 5 mg/ml Telavancin hydrochloride : 7,5 mg/ml		3254
		Micafungin : 5 mg/ml Telavancin hydrochloride : 7,5 mg/ml		3254
		Micafungin : 1.5 mg/ml Theophylline : 4 mg/ml		2108
		Micafungin : 1.5 mg/ml Vasopressin : 1 UI/ml		2108
		Micafungin : 1.5 mg/ml Vecuronium bromide : 1 mg/ml		2108



Antotapa



Viitteet

	tyyppi	julkaisu
1889	Lehti	Briota Th, Vrignaud S, Lagarce F. Stability of micafungin sodium solutions at different concentrations in glass bottles and syringes. Int J Pharm 2015 ; 492 : 137-140.
2108	Lehti	Trusley C, Kupiec TC, Trissel LA. Compatibility of micafungin injection with other drugs during simulated Y-site co-administration. Int J Pharm Compound 2006 ; 10: 230-232.

2262	Lehti	Brammer MK, Chan P, Heatherly K, Trusley C, Kupiec TC, Trissel LA, Psathas PA, Gilmore T, Schaufelberger D. Compatibility of doripenem with other drugs during simulated Y-site administration Am J Health-Syst Pharm 2008 ; 65: 1261-1265.
3186	Lehti	Bryan Dotson B, Churchwell MD. Physical compatibility of 4% sodium citrate with 23.4% sodium chloride, fluconazole, and micafungin. Am J Health-Syst Pharm 2011 ; 68:377-378.
3254	Lehti	Housman S.T, Tessier P.R, Nicolau D.P, Kuti J.L. Physical compatibility of telavancin hydrochloride with select i.v. drugs during simulated Y-site administration Am J Health-Syst Pharm 2011 ; 68: 2265-2270.
3364	Lehti	Fleischbein E, Montgomery P.A, Zhou C.Z. Visual compatibility of micafungin sodium and levofloxacin injections. Am J Health-Syst Pharm 2012 ; 69:2130.
3573	Laboratorio	Micafungin (Mycamine®) – Summary of Product Characteristics Astellas 2013
3824	Lehti	Boudi S, Roy H, Forest JM, Leclair G. Compatibilité physique de l'association amoxicilline-acide clavulanique en injection avec plusieurs autres médicaments lors d'une administration en Y. Pharmactuel 2023 2023;56,3:91-98
3827	ilmoitus	Ghazi I.M, Hamada Y, Nicolau D.P. Compatibility of tedizolid phosphate with selected intravenous drugs via simulated Y-site conditions. ASHP Midyear 2015
3828	ilmoitus	Thabit A.K, Hamada Y, Nicolau D.P. Ceftazolin/tazobactam physical compatibility during simulated Y-site administration. ASHP Midyear 2015
3829	ilmoitus	So W, Kim L, Thabit A.K, Nicolau D.P, Kuti J.L. Compatibility of isavuconazole sulfate during simulated Y-site administration. ASHP Midyear 2015
4055	Lehti	Monogue M, Almarzoky Abuhussain S, Kuti J, Nicolau D. Physical compatibility of fosfomycin for injection with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 , 75, 1:36-44
4057	Lehti	Joiner L, Ynes C, Arnold J, Miller R, Gorman G. Physical Compatibility of Micafungin With Sodium Bicarbonate Hydration Fluids Commonly Used With High-Dose Methotrexate Chemotherapy. Hosp Pharm 2018 ; 53, 2: 125-127.
4145	Lehti	Asempa T.E, Avery L.M, Kidd J.M, Kuti J.L, Nicolau D.P. Physical compatibility of plazomicin with select i.v. drugs during simulated Y-site administration. Am J Health-Syst Pharm 2018 ;75,14:1048-1056
4380	Laboratorio	Posaconazole (Noxafil®) - Summary of Product Characteristics Merck Sharp & Dohme Limited 2019
4389	Lehti	Côté K, Correal F, Metras M.E, Friciu M, Forest J.M, Leclair G. Compatibilité physique des médicaments administrés en Y aux soins intensifs, en particulier la dexmédétomidine, le lévamisole et la kétamine. Pharmactuel 2019 ;52,4:206-213
4434	Lehti	Avery L.M, Chen, I.H, Reyes, S, Nicolau, D.P, Kuti J.L. Assessment of the Physical Compatibility of Eravacycline and Common Parenteral Drugs During Simulated Y-site Administration. Clin Ther 2019 ; 41, 10: 2162-2170.
4440	Lehti	Omotani S, Aoe M, Esaki S, Nagai K, Hatsuda Y, Mukai J, Teramachi H, Myotoku M. Compatibility of Intravenous Fat Emulsion with Antibiotics for Secondary Piggyback Infusion. Ann Nutr Metab 2018 ; 73: 227-233.
4528	Lehti	Lu J, Liu Q, Kupiec T, Vail H, Lunch L, Fam D, Vu N. Physical Compatibility of Cefiderocol with Selected Intravenous Drugs During Simulated Y-site Administration. Int J Pharm Compound 2021 ;25,1:52-61

4742	Lehti	Macoviciuc M, Nguyen C, Forest J-M, Leclair G. Compatibilité physique de l'acétaminophène injectable avec 102 autres médicaments lors d'une administration en Y. Pharmactuel 2022 ; 55, 4: 247-255.
4801	Lehti	Ruiz V, Yuwei Shen Y, Abouelhassan Y, Fouad A, Nicolau D, Kuti J. Physical compatibility of sulbactam/durlobactam with select intravenous drugs during simulated Y-site administration. Am J Health-Syst Pharm 2024 ;51,1:



Sanakirja

	Sienilääkkeet		Injektioneste
	Kauppanimi		Stabilus liuoksessa
	Astia		Molekyyli
	Konsentraatio		Lämpötila
	Säilytys		Vakauden kesto
	biologisesti		ristiriitaisia tietoja
	Viitteet		Lasi
	Natriumkloridi 0,9%		Ei määritetty
	tunti		Glukoosi 5%
	Ruisku polypropeeni		Suojattava valolta
	Päivä		Yhteensopivuus
	Yhdiste		Liuotin
	Yhteensopiva		Parenteraalisesti (rasva-free)
	Välittömät sateet		yhteensopimaton
	Sameus 4 tunnissa		Välitön sameus
	Parenteraalinen (lipidien)		Sade 4 tunnin kuluttua
	Sameus tunnissa		Antotapa
	Intravenoosi-infuusio		Viitteet
	Sanakirja		