


Stabilis



Minoxidil



Farmasötik preparatlar Kararlılığı

		2 g ® = ?	FOAMIL® Foam base >> 100 mL 23-27°C		180			4544
		5,5 g ® = ?	FOAMIL® Foam base >> 100 mL 23-27°C		180			4544
		6 g ® = ?	FOAMIL® Foam base >> 100 mL 23-27°C Laktik asit 4 g		180			4544
		15 g ® = ?	FOAMIL® Foam base >> 100 mL 23-27°C Laktik asit 4 g		180			4544
		12,6 g Fagron US	Espumil Foam Base® >> 250 mL 25°C		183			3996
		500 mg ® = ?	Aloplus Fast Base® >> 100 mL 25°C		180			4780
		500 mg ® = ?	Aloplus Fast Base® >> 100 mL 40°C		180			4780
		500 mg ® = ?	Aloplus Fast Base® >> 100 mL 4°C		180			4780



Karışımlardaki stabilitesi


	Transcutol® 10 g oleik asit 3 g Cremophor RH 40 5 g Butillenmiş hidroksitoluen 0,05 g NaOH >> pH 4 TrichoSol® >> 100 ml	25°C		Tretinoin : Toz ® = ? 0,01 g Finasteride : Toz ® = ? 0,1 g	14	5002
	PEG 400 5 g Tricocond® >> 100 ml	25°C		Tretinoin : Toz ® = ? 0,02 g	150	5002




Kaynaklar

	tip	yayın
3996	Dergi	Dijkers E,Nanhekhan V,Thorissen A. Updated Stability Data of Midazolam, Oseltamivir Phosphate, and Propranolol Hydrochloride in SyrSprend SF and Minoxidil in Espumil. Int J Pharm Compound 2017 ; 21,3 : 240-241.
4544	Dergi	Lupatini , Sidhu R, Patel H, Bichar K. Stability Evaluation of Minoxidil in FOAMIL Foam Base with Bracketing Study Design. Int J Pharm Compound 2021 ;25,3:236-240
4780	Dergi	Spennacchio A, Lopedota AA, Dibenedetto MT, La Forgia FM, Fontana S, Franco M, Denora N. Extemporaneous Topical Minoxidil Solutions for the treatment of Alopecia : Stability Studies and Incorporation Tests of Active Ingredients in ALOPLUS FAST Base. Int J Pharm Compound 2023 ;27,3:256-262
5002	Dergi	Schettino Kegele C, Marianni B, polonini H. Personalized compounded hair loss treatments: A compatibility assessment of the Trichoconcept vehicle line. Int J Pharm Compound 2025 ; 29, 3: 239-253.

Stabilis



Minoxidil



Farmasötik preparatlar Kararlılığı

		300 mg Loniten®	OraPlus® / OraSweet SF® (1:1)	≥ 300 r $2-6^{\circ}\text{C}$		168			4075
		300 mg Loniten®	OraPlus® / OraSweet SF® (1:1)	≥ 300 r $23-25^{\circ}\text{C}$		21			4075



Kaynaklar

	tip	yayın
4075	Dergi	Song Y, Whey Chin Z, Ellis D, Mon Phyo Lwin E, Turner S, Williams D, Garg S. Stability of an extemporaneously compounded minoxidil oral suspension. Am J Health-Syst Pharm 2018 ;75,5: 309-315



Sözlük

 Vazodilatör	 Merhem
 Farmasötik preparatlar Kararlılığı	 Saklama kabı
 Origine	 yardımcı madde
 Isı	 Saklama
 Stabilite süresi	 biyobenzer
 çelişkili veriler	 Kaynaklar
 Plastik şişe	 Toz
 Işıktan koruyunuz	 Gün
 Belirtilmemiş	 Karışımlardaki stabilitesi
 Bileşik	 Cam
 Kaynaklar	 Oral solüsyon / oral çözelti
 Tabletler	 Sözlük