



Stabilis



Pentoxifyllin


















Noms commerciaux













Chinotal	Hongrie
Flexital	Inde
Hemovas	Espagne
Kinetal	Inde
Oxilac	Mexique
Pentilin	Pologne
Pentohexal	Allemagne
Pentomer	Autriche
Polfilin	Pologne
Trental	Autriche
Trentilin	Turquie
Vasonit	Autriche
Vasoplan	Turquie



Compatibilités

			
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Aciclovir sodium : 5 mg/ml		4538
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Alprostadil : 6 µg/ml		4543
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Amphotericin B : 0,1 mg/ml		4543
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Amphotericin B liposomale : 2 mg/ml		4543
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Caffeine : 10 mg/ml		4543
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Caffeine citrate : 20 mg/ml		4543
	<input type="checkbox"/>		4538
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Calcium gluconate : 5 & 50 mg/ml		4538
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Cefotaxime sodium : 100 mg/ml		4538
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Cefotaxime sodium : 300 mg/ml		4538
<input checked="" type="checkbox"/>	Pentoxifyllin : 5 mg/ml Ciprofloxacin lactate : 2 mg/ml		4538

	Pentoxifyllin : 5 mg/ml Ciprofloxacin lactate : 0,5 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Clonidine hydrochloride : 0,001 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Dexmedetomidine : 0,001 µg/ml		4538
	Pentoxifyllin : 5 mg/ml Dobutamine hydrochloride : 1.2 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Dobutamine hydrochloride : 2,4 & 7,2 mg/ml	 	4538
	Pentoxifyllin : 5 mg/ml Epinephrine hydrochloride : 12 µg/ml		4543
	Pentoxifyllin : 5 mg/ml Flucloxacillin sodium : 50 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Gentamicin sulfate : 10 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Heparin sodium : 100 UI/ml		4538
	Pentoxifyllin : 5 mg/ml Ibuprofen lysinate : 5 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Indomethacin sodium trihydrate : 0,2 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Insulin : 0,2 UI/ml		4543
	Pentoxifyllin : 5 mg/ml Levetiracetam : 5 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Linezolid : 2 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Meropenem : 50 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Metronidazole : 5 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Midazolam hydrochloride : 0,5 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Midazolam hydrochloride : 0,12 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Milrinone lactate : 0,03 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Morphine hydrochloride : 0,08 & 0,2 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Morphine hydrochloride : 0,02 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Morphine sulfate : 0,02 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Morphine sulfate : 0,08 & 0,2 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Norepinephrine bitartrate : 5 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Paracetamol : 10 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Phenobarbital sodium : 20 mg/ml		4543

	Pentoxifyllin : 5 mg/ml Piperacillin sodium / tazobactam : 200 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Rifampicin : 6 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Sildenafil citrate : 0,04 & 0,6 mg/ml		4538
	Pentoxifyllin : 5 mg/ml Sodium bicarbonate : 42 mg/ml		4543
	Pentoxifyllin : 5 mg/ml Vancomycin hydrochloride : 10 mg/ml		4543
	Pentoxifyllin : 5 mg/ml		4538



Voie d'administration




Bibliographie

	Type	Source
4538	Revue	Campbell A, Petrovski M, Senarathna G, Mukadam ,Strunk T, Batty K. Compatibility of pentoxifylline and parenteral medications. Archives of Disease in Childhood 2020 ; 105: 395-397.
4543	Revue	Senarathna G, Strunk T, Petrovski M, Batty K. Physical compatibility of pentoxifylline and intravenous medications. Archives of Disease in Childhood 2018 ;104:292–295.

Stabilis



Pentoxifyllin



Stabilité des préparations

		600 mg Trental®	Eau distillée >> 30 mL	25°C		91		2453
		600 mg Trental®	Eau distillée >> 30 mL	4°C		91		2453
		3000 mg ® =?	SyrSpend SF PH4® >> 150 ml	2-8°C		90		3910
		3000 mg ® =?	SyrSpend SF PH4® >> 150 ml	20-25°C		90		3910
		600 mg Trental®	Eau distillée >> 30 mL	25°C		91		2453
		600 mg Trental®	Eau distillée >> 30 mL	4°C		91		2453



Bibliographie

	Type	Source
2453	Revue	Abdel-Rahman S, Nahata MC. Stability of pentoxifylline in an extemporaneously prepared oral suspension Am J Health-Syst Pharm 1997 ; 54: 1301-1303.
3910	Revue	Polonini H.C, Silva S .L, de Almeida T.R, Brand?o M.A, Ferreira A.O. Compatibility of caffeine, carvedilol, clomipramine hydrochloride, folic acid, hydrochlorothiazide, loperamide hydrochloride, methotrexate, nadolol, naltrexone hydrochloride and pentoxifylline in SyrSpend SF PH4 oral suspensions. EJHP 2016 ; 23: 352-358.



Dictionnaire

	Vasodilatateur		Injectable
	Noms commerciaux		Compatibilités
	Molécule		Solvant
	Bibliographie		Compatible
	Chlorure de sodium 0,9%		Glucose 5%
	Instabilité chimique		Incompatible
	NaCl 0,9% ou glucose 5%		Eau pour préparation injectable
	Aucun		Nutrition parentérale (mélange binaire)
	Voie d'administration		Perfusion intraveineuse
	Bibliographie		Solution buvable
	Stabilité des préparations		Contenant
	Origine		Excipient
	Température		Conservation
	Durée de stabilité		Biosimilaire
	Données conflictuelles		Verre
	Comprimés		A l'abri de la lumière
	Jour		Flacon plastique
	Poudre		Dictionnaire