


Stabilis



Propylthiouracil



錄踪塹鑽勤 ù 淪氣

500 mg 片 = ? (Purepac Pharmaceuticals)		缙 x 敦諾虹氮缙寸礪 750 mg Veegum 片 500 mg 纓 錦曠磳嫻 25 ml 灞辨viii緋桷喈 70% - 25 ml 闍屹磳綺 150 mg 漢圭緙諾鴻嫩鑾查吁鑾查垵 100 mg 漢圭緙諾鴻嫩鑾查吁涓欑垵 20 mg 妯辨 鑾 e 憐 0.03 ml 瑕嘮沅瀛悵 軀 0.03 ml 冊穰憐棣欖枰 0.03 ml 鍍 鋸欏按 >> 100 ml						2851
500 mg 片 = ? (Purepac Pharmaceuticals)		缙 x 敦諾虹氮缙寸礪 750 mg Veegum 片 500 mg 纓 錦曠磳嫻 25 ml 灞辨viii緋桷喈 70% - 25 ml 闍屹磳綺 150 mg 漢圭緙諾鴻嫩鑾查吁鑾查垵 100 mg 漢圭緙諾鴻嫩鑾查吁涓欑垵 20 mg 妯辨 鑾 e 憐 0.03 ml 瑕嘮沅瀛悵 軀 0.03 ml 冊穰憐棣欖枰 0.03 ml 鍍 鋸欏按 >> 100 ml						2851
750 mg 片 = ?		SyrSpend SF PH4 片 >> 150	mL 2-8掬C		90			3999

		750 mg 片 = ?	SyrSpend SF PH4片 >> 150 mL 20-25°C		90				3999
		1000 mg Propylthiouracil Lederle片	OraPlus片 / OraSweet片 (1:1) >> 200 mL 25°C		70				2415
		1000 mg Propylthiouracil Lederle片	OraPlus片 / OraSweet片 (1:1) >> 200 mL 4°C		91				2415



寮曠黻鐳固奈

	纒嶇被	鍍虹增鋤
2415	鐳固奈	Nahata MC, Morosco RS, Trowbridge JM. Stability of propylthiouracil in extemporaneously prepared oral suspensions at 4 and 25 degrees C Am J Health-Syst Pharm 2000 ; 57: 1141-1143.
2851	鐳固奈	Alexander KS, Mitra P. Stability of An Extemporaneously Compounded Propylthiouracil Suspension Int J Pharm Compound 2005 ; 9, 1: 82-86.
3999	鐳固奈	De Oliveira Ferreira, Polonini H, Loures da Silva S, Buzinari Aglio N.C, Abreu J, Fernandes Brand?o M.A. Stability of Acetazolamide, Baclofen, Dipyrindamole, Mebeverine Hydrochloride, Propylthiouracil, Quinidine Sulfate, and Topiramate Oral Suspensions in SyrSpend SF PH4. Int J Pharm Compound 2017 ; 21:4 :339-346



瀛楸吁

 鐫踪畠	 鑒 f 涓緳
 鐫踪塋鑽勤 ŭ 淪氣	 淪瑰擦
 Origine	 娣悔姑緳
 妮十害	 淇潰瓊
 绌十晶鏢仝笊鏘�杳	 鑿熖澤浹胯＝鉞
 鐫況泥鑽勑際鐫	 寮�黠鑑囡奈
 鑿牽拊	 鐫罔塋
 閭垮厓	 鐫藉お
 灘戛枰鐵	 綺攷塋
 寮�黠鑑囡奈	 瀛楸吁