



# Stabilis



## Sildenafil citrate



### Stabilité des préparations


		75 mg Viagra®	OraPlus® / OraSweet® (1:1) >> 30 ml	25°C		91			2926
		75 mg Viagra®	Methylcellulose 1% / Sirop simple (1:1) >> 30 ml	25°C		91			2926
		75 mg Revatio®	OraPlus® / OraSweet® (1:1) >> 30 ml	25°C		91			3866
		75 mg Revatio®	Sirop simple 21 ml Methylcellulose 1% 3 ml	25°C		91			3866
		75 mg Viagra®	OraPlus® / OraSweet® (1:1) >> 30 ml	4°C		91			2926
		75 mg Viagra®	Methylcellulose 1% / Sirop simple (1:1) >> 30 ml	4°C		91			2926
		75 mg Revatio®	OraPlus® / OraSweet® (1:1) >> 30 ml	4°C		91			3866
		75 mg Revatio®	Sirop simple 21 ml Methylcellulose 1% 3 ml	4°C		91			3866




### Bibliographie

	Type	Source
2926	Revue	Nahata MC, Morosco RS, Brady MT. Extemporaneous sildenafil citrate oral suspensions for the treatment of pulmonary hypertension in children. Am J Health-Syst Pharm 2006 ; 63: 254-257.
3866	Revue	Nahata M C. Extended Stability of Morphine and Sildenafil for Oral Use in Infants and Young Children. Int J Pharm Compound 2016 ; 30, 3 : 247-249.

# Stabilis



## Sildenafil citrate



Noms commerciaux

Disotat | Allemagne



### Stabilité des solutions

		0,4 mg/ml	20°C		30			3923
		0,4 mg/ml	5°C		30			3923
		0,067 mg/ml	25°C		7			3274
		0,067 mg/ml	37°C		7			3274
		0,667 mg/ml	25°C		7			3274
		0,667 mg/ml	37°C		7			3274



### Compatibilités

		Sildenafil citrate Calcium gluconate 3644
		Sildenafil citrate : 0,4 mg/ml Dopamine hydrochloride : 1,6 mg/ml 3923
		Sildenafil citrate : 0,4 mg/ml Heparin sodium : 1 UI/ml 3923
		Sildenafil citrate : 0,04 & 0,6 mg/ml Pentoxifyllin : 5 mg/ml 4538
		Sildenafil citrate : 0,8 mg/ml 4507



## Voie d'administration









































## Bibliographie

	Type	Source
3274	Revue	Al Hadithy F.F.Y, De Goede A.L; Eckhardt M, Hanff L, Koch B.C.P. Stability of sildenafil (Revatio®) solutions in dextrose 5%. Intensive Care Medicine 2011 ; 37, 11: 1899.
3644	Laboratoire	Calcium gluconate® - Summary of Product Characteristics Hamel Pharmaceuticals 2010
3923	Revue	Luu Y, Thigpen J, Brown S.D. Stability of sildenafil in combination with heparin and dopamine. Am J Health-Syst Pharm 2017 ; 74, 1: e64-e71
4507	Revue	Ross E, Salinas A, Petty K, Her C, Carpenter J. Compatibility of medications with intravenous lipid emulsions: Effects of simulated Y-site mixing. Am J Health-Syst Pharm 2020 ; 77,23:1980-1985
4538	Revue	Campbell A, Petrovski M, Senarathna G, Mukadam, Strunk T, Batty K. Compatibility of pentoxifylline and parenteral medications. Archives of Disease in Childhood 2020 ; 105: 395-397.



# Dictionnaire

 Vasodilatateur	 Solution buvable
 Stabilité des préparations	 Contenant
 Origine	 Excipient
 Température	 Conservation
 Durée de stabilité	 Biosimilaire
 Données conflictuelles	 Bibliographie
 Flacon plastique	 Comprimés
 A l'abri de la lumière	 Jour
 Bibliographie	 Injectable
 Noms commerciaux	 Stabilité des solutions
 Molécule	 Concentration
 Verre	 Glucose 5%
 Lumière	 Non précisée
 Seringue polypropylène	 Compatibilités
 Molécule	 Solvant
 Incompatibilité non précisée	 Incompatible
 Compatible	 Nutrition parentérale (mélange ternaire)
 Voie d'administration	 Intraveineuse
 Perfusion intraveineuse	 Dictionnaire