



Stabilis



Trimethoprim



Stabilität von pharmazeutischen Präparaten

300 mg ® = ? (Alphapharm Laboratories)		300 mg Trimethoprim®	Methylcellulose 1% / Einfacher Sirup (1:1) >> 30 ml	25°C		42			3002
		300 mg Trimethoprim®	OraPlus® / OraSweet SF® (1:1) >> 30 ml	25°C		63			3860
		300 mg ® = AA pharma Inc	Oral Mix® >> 30 ml	25°C		92			3854
300 mg ® = ? (Alphapharm Laboratories)		300 mg Trimethoprim®	Oral Mix SF® >> 30 ml	25°C		92			3854
		300 mg Trimethoprim®	Methylcellulose 1% / Einfacher Sirup (1:1) >> 30 ml	4°C		91			3002
		300 mg Trimethoprim®	OraPlus® / OraSweet SF® (1:1) >> 30 ml	4°C		63			3860
		300 mg ® = AA pharma Inc	Oral Mix® >> 30 ml	4°C		92			3854
		300 mg ® = AA pharma Inc	Oral Mix SF® >> 30 ml	4°C		92			3854
		1500 mg ® = ?	SyrSpend SF® PH4 >> 150 mL	2-8°C		90			3819
		1500 mg ® = ?	SyrSpend SF® PH4 >> 150 mL	20-25°C		90			3819
		300 mg Trimethoprim®	Methylcellulose 1% / Einfacher Sirup (1:1) >> 30 ml	25°C		42			3002
		300 mg ® = AA pharma Inc	Oral Mix® >> 30 ml	25°C		92			3854
		300 mg ® = AA pharma Inc	Oral Mix SF® >> 30 ml	25°C		92			3854
		300 mg Trimethoprim®	Methylcellulose 1% / Einfacher Sirup (1:1) >> 30 ml	4°C		91			3002
		300 mg ® = AA pharma Inc	Oral Mix® >> 30 ml	4°C		92			3854
		300 mg ® = AA pharma Inc	Oral Mix SF® >> 30 ml	4°C		92			3854
		30 mg ® = AA pharma Inc	Oral Mix® >> 3 ml	25°C		92			3854

		30 mg ® = AA pharma Inc	Oral Mix SF® >> 3 ml	25°C		92				3854
--	--	-------------------------	----------------------	------	---	----	--	--	--	------



Gemengestabilität

						
	Suspendit® >> 5 mL	25°C		Sulfadiazine : Pulver ® = ? 500 mg	182 	4030
	Suspendit® >> 5 mL	5°C		Sulfadiazine : Pulver ® = ? 500 mg	182 	4030



Literaturverzeichnis

	Typ	Veröffentlichung
3002	Zeitung	Nahata MC. Stability of trimethoprim in an extemporaneous liquid dosage form. J Ped Pharm Pract 1997 ; 2: 82-84.
3819	Zeitung	Ferreira A.O, Polonina H.C, Silva S.L, Patricio F.B, Brand?oa M.A.F, Raposo N.R.B. Feasibility of amlodipine besylate, chloroquine phosphate, dapson, phenytoin, pyridoxine hydrochloride, sulfadiazine, sulfasalazine, tetracycline hydrochloride, trimethoprim and zonisamide in SyrSpend® SF PH4 oral suspensions. J Pharm Biomed Anal 2015 ; 118: 105-112.
3854	Zeitung	Ensom M.H.H, Decarie D. Stability of extemporaneously compounded trimethoprim in glass and plastic bottles and plastic syringes. Can J Hosp Pharm 2016 ; 69, 2: 171-173.
3860	Zeitung	Patel R.P, Wanandy T, Zani R, Jose M.D, Shastri M, Zaidi S.T.R. Stability of trimethoprim in newly formulated liquid dosage form. J Pharm Pract and Res 2016 ; 46: 10-14.
4030	Zeitung	Graves R, Phan K, Bostanian L, Mandal T, Pramari Y. Physicochemical Stability of an Oral Suspension of Trimethoprim 20 mg/mL in Combination with Sulfadiazine 200 mg/mL in PCCA Base SuspendIt. Int J Pharm Compound 2017 ; 21, 5 : 430-435



Wörterbuch

	Antibiotikum		Lösung zum Einnehmen
	Stabilität von pharmazeutischen Präparaten		Behälter
	Origine		Hilfsstoff
	Temperatur		Konservierung
	Dauer der Stabilität		Biosimilar
	widersprüchliche Daten		Literaturverzeichnis
	Glas		Tabletten
	Nicht genau angegeben		Tag
	Ohne Licht		Plastikflasche
	Spritze		Gemengestabilität
	Molekül		Nicht genau angegeben
	Literaturverzeichnis		Wörterbuch