


# Stabilis



## Valganciclovir



### Stabilité des préparations

		450mg Valcyte®	OraPlus® >15ml	4°C		35			2386
		900mg Valcyte®	OraPlus® >15ml	4°C		35			2386
		450mg Valcyte®	Orasweet® >15ml	4°C		35			2386
		900mg Valcyte®	Orasweet® >15ml	4°C		35			2386
		3375 mg Valcyte®	Eau ppi 7.5 ml Sirop de cerise/chocolat >> 37.5 ml-8°C Acide chlorhydrique 10N >> pH 3.2			125			2384






















### Bibliographie

	Type	Source
2384	Revue	Anaizi NH, Dentinger PJ, Swenson CF. Stability of valganciclovir in an extemporaneously compounded oral liquid Am J Health-Syst Pharm 2002 ; 59: 1267-1270.
2386	Revue	Henkin CC, Griener JC, Ten Eick AP. Stability of valganciclovir in extemporaneously compounded liquid formulations Am J Health-Syst Pharm 203 ; 60: 687-690.



# Dictionnaire

 Antiviral	 Solution buvable
 Stabilité des préparations	 Contenant
 Origine	 Excipient
 Température	 Conservation
 Durée de stabilité	 Biosimilaire
 Données conflictuelles	 Bibliographie
 Verre	 Comprimés
 A l'abri de la lumière	 Jour
 Flacon plastique	 Bibliographie
 Dictionnaire	